Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {60B27A2F-B8C8-4484-8544-4F7D5A8EB784}}	LastUpdated:	1/20/2017 11:08:40 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	2
Updatable:	True		

Columns

Name	Type	Size
HospitalID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Agency ID as used in referral table	
GUID:	{guid {E40E3312-C735-4E95-B04D-C4DBA114E118}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	HospitalID	
SourceTable:	CollaboratingHospitals	
HospitalID_pims7	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Agency ID as used in referral table	
DisplayControl:	Text Box	
GUID:	{guid {345625DC-3C40-440E-966E-625E18B39D1A}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	HospitalID_pims7	
SourceTable:	CollaboratingHospitals	
SiteID	Text	10
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
Caption:	Site ID	
CollatingOrder:	General	
ColumnHidden:	False	

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Site ID code
DisplayControl:	Text Box
GUID:	{guid {84D14F97-C2F2-4B6F-8764-0BB34596E6BB}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	True
SourceField:	SiteID
SourceTable:	CollaboratingHospitals
UnicodeCompression:	False

HospitalName Text 50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Name of the hospital
DisplayControl:	Text Box
GUID:	{guid {D95BC56C-8E2B-4955-B3D0-5D199F0F3AE0}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	True
SourceField:	HospitalName
SourceTable:	CollaboratingHospitals
UnicodeCompression:	False

PrivateForProfHosp Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Private For-Profit Hospital
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Private for-profit hospital
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {59D42759-F1A3-4CF1-8700-0CCE41DEAB64}}
OrdinalPosition:	4
Required:	False
SourceField:	PrivateForProfHosp
SourceTable:	CollaboratingHospitals

PrivateNonProfHosp Yes/No 1

AllowZeroLength:	False

AppendOnly:	False
Attributes:	Fixed Size
Caption:	Private Non-Profit Hospital
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Private non-profit hospital
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {790D6316-477D-430E-95A6-8427FEF5DD99}}
OrdinalPosition:	5
Required:	False
SourceField:	PrivateNonProfHosp
SourceTable:	CollaboratingHospitals

PublicNonProfHosp Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Public non-profit hospital
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Public non-profit hospital
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {C00497F3-AC46-46C4-864C-57E526E39F72}}
OrdinalPosition:	6
Required:	False
SourceField:	PublicNonProfHosp
SourceTable:	CollaboratingHospitals

ChildrenHospital Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Children's Hospital
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Children's hospital
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {4E7F81E4-20F7-444F-9A32-62C85C43861F}}
OrdinalPosition:	7
Required:	False
SourceField:	ChildrenHospital
SourceTable:	CollaboratingHospitals

CountyHospital Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	County Hospital
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	County hospital
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {7274694C-7463-4690-8432-8916C5C80EDB}}
OrdinalPosition:	8
Required:	False
SourceField:	CountyHospital
SourceTable:	CollaboratingHospitals

MilitaryHospital Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Military hospital
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {31F5AD6B-96F4-4410-B6D1-73A7A5EFCCD5}}
OrdinalPosition:	9
Required:	False
SourceField:	MilitaryHospital
SourceTable:	CollaboratingHospitals

ReligiousAffiliation Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Religious Affiliation
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Religious affiliation
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {20DFEE46-06DC-4EC9-975D-BDBAAAD7722C}}
OrdinalPosition:	10
Required:	False
SourceField:	ReligiousAffiliation
SourceTable:	CollaboratingHospitals

UnivAffiliation Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	University Affiliation
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	University affiliation
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {60C96A9B-DB2D-4A9B-8E21-385CDC6E24F1}}
OrdinalPosition:	11
Required:	False
SourceField:	UnivAffiliation
SourceTable:	CollaboratingHospitals

AnnualBirth Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	# of Annual Births
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	0
Description:	Number of annual births
DisplayControl:	Text Box
Format:	Standard
GUID:	{guid {C282EC41-8E4B-492D-9103-68DEF833717D}}
OrdinalPosition:	12
Required:	False
SourceField:	AnnualBirth
SourceTable:	CollaboratingHospitals

MedicaidBirth Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	% Medicaid Birth
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	0
Description:	% of Medicaid birth
DisplayControl:	Text Box
Format:	Fixed
GUID:	{guid {FAA514FF-443A-47B8-AFCB-4B711E4E7B66}}
OrdinalPosition:	13

Required:	False
SourceField:	MedicaidBirth
SourceTable:	CollaboratingHospitals
ValidationRule:	Is Null Or <=100
ValidationText:	The number must be <= 100!

Screening Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	The hospital provides screenings of potential participants
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {4D88B6EC-5E3B-40D8-9BA8-925D2057DE95}}
OrdinalPosition:	14
Required:	False
SourceField:	Screening
SourceTable:	CollaboratingHospitals

Assessment Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	The hospital provides assessments of potential participants
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {AA5BE7F8-2E16-462C-A09D-71FD8675CFE9}}
OrdinalPosition:	15
Required:	False
SourceField:	Assessment
SourceTable:	CollaboratingHospitals

Financial Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Financial
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	The hospital provides financial support to the program
DisplayControl:	Text Box
Format:	Yes/No

	GUID:	{guid {CC507734-FCC5-4143-B6E9-A888C6964EA9}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	Financial	
	SourceTable:	CollaboratingHospitals	
VolunteerStaff		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	VolunteerStaff	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The hospital provides in-kind volunteer/staff to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {069639EA-E58F-498E-9DAF-253953F8F531}}	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	VolunteerStaff	
	SourceTable:	CollaboratingHospitals	
Space		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Space	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The hospital provides in-kind space to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {D4D43C37-5C02-4938-A87B-10682D4C1F50}}	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	Space	
	SourceTable:	CollaboratingHospitals	
Equipment		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Equipment	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The hospital provides in-kind equipments to the program	

DisplayControl: Text Box
Format: Yes/No
GUID: {guid {96618F97-28FD-421B-871C-25750EDA4C52}}
OrdinalPosition: 19
Required: False
SourceField: Equipment
SourceTable: CollaboratingHospitals

Consumables Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
Caption: Consumables
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: The hospital provides in-kind cosumables to the program
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {9932ACD5-D3DB-494C-9A97-85F464D5577C}}
OrdinalPosition: 20
Required: False
SourceField: Consumables
SourceTable: CollaboratingHospitals

AdvocacySupport Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
Caption: Advocacy/Support
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: The hospital provides advocacy for the program
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {2710C923-926A-41C4-AEC5-190DB9EDD775}}
OrdinalPosition: 21
Required: False
SourceField: AdvocacySupport
SourceTable: CollaboratingHospitals

Staff Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False

	Description:	The hospital provides paid staff	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {2939D9F1-35A8-40F2-8B95-50E89669333E}}	
	OrdinalPosition:	22	
	Required:	False	
	SourceField:	Staff	
	SourceTable:	CollaboratingHospitals	
Training		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The hospital provides training to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {1E945130-AD06-47F3-988C-037CA830562C}}	
	OrdinalPosition:	23	
	Required:	False	
	SourceField:	Training	
	SourceTable:	CollaboratingHospitals	
Consult		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The hospital provides consultation to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {BA17515C-B382-44BB-B6BE-9BFA098EF5A9}}	
	OrdinalPosition:	24	
	Required:	False	
	SourceField:	Consult	
	SourceTable:	CollaboratingHospitals	
StartDate		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Collaboration start date	

	GUID:	{guid {3E08DE13-90B7-463A-B768-3E3D4FDE2CC3}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	25	
	Required:	False	
	SourceField:	StartDate	
	SourceTable:	CollaboratingHospitals	
EndDate		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Collaboration end date	
	GUID:	{guid {9DFE0A0B-2932-473E-8069-2DC1DB466741}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	26	
	Required:	False	
	SourceField:	EndDate	
	SourceTable:	CollaboratingHospitals	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date on which the record was created	
	Format:	General Date	
	GUID:	{guid {7926CAFB-6E59-4B4F-A561-C8FC778B37AE}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	27	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	CollaboratingHospitals	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	User who created this record	

DisplayControl:	Text Box
GUID:	{guid {0CFC8849-3534-45DC-A9CA-C4597DE304DD}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	28
Required:	False
SourceField:	created_user
SourceTable:	CollaboratingHospitals
UnicodeCompression:	True

RecUpdateDate — Date/Time — 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date on which the data was updated most recently
Format:	General Date
GUID:	{guid {7D14CDAE-A959-4177-8E38-4BFC3D3BAAA8}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	29
Required:	False
SourceField:	RecUpdateDate
SourceTable:	CollaboratingHospitals

modified_user — Text — 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	User who updated the data most recently
DisplayControl:	Text Box
GUID:	{guid {37BCD775-B769-489E-8361-C9DC84ECC4D7}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	30
Required:	False
SourceField:	modified_user
SourceTable:	CollaboratingHospitals
UnicodeCompression:	True

Relationships

Site/ProgramInfoCollaboratingHospitals



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{67557321-B0D8-4817-9E54-CFDD49149F	1
Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	{67557321-B0D8-4817-9E54-CFDD49149F41}
Primary:	False
Required:	False
Unique:	False
Fields:	
SiteID	Ascending
HospitalID	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	HospitalID
Primary:	False
Required:	False
Unique:	False
Fields:	
HospitalID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SiteID	Ascending
HospitalName	Ascending

User Permissions

066

105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {E1770A61-3FCF-4769-A0DD-2FFEC31686D5}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	12
Updatable:	True		

Columns

Name	Type	Size
SiteID	Text	10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Site ID code
DisplayControl:	Text Box
GUID:	{guid {F7AA336D-64DE-444D-A26B-468AF6D978C4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	0
Required:	True
SourceField:	SiteID
SourceTable:	Funding
UnicodeCompression:	False

GrantName	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Name of Grant
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Name of grant
DisplayControl:	Text Box
GUID:	{guid {914D5A4B-DE58-4EFF-A3A4-42CB0806DA29}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	True
SourceField:	GrantName
SourceTable:	Funding
UnicodeCompression:	False

Source		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Source	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Source of grant	
	DisplayControl:	Text Box	
	GUID:	{guid {FC193994-EF7B-4CC1-9CB7-478F5AC13934}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	Source	
	SourceTable:	Funding	
SourceOther		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Specify other source of grant	
	DisplayControl:	Text Box	
	GUID:	{guid {56886705-86D0-4723-95BD-00EB9819AFA2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	SourceOther	
	SourceTable:	Funding	
	UnicodeCompression:	False	
Amount		Currency	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Amount	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Amount of grant	
	Format:	$#,##0.00;($#,##0.00)	
	GUID:	{guid {CAE21E47-9633-4AAF-B937-C38FA49903E1}}	
	OrdinalPosition:	4	
	Required:	False	

	SourceField:	Amount	
	SourceTable:	Funding	
StartDate		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Start Date	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date the grant starts	
	Format:	Short Date	
	GUID:	{guid {7836DA1B-79EB-4CEC-B7AA-E2EA29525D67}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	StartDate	
	SourceTable:	Funding	
EndDate		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	End Date	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date the grant ends	
	Format:	Short Date	
	GUID:	{guid {31D0E157-B327-46C3-B603-E03724DB0652}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	EndDate	
	SourceTable:	Funding	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date on which the record was created	

	Format:	General Date	
	GUID:	{guid {E672B20F-ED5D-47FB-B5F8-6B84D86A72B8}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	Funding	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	User who created this record	
	DisplayControl:	Text Box	
	GUID:	{guid {8697F37A-6A9F-4D25-B475-D9123D2CA13D}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	Funding	
	UnicodeCompression:	True	
RecUpdateDate		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date on which the data was updated most recently	
	Format:	General Date	
	GUID:	{guid {B562FBA8-E2ED-4E59-A486-9075E1B28B4D}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	RecUpdateDate	
	SourceTable:	Funding	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
Description:	User who updated the data most recently
DisplayControl:	Text Box
GUID:	{guid {88BEBCF1-4A45-49D7-808A-77682D238F77}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	10
Required:	False
SourceField:	modified_user
SourceTable:	Funding
UnicodeCompression:	True

Relationships

Site/ProgramInfoFunding



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{4AE6C389-0B28-411B-91EC-2AE85EA453	1
Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	{4AE6C389-0B28-411B-91EC-2AE85EA4536C}
Primary:	False
Required:	False
Unique:	False
Fields:	
SiteID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SiteID	Ascending
GrantName	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {2C6353DD-9895-4FA8-AE98-DAA8FE6208AD}}	LastUpdated:	1/20/2017 11:08:31 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1
Updatable:	True		

Columns

Name	Type	Size
ClinicID	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size, Auto-Increment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Agency ID as used in referral table, newly assigned
GUID:	{guid {8499D6C1-ABC9-4F42-A1DC-AD8441252A01}}
OrdinalPosition:	0
Required:	False
SourceField:	ClinicID
SourceTable:	MedicalClinic

ClinicID_pims7	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Agency ID as used in referral table in PIMS 7
DisplayControl:	Text Box
GUID:	{guid {7F725FB8-AE77-4C90-857D-39B03CF312B7}}
OrdinalPosition:	1
Required:	False
SourceField:	ClinicID_pims7
SourceTable:	MedicalClinic

SiteID	Text	10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Site ID code
DisplayControl:	Text Box
GUID:	{guid {CD969438-E270-4910-988A-47C5483E37F4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	True
SourceField:	SiteID
SourceTable:	MedicalClinic
UnicodeCompression:	False

ClinicName Text 50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Name of Clinic
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Name of clinic
DisplayControl:	Text Box
GUID:	{guid {F5CECC8C-090F-46BC-94D9-E46603ACA598}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	True
SourceField:	ClinicName
SourceTable:	MedicalClinic
UnicodeCompression:	False

StartDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Start Date
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date collaboration starts
Format:	Short Date
GUID:	{guid {92D81A15-D08D-47B0-9F8F-89C10C647C89}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	4
Required:	False
SourceField:	StartDate
SourceTable:	MedicalClinic

EndDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	End Date
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date collaboration ends
Format:	Short Date
GUID:	{guid {A6AABED5-6890-49BA-8C29-31AE0826FC2D}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	5
Required:	False
SourceField:	EndDate
SourceTable:	MedicalClinic

Type Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Type of Clinic
DisplayControl:	Text Box
GUID:	{guid {F6C46EB4-BFBB-4E93-BCE0-6ED5A8CA221C}}
OrdinalPosition:	6
Required:	False
SourceField:	Type
SourceTable:	MedicalClinic

Ownership Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Ownership of clinic
DisplayControl:	Text Box
GUID:	{guid {1E320A5B-EC78-4290-AE5D-0FE89C16A41A}}
OrdinalPosition:	7
Required:	False
SourceField:	Ownership

SourceTable: MedicalClinic

Screening Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: The clinic provides screenings of potential participants
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {33272485-094E-4A86-9CAA-8F971F966734}}
OrdinalPosition: 8
Required: False
SourceField: Screening
SourceTable: MedicalClinic

Assessment Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: The clinic provides assessments of potential participants
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {7814E103-AFA9-4ED0-BE6C-A75D0E9D5182}}
OrdinalPosition: 9
Required: False
SourceField: Assessment
SourceTable: MedicalClinic

Financial Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
Caption: Financial
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: The clinic provides financial support to the program
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {16F1A171-3BD4-4380-99DD-973E3E4C2A70}}
OrdinalPosition: 10
Required: False
SourceField: Financial

	SourceTable:	MedicalClinic	
VolunteerStaff		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	VolunteerStaff	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The clinic provides in-kind volunteer/staff to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {079DF316-FBFB-475D-967A-23CD41C40BFA}}	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	VolunteerStaff	
	SourceTable:	MedicalClinic	
Space		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Space	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The clinic provides in-kind space to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {4A7E97DE-BFD0-4FB0-B1AB-552B26DA6F82}}	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	Space	
	SourceTable:	MedicalClinic	
Equipment		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Equipment	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The clinic provides in-kind equipments to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {820409C7-725F-4E3F-BA1D-03C338D023BD}}	
	OrdinalPosition:	13	

	Required:	False	
	SourceField:	Equipment	
	SourceTable:	MedicalClinic	
Consumables		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Consumables	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The clinic provides in-kind cosumables to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {7709ABD2-6C47-4CED-916B-AB78E23142E2}}	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	Consumables	
	SourceTable:	MedicalClinic	
AdvocacySupport		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Advocacy/Support	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The clinic provides advocacy for the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {CCC1DEAE-E1C4-4299-ADDE-E3161407CC3E}}	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	AdvocacySupport	
	SourceTable:	MedicalClinic	
Staff		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The clinic provides paid staff	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {143C3876-7768-4AA9-A77F-D119792412A0}}	

	OrdinalPosition:	16	
	Required:	False	
	SourceField:	Staff	
	SourceTable:	MedicalClinic	
Training		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The clinic provides training to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {F23F7F6B-60CB-4152-9456-53C314CA6FB7}}	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	Training	
	SourceTable:	MedicalClinic	
Consult		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The clinic provides consultation to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {C6C61A7F-1721-47EB-BC9F-AF1C32FEBE2F}}	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	Consult	
	SourceTable:	MedicalClinic	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date on which the record was created	
	Format:	General Date	
	GUID:	{guid {4D7CA48A-08F4-4660-9124-611FA64FA25B}}	
	IMEMode:	0	
	IMESentenceMode:	3	

	OrdinalPosition:	19	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	MedicalClinic	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	User who created this record	
	DisplayControl:	Text Box	
	GUID:	{guid {90D65BB8-2DBC-44BC-969C-BCC93A9C0DAC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	MedicalClinic	
	UnicodeCompression:	True	
RecUpdateDate		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date on which the data was updated most recently	
	Format:	General Date	
	GUID:	{guid {17F4413D-15F6-4EEF-8F78-62EA23757410}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	21	
	Required:	False	
	SourceField:	RecUpdateDate	
	SourceTable:	MedicalClinic	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	User who updated the data most recently	
	DisplayControl:	Text Box	

GUID:	{guid {923643F0-685C-4018-A4BB-7A39A4AE16BB}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	22
Required:	False
SourceField:	modified_user
SourceTable:	MedicalClinic
UnicodeCompression:	True

Relationships

Site/ProgramInfoMedicalClinic



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{542AE7F9-0460-4366-80B0-7FFF57064A	1
Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	{542AE7F9-0460-4366-80B0-7FFF57064AE4}
Primary:	False
Required:	False
Unique:	False
Fields:	
SiteID	Ascending
AgencyID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	AgencyID
Primary:	False
Required:	False
Unique:	True
Fields:	
ClinicID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True

Required:	True
Unique:	True
Fields:	
SiteID	Ascending
ClinicName	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {572CB235-1029-4329-8001-FB913EE4FE67}}	LastUpdated:	1/20/2017 11:08:51 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	6
Updatable:	True		

Columns

Name	Type	Size
AgencyID	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Agency ID as used in referral table	
GUID:	{guid {5668A306-9D45-42A7-A3E4-073C90740BC9}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	AgencyID	
SourceTable:	NonHospitalCollaboratingAgencies	
AgencyID_pims7	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Agency ID as used in referral table in PIMS 7	
DisplayControl:	Text Box	
GUID:	{guid {DB3A2555-7D53-4751-954E-45F761EF0020}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	AgencyID_pims7	
SourceTable:	NonHospitalCollaboratingAgencies	
SiteID	Text	10
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
Caption:	Site ID	
CollatingOrder:	General	
ColumnHidden:	False	

ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Site ID code	
DisplayControl:	Text Box	
GUID:	{guid {F81C1796-A7AC-4D3D-B1E7-0C4A99EE1EA6}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	True	
SourceField:	SiteID	
SourceTable:	NonHospitalCollaboratingAgencies	
UnicodeCompression:	False	
AgencyName	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Name of the agency	
DisplayControl:	Text Box	
GUID:	{guid {5C497EB2-C788-4494-B72B-459AE78B28D4}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	3	
Required:	True	
SourceField:	AgencyName	
SourceTable:	NonHospitalCollaboratingAgencies	
UnicodeCompression:	False	
Type	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
Caption:	Type of Agency	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Type of agency	
DisplayControl:	Text Box	
GUID:	{guid {C4F21E82-EDB6-407D-A6D1-9716DB2F0F1E}}	
OrdinalPosition:	4	
Required:	False	
SourceField:	Type	
SourceTable:	NonHospitalCollaboratingAgencies	
PrimaryFocus	Byte	1
AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Primary Focus	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Primary focus of the agency	
	DisplayControl:	Text Box	
	GUID:	{guid {02BD8040-B499-4183-B57B-CB6D82503DF9}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	PrimaryFocus	
	SourceTable:	NonHospitalCollaboratingAgencies	
PrimaryFocusOther		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Specify other primary focus of the agency	
	DisplayControl:	Text Box	
	GUID:	{guid {8BD119BE-DF33-427E-848E-EC6CD7C52D82}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	PrimaryFocusOther	
	SourceTable:	NonHospitalCollaboratingAgencies	
	UnicodeCompression:	False	
Financial		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Financial	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The agency provides financial support to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {C2EC5379-45BE-4FE8-AAE0-6E9C6F00C7FD}}	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	Financial	
	SourceTable:	NonHospitalCollaboratingAgencies	

VolunteerStaff Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	VolunteerStaff
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	The agency provides in-kind volunteer/staff to the program
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {F79D1D5B-8268-47B1-89D8-DDC560E145C8}}
OrdinalPosition:	8
Required:	False
SourceField:	VolunteerStaff
SourceTable:	NonHospitalCollaboratingAgencies

Space Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Space
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	The agency provides in-kind space to the program
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {364A57CE-B54A-4907-BBEB-A7F0797A8C32}}
OrdinalPosition:	9
Required:	False
SourceField:	Space
SourceTable:	NonHospitalCollaboratingAgencies

Equipment Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Equipment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	The agency provides in-kind equipments to the program
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {83DB6A97-6620-45EE-BE87-DEFC18EDDDA4}}
OrdinalPosition:	10
Required:	False
SourceField:	Equipment

	SourceTable:	NonHospitalCollaboratingAgencies	
Consumables		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Consumables	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The agency provides in-kind cosumables to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {ADC63C31-44EE-4C1E-878F-A0CE77130E80}}	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	Consumables	
	SourceTable:	NonHospitalCollaboratingAgencies	
AdvocacySupport		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Advocacy/Support	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The agency provides advocacy for the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {4AFF25B7-B369-4937-9EC3-C26CEE664434}}	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	AdvocacySupport	
	SourceTable:	NonHospitalCollaboratingAgencies	
Staff		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The agency provides paid staff (e.g., FAWs, FSWs)	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {DE4480A7-7B32-4787-B9B1-14265031B4FE}}	
	OrdinalPosition:	13	
	Required:	False	

	SourceField:	Staff	
	SourceTable:	NonHospitalCollaboratingAgencies	
Training		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The agency provides training to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {5A96A130-5D55-4F1E-B606-54F327266C8D}}	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	Training	
	SourceTable:	NonHospitalCollaboratingAgencies	
Consult		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The agency provides consultation to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {75397CD7-AF0C-4E46-B3D9-C5EEA4106B89}}	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	Consult	
	SourceTable:	NonHospitalCollaboratingAgencies	
Referral		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The agency provides referrals to the program	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {96C3E94E-1933-46C7-ABF7-03F07993900D}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	Referral	

	SourceTable:	NonHospitalCollaboratingAgencies	
StartDate		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date collaboration started	
	Format:	Short Date	
	GUID:	{guid {4AEA7269-03D7-4E08-810E-A7375DCC5CF9}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	StartDate	
	SourceTable:	NonHospitalCollaboratingAgencies	
EndDate		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date collaboration ended	
	Format:	Short Date	
	GUID:	{guid {063EBAAA-C36A-4FCF-9074-30AE3697D45C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	EndDate	
	SourceTable:	NonHospitalCollaboratingAgencies	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date on which the record was created	
	Format:	General Date	
	GUID:	{guid {3DC7B4CB-A210-4C6A-9029-D9A2F8B4E935}}	
	IMEMode:	0	

IMESentenceMode:	3
OrdinalPosition:	19
Required:	False
SourceField:	created_timestamp
SourceTable:	NonHospitalCollaboratingAgencies

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	User who created this record
DisplayControl:	Text Box
GUID:	{guid {08672894-C929-4447-B3F9-F1D60C4ECFA2}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	20
Required:	False
SourceField:	created_user
SourceTable:	NonHospitalCollaboratingAgencies
UnicodeCompression:	True

RecUpdateDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date on which the data was updated most recently
Format:	General Date
GUID:	{guid {A2F64E03-CF36-4EA8-A0C3-B57B865AF8C2}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	21
Required:	False
SourceField:	RecUpdateDate
SourceTable:	NonHospitalCollaboratingAgencies

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	User who updated the data most recently

DisplayControl:	Text Box
GUID:	{guid {131A05D0-FB12-4E39-9839-0146DB0F43D4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	22
Required:	False
SourceField:	modified_user
SourceTable:	NonHospitalCollaboratingAgencies
UnicodeCompression:	True

Relationships

Site/ProgramInfoNonHospitalCollaboratingAgencies



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{D4195512-8999-4ADB-AFB2-69970FB883	1
Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	{D4195512-8999-4ADB-AFB2-69970FB88387}
Primary:	False
Required:	False
Unique:	False
Fields:	
SiteID	Ascending
AgencyID	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	AgencyID
Primary:	False
Required:	False
Unique:	True
Fields:	
AgencyID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey

Primary:	True
Required:	True
Unique:	True
Fields:	
SiteID	Ascending
AgencyName	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:17 AM	NameMap:	Long binary data
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
order_qty	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	order_qty	
SourceTable:	PimsTablesClear_Steps	
table_name	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3210	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	table_name	
SourceTable:	PimsTablesClear_Steps	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
order_qty	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	1	Updatable:	True

Columns

Name	Type	Size
SiteID	Text	10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Site ID code
DisplayControl:	Text Box
GUID:	{guid {66FA9392-76D5-490F-BE34-895307DCDCF4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	0
Required:	True
SourceField:	SiteID
SourceTable:	Site/ProgramInfo
UnicodeCompression:	False

DateFirstGrant	Date/Time	8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Date of First Grant
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date of first grant
Format:	Short Date
GUID:	{guid {3CA25720-CEC9-4498-87F0-99157DC6569B}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	1
Required:	False
SourceField:	DateFirstGrant
SourceTable:	Site/ProgramInfo
ValidationRule:	Is Null Or <=Date()
ValidationText:	The date can't be after today's date!

DateFirstParticipant Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Date First Participant Enrolled
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date first participant was enrolled
Format:	Short Date
GUID:	{guid {563460A8-D525-4B0C-811E-48DA208AAA7D}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	2
Required:	False
SourceField:	DateFirstParticipant
SourceTable:	Site/ProgramInfo
ValidationRule:	Is Null Or <=Date()
ValidationText:	The date can't be after today's date!

LastName Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Contact Last Name
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Last name of the contact person
DisplayControl:	Text Box
GUID:	{guid {85E150DA-9777-49BA-A48E-8F12468257CA}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	False
SourceField:	LastName
SourceTable:	Site/ProgramInfo
UnicodeCompression:	False

FirstName Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Contact First Name
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Firrst name of the contact person

	DisplayControl:	Text Box	
	GUID:	{guid {C322772E-CC0A-4C54-952B-E6C5B200291A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	FirstName	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
Title		Text	40
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Title	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Job title	
	DisplayControl:	Text Box	
	GUID:	{guid {FBB38409-6EAE-4C0A-9CAA-8942A9A9E922}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	Title	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
ProgramName		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Name of the program	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Name of the program	
	DisplayControl:	Text Box	
	GUID:	{guid {1EC6C7D6-61B4-40D1-91E0-25035E9CECC3}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	ProgramName	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
Organization		Text	65
	AllowZeroLength:	False	
	AppendOnly:	False	

	Attributes:	Variable Length	
	Caption:	Organization	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Name of the organization	
	DisplayControl:	Text Box	
	GUID:	{guid {88F8B343-DE30-4FFD-8779-1F9149AB7783}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	Organization	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
Street		Text	35
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Street Address	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Street address	
	DisplayControl:	Text Box	
	GUID:	{guid {1756AC39-98EE-4702-A99B-D4E47F35F11C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	Street	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
City		Text	15
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	City	
	DisplayControl:	Text Box	
	GUID:	{guid {8C005C49-1D0C-4F26-B5E1-217A17789583}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	

	SourceField:	City	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
County		Text	35
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	County	
	DisplayControl:	Text Box	
	GUID:	{guid {99B30684-536B-486C-BCDD-152FCBCBB2BA}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	County	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
State		Text	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	State	
	DisplayControl:	Text Box	
	GUID:	{guid {3E2E691D-7CDB-4136-AA44-164AEA804E70}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	State	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
Zip		Text	10
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Zip Code	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Zip code	

	DisplayControl:	Text Box	
	GUID:	{guid {03959B8C-CFE1-4F14-9464-05CF933BB021}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	Zip	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
Phone		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Phone Number	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Phone number	
	DisplayControl:	Text Box	
	Format:	(000) 000-0000	
	GUID:	{guid {ABB5CECB-A6EA-4997-9C93-FEFF2FF3F154}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	!\(999") "000\-0000;0;_;;_	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	Phone	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
Fax		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Fax Number	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Fax number	
	DisplayControl:	Text Box	
	Format:	(000) 000-0000	
	GUID:	{guid {B7F0BB98-2F1B-49F3-AE74-7BB47E331DF0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	!\(999") "000\-0000;0;_;;_	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	Fax	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	

Email_text Text 50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Email
DisplayControl:	Text Box
GUID:	{guid {801ED201-47E7-4236-A2AD-7530F5218954}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	15
Required:	False
SourceField:	Email_text
SourceTable:	Site/ProgramInfo
UnicodeCompression:	False
ValidationRule:	Is Null Or ((Like "*?@?*.?*") And (Not Like "*[,;]*"))
ValidationText:	this does not appear to be a valid email address

Scope Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Scope
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Scope of service area
DisplayControl:	Text Box
GUID:	{guid {C9729BD4-5838-444F-9FD6-C53C7D990A63}}
OrdinalPosition:	16
Required:	False
SourceField:	Scope
SourceTable:	Site/ProgramInfo

ScopeOther Text 50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Specify other scope of service area
DisplayControl:	Text Box
GUID:	{guid {6BF2B801-56D2-412F-882F-757E415C292E}}
IMEMode:	0
IMESentenceMode:	3

	OrdinalPosition:	17	
	Required:	False	
	SourceField:	ScopeOther	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
Population		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Population	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Population of service area	
	DisplayControl:	Text Box	
	Format:	#,###	
	GUID:	{guid {29EABBD5-6BF7-4C47-AFAC-E835326CBBB7}}	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	Population	
	SourceTable:	Site/ProgramInfo	
SquareMiles		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Square Miles	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Square miles of service area	
	DisplayControl:	Text Box	
	Format:	Standard	
	GUID:	{guid {81201E05-C35E-4919-899D-54273333C9BF}}	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	SquareMiles	
	SourceTable:	Site/ProgramInfo	
TargetPopulation		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	

	DecimalPlaces:	Auto	
	Description:	Target population of service area	
	DisplayControl:	Text Box	
	GUID:	{guid {2EB45EF2-2078-4000-9EF3-250964D23A3D}}	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	TargetPopulation	
	SourceTable:	Site/ProgramInfo	
TargetPopulationOther		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Specify other target population	
	DisplayControl:	Text Box	
	GUID:	{guid {2F8B695F-A6E7-45D9-9374-AAE8BF02F0DD}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	21	
	Required:	False	
	SourceField:	TargetPopulationOther	
	SourceTable:	Site/ProgramInfo	
	UnicodeCompression:	False	
Exception		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	The target population does not apply to all agencies	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {8EDF763F-6061-40FD-970D-3F74C114F758}}	
	OrdinalPosition:	22	
	Required:	False	
	SourceField:	Exception	
	SourceTable:	Site/ProgramInfo	
OtherTargetPop		Memo	-
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

DataUpdatable:	False
Description:	Describe target populations other than the one selected
GUID:	{guid {EE43D093-9270-495E-B6D5-D8732479F633}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	23
Required:	False
SourceField:	OtherTargetPop
SourceTable:	Site/ProgramInfo
UnicodeCompression:	False

MultiSiteProg Text 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Is your site part of a multi-site program?
DisplayControl:	Text Box
GUID:	{guid {BDE61D6A-CBB0-4D94-A2A4-D9C8D35216EE}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	24
Required:	False
SourceField:	MultiSiteProg
SourceTable:	Site/ProgramInfo
UnicodeCompression:	False

NoCommunity Text 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Does your site serve more than one community?
DisplayControl:	Text Box
GUID:	{guid {4245FD17-7D7D-4BBA-89B5-240261E9A9BC}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	25
Required:	False
SourceField:	NoCommunity
SourceTable:	Site/ProgramInfo
UnicodeCompression:	False

FreeStanding Text 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Is your site free-standing or housed within a host agency?
DisplayControl:	Text Box
GUID:	{guid {3FD51246-9635-4E4D-A96C-CBE2FD611264}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	26
Required:	False
SourceField:	FreeStanding
SourceTable:	Site/ProgramInfo
UnicodeCompression:	False

AgencyType Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Type of host agency
DisplayControl:	Text Box
GUID:	{guid {790A2453-FDE9-43AF-9EE9-1F1761EC4A01}}
OrdinalPosition:	27
Required:	False
SourceField:	AgencyType
SourceTable:	Site/ProgramInfo

AgencyTypeOther Text 50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Specify other type of host agency
DisplayControl:	Text Box
GUID:	{guid {3F032C20-3FB5-41F4-B08D-635F764096F7}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	28
Required:	False
SourceField:	AgencyTypeOther
SourceTable:	Site/ProgramInfo
UnicodeCompression:	False

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date on which the record was created
Format:	General Date
GUID:	{guid {ABAE897E-51E6-40EB-85F8-89F7E78F7D76}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	29
Required:	False
SourceField:	created_timestamp
SourceTable:	Site/ProgramInfo

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	User who created this record
DisplayControl:	Text Box
GUID:	{guid {A5648891-122A-42A8-9952-6732E7F83EF1}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	30
Required:	False
SourceField:	created_user
SourceTable:	Site/ProgramInfo
UnicodeCompression:	True

RecUpdateDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date on which the data was updated most recently
Format:	General Date
GUID:	{guid {61B02291-3E9A-4FC6-AEF9-BA3891BF99C4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	31
Required:	False
SourceField:	RecUpdateDate

SourceTable:	Site/ProgramInfo

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	User who updated the data most recently
DisplayControl:	Text Box
GUID:	{guid {C5E5C58A-3780-41ED-AEF3-DF5639857DB6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	32
Required:	False
SourceField:	modified_user
SourceTable:	Site/ProgramInfo
UnicodeCompression:	True

Relationships

Site/ProgramInfoFunding



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Site/ProgramInfoMedicalClinic



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Site/ProgramInfoCollaboratingHospitals



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Site/ProgramInfoTargetCommunity



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

Site/ProgramInfoStaffInfo



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

Site/ProgramInfoNonHospitalCollaboratingAgencies



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tsite_lkupSite/ProgramInfo



Attributes: Unique, Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-One

Table Indexes

Name	Number of Fields
assessed_email_text	1

Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: assessed_email_text
Primary: False
Required: False
Unique: True

	Fields:	
	Email_text	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	SiteID	Ascending
tsite_lkupSite/ProgramInfo		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	True
	IgnoreNulls:	False
	Name:	tsite_lkupSite/ProgramInfo
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	SiteID	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {88F0BD59-B86E-4E95-BD25-AAAF647A37EF}}	LastUpdated:	1/20/2017 10:04:27 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	9
Updatable:	True		

Columns

Name	Type	Size
SiteID	Text	10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID Code
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Site ID code
DisplayControl:	Text Box
GUID:	{guid {05D9432E-4F3B-4518-AED6-A633F69A47DE}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	0
Required:	True
SourceField:	SiteID
SourceTable:	StaffInfo
UnicodeCompression:	False

StaffID	Text	10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Staff Code
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Staff ID code
DisplayControl:	Text Box
GUID:	{guid {15ED2D8A-277F-4D19-A288-1050C44980B1}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	True
SourceField:	StaffID
SourceTable:	StaffInfo
UnicodeCompression:	False

StaffNameLast Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	staff person's last name
DisplayControl:	Text Box
GUID:	{guid {3F8693D3-8776-4C4D-B9B4-A16A51711883}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	StaffNameLast
SourceTable:	StaffInfo
UnicodeCompression:	False

StaffNameFirst Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	staff person's first name
DisplayControl:	Text Box
GUID:	{guid {A61E1829-2637-4E33-8C66-A99F60D424B4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	False
SourceField:	StaffNameFirst
SourceTable:	StaffInfo
UnicodeCompression:	False

Gender Text 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Gender
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Staff member's gender
DisplayControl:	Text Box
GUID:	{guid {143AD188-3E3F-442A-A9C3-2196B5E860D6}}
IMEMode:	0
IMESentenceMode:	3

	OrdinalPosition:	4	
	Required:	False	
	SourceField:	Gender	
	SourceTable:	StaffInfo	
	UnicodeCompression:	False	
DOB		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Date of Birth	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Staff member's date of birth	
	Format:	Short Date	
	GUID:	{guid {07CEAEDD-51A5-401C-A073-F0227F945F20}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	DOB	
	SourceTable:	StaffInfo	
	ValidationRule:	Is Null Or <=Date()	
	ValidationText:	The date must be before today's date!	
Ethnicity		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Ethnicity	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Staff member's ethnicity	
	DisplayControl:	Text Box	
	GUID:	{guid {2E9C78FF-45D5-4756-9ECD-0FC2CD09B9B8}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	Ethnicity	
	SourceTable:	StaffInfo	
Race		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Race/Ethnicity	
	CollatingOrder:	General	
	ColumnHidden:	False	

ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Staff member's race	
DisplayControl:	Text Box	
GUID:	{guid {120D94DA-DD2A-4F4C-8761-9D9FF07B3145}}	
OrdinalPosition:	7	
Required:	False	
SourceField:	Race	
SourceTable:	StaffInfo	
RacialGroup	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Staff member's specific racial group	
DisplayControl:	Text Box	
GUID:	{guid {D6034EA7-1C44-49B7-A380-4014BF845385}}	
OrdinalPosition:	8	
Required:	False	
SourceField:	RacialGroup	
SourceTable:	StaffInfo	
OtherLanguage	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
Caption:	Language Other Than English	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Does the staff member understand/speak a language other than English?	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {E751BE35-C545-4CFC-B7EA-2C410C012F56}}	
OrdinalPosition:	9	
Required:	False	
SourceField:	OtherLanguage	
SourceTable:	StaffInfo	
WhatLanguage	Text	15
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
Caption:	What Language	

	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	What other languages does the staff member understand/speak?	
	DisplayControl:	Text Box	
	GUID:	{guid {EE2EA1BC-126E-451A-9BFB-1DF5E5AA2AAC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	WhatLanguage	
	SourceTable:	StaffInfo	
	UnicodeCompression:	False	
Education		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Education	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Staff member's highest education level	
	DisplayControl:	Text Box	
	GUID:	{guid {E9D7FB2F-82A9-4278-9CD7-B96582EF51B0}}	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	Education	
	SourceTable:	StaffInfo	
Specialty		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Staff member's specialized educational training	
	DisplayControl:	Text Box	
	GUID:	{guid {964DC708-8FFA-4C3C-97F5-1F094B07C8CC}}	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	Specialty	
	SourceTable:	StaffInfo	
SpecialtyOther		Text	50
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Specify staff member's specialized educational training	
	DisplayControl:	Text Box	
	GUID:	{guid {6F52302E-C9D9-4D3C-963E-3E4E86BB0C31}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	SpecialtyOther	
	SourceTable:	StaffInfo	
	UnicodeCompression:	False	
Children		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Is the staff member currently parenting a child under 18?	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {ADA9BCAF-F6B5-416F-A71E-6420555198AD}}	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	Children	
	SourceTable:	StaffInfo	
Residence		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Does the staff memeber reside in the target community?	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {DDDD1835-5D51-447B-889A-5968A537F617}}	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	Residence	
	SourceTable:	StaffInfo	
EmployDate		Date/Time	8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Employment Date
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Staff member's employment date
Format:	Short Date
GUID:	{guid {2F847BFA-3D84-4ABF-87FD-8F3D127B3F0F}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	16
Required:	True
SourceField:	EmployDate
SourceTable:	StaffInfo
ValidationRule:	<=Date()
ValidationText:	The date can't be after today's date!

HireAsPMDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	HireAsPMDate
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {B6EA5FB4-761C-47DC-8665-5EE344579CA3}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	17
Required:	False
SourceField:	HireAsPMDate
SourceTable:	StaffInfo

HireAsSupDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	HireAsSupDate
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {E822F794-FD8E-42F8-9CF6-481F97E9007F}}
IMEMode:	0

IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	18
Required:	False
SourceField:	HireAsSupDate
SourceTable:	StaffInfo

HireAsFAWDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	HireAsFAWDate
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {7E58F6F7-F744-4B12-B7EE-1B63287F3AA4}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	19
Required:	False
SourceField:	HireAsFAWDate
SourceTable:	StaffInfo

HireAsFSWDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	HireAsFSWDate
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {128C2BB4-C64D-499F-83C8-F58DB7E009A8}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	20
Required:	False
SourceField:	HireAsFSWDate
SourceTable:	StaffInfo

isFAWSup Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

DataUpdatable:	False
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {11CA92DA-FE2A-4785-9BA5-C9FFE64B1D22}}
OrdinalPosition:	21
Required:	False
SourceField:	isFAWSup
SourceTable:	StaffInfo

isFSWSup Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {8D1BD400-3FAC-4669-9C8C-D6CEB33628DC}}
OrdinalPosition:	22
Required:	False
SourceField:	isFSWSup
SourceTable:	StaffInfo

ServiceDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Service Begin Date
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date first provided services to families
Format:	Short Date
GUID:	{guid {3A41034B-8EF3-406A-B308-7D9ECEA5CB27}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	23
Required:	False
SourceField:	ServiceDate
SourceTable:	StaffInfo
ValidationRule:	Is Null Or <=Date()
ValidationText:	The date can't be after today's date!

TerminateDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Termination Date
CollatingOrder:	General

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Staff member's termination date
Format:	Short Date
GUID:	{guid {B228D5F1-C28A-423A-86AA-CD2BF0285B05}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	24
Required:	False
SourceField:	TerminateDate
SourceTable:	StaffInfo
ValidationRule:	Is Null Or <=Date()
ValidationText:	The date can't be after today's date!

Title Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Title
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Staff member's job title/category
DisplayControl:	Text Box
GUID:	{guid {246745A0-9341-4016-B3F3-36066347D0B8}}
OrdinalPosition:	25
Required:	False
SourceField:	Title
SourceTable:	StaffInfo

TitleOther Text 50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Specify staff member's job title/category
DisplayControl:	Text Box
GUID:	{guid {2E5B49F5-909F-488B-B63B-9FBAE1E84FE8}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	26
Required:	False
SourceField:	TitleOther
SourceTable:	StaffInfo
UnicodeCompression:	False

Hours Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Hrs./wk (FTE%)
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	0
Description:	# of hours per week expressed in FTE%
DisplayControl:	Text Box
Format:	Fixed
GUID:	{guid {CF501953-86C1-40A8-ACD7-D869748005A8}}
OrdinalPosition:	27
Required:	False
SourceField:	Hours
SourceTable:	StaffInfo
ValidationRule:	Is Null Or <=100
ValidationText:	The number must be <= 100!

CANExperience Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Experience in CAN Issues (in yrs.)
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	1
Description:	# of years of experience in CA/N issues prior to employment by site
DisplayControl:	Text Box
Format:	Fixed
GUID:	{guid {AA2D5811-421E-4D7E-9039-8D16BEE6E6F8}}
OrdinalPosition:	28
Required:	False
SourceField:	CANExperience
SourceTable:	StaffInfo

HomeVisitExperience Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Experience in Home Visiting (in yrs.)
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	1
Description:	# of years of experience in home visiting prior to employment by site
DisplayControl:	Text Box

Format:	Fixed	
GUID:	{guid {6587BA6A-539D-432B-AAE9-9714F5332B2A}}	
OrdinalPosition:	29	
Required:	False	
SourceField:	HomeVisitExperience	
SourceTable:	StaffInfo	

EarlyChildhood	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
Caption:	Experience in Early Childhood Programs (in yrs.)	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	1	
Description:	# of years of experience in early childhood programs prior to employment by site	
DisplayControl:	Text Box	
Format:	Fixed	
GUID:	{guid {B521E1CA-CB1D-45D0-B6DA-F36AAEC04901}}	
OrdinalPosition:	30	
Required:	False	
SourceField:	EarlyChildhood	
SourceTable:	StaffInfo	

HFATrainDate	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
Caption:	Initial HFA Training Date	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Initial HFA training date	
Format:	Short Date	
GUID:	{guid {C963FD6F-7454-4214-8CC5-BB3CAEC2B103}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	99/99/00;0;_	
OrdinalPosition:	31	
Required:	False	
SourceField:	HFATrainDate	
SourceTable:	StaffInfo	
ValidationRule:	Is Null Or <=Date()	
ValidationText:	The date can't be after today's date!	

PrimaryFunction	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	

Caption:	Primary Function	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Staff member's primary function	
DisplayControl:	Text Box	
GUID:	{guid {8BC0EC10-26C4-4DC6-A45A-54974CADDADA}}	
OrdinalPosition:	32	
Required:	False	
SourceField:	PrimaryFunction	
SourceTable:	StaffInfo	

%TimePrimaryFunction	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
Caption:	% Time for Primary Function	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	0	
Description:	Average % of time for primary function on a monthly basis	
DisplayControl:	Text Box	
Format:	Fixed	
GUID:	{guid {86CC9E2B-2DD2-47DB-A4A6-D925BDF96934}}	
OrdinalPosition:	33	
Required:	False	
SourceField:	%TimePrimaryFunction	
SourceTable:	StaffInfo	
ValidationRule:	Is Null Or <=100	
ValidationText:	The number must be <= 100!	

ProgramManagement	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
Caption:	Program Management	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Program management takes at least 20% of staff's time on a monthly basis	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {B125DCD4-9ADF-4F8D-BA6D-E7488BC8AE57}}	
OrdinalPosition:	34	
Required:	False	
SourceField:	ProgramManagement	
SourceTable:	StaffInfo	

Supervision Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Supervision
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Supervision takes staff's time on a monthly basis
DisplayControl:	Text Box
GUID:	{guid {148006E5-858A-4867-BB9C-8D734A49DAB1}}
OrdinalPosition:	35
Required:	False
SourceField:	Supervision
SourceTable:	StaffInfo

Assessment Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Assessment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Assessment takes staff's time on a monthly basis
DisplayControl:	Text Box
GUID:	{guid {39EB73F8-B025-4FE6-9257-3116ABA8E579}}
OrdinalPosition:	36
Required:	False
SourceField:	Assessment
SourceTable:	StaffInfo

HomeVisit Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Home Visitation
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Home visitation takes staff's time on a monthly basis
DisplayControl:	Text Box
GUID:	{guid {C9AC4B57-345F-48C2-845A-66BC90772683}}
OrdinalPosition:	37
Required:	False
SourceField:	HomeVisit

	SourceTable:	StaffInfo	
CommunityOutreach		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Community outreach takes staff's time on a monthly basis	
	DisplayControl:	Text Box	
	GUID:	{guid {306EC611-AA32-4BC4-A097-747E2D34CDB6}}	
	OrdinalPosition:	38	
	Required:	False	
	SourceField:	CommunityOutreach	
	SourceTable:	StaffInfo	
ParticipantServices		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Direct Participant Services	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Direct participant services other than home visitation takes staff's time on a monthly basis	
	DisplayControl:	Text Box	
	GUID:	{guid {489F061D-3764-4D2D-8676-3E5B81FC2C8B}}	
	OrdinalPosition:	39	
	Required:	False	
	SourceField:	ParticipantServices	
	SourceTable:	StaffInfo	
FundRasing		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Fund rasing takes staff's time on a monthly basis	
	DisplayControl:	Text Box	
	GUID:	{guid {47FF313C-735C-4AAA-8636-AB26B2FB545E}}	
	OrdinalPosition:	40	
	Required:	False	

	SourceField:	FundRasing	
	SourceTable:	StaffInfo	
FirstSupFAWDate		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	FirstSupFAWDate	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	Short Date	
	GUID:	{guid {ED1F3556-9307-4C25-A990-6B7227F798C0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	41	
	Required:	False	
	SourceField:	FirstSupFAWDate	
	SourceTable:	StaffInfo	
FirstSupFSWDate		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	FirstSupFSWDate	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	Short Date	
	GUID:	{guid {BE147417-F747-46FF-8C42-FB2968CF3A1D}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	42	
	Required:	False	
	SourceField:	FirstSupFSWDate	
	SourceTable:	StaffInfo	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date on which the record was created	
	Format:	General Date	
	GUID:	{guid {A2008BEE-2E52-4B42-A5EC-534321B2D556}}	

IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	43
Required:	False
SourceField:	created_timestamp
SourceTable:	StaffInfo

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	User who created this record
DisplayControl:	Text Box
GUID:	{guid {07D13919-3AA2-4B39-9622-5AB295A839D5}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	44
Required:	False
SourceField:	created_user
SourceTable:	StaffInfo
UnicodeCompression:	True

RecUpdateDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date on which the data was updated most recently
Format:	General Date
GUID:	{guid {D24EFDCB-9AC2-49BF-9096-D966AD5A2834}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	45
Required:	False
SourceField:	RecUpdateDate
SourceTable:	StaffInfo

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False

Description:	User who updated the data most recently
DisplayControl:	Text Box
GUID:	{guid {9A366921-E1D8-49F9-8D45-AD5B6FF5CB28}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	46
Required:	False
SourceField:	modified_user
SourceTable:	StaffInfo
UnicodeCompression:	True

Relationships

Site/ProgramInfoStaffInfo



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

StaffInfoStaffSupervision



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

StaffInfoStaffToTrainingEvents



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{84E70C31-00A0-4C43-BAF7-5A93E2D2E4	1

Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False

	Name:	{84E70C31-00A0-4C43-BAF7-5A93E2D2E4A4}
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SiteID	Ascending
PrimaryKey		2
	Clustered:	False
	DistinctCount:	9
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	SiteID	Ascending
	StaffID	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {B36C7901-E145-4E11-8986-852F90179957}}	LastUpdated:	11/25/2016 8:59:31 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	3
Updatable:	True		

Columns

Name	Type	Size
time_code	Integer	2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1695
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {A7DD476B-8214-4696-9842-28C53F47FD1B}}
OrdinalPosition:	0
Required:	False
SourceField:	time_code
SourceTable:	StaffInfo_lkup_%time

time_desc	Text	15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1935
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {924CAECE-EBFD-42B2-908A-D0BDB97461CF}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	time_desc
SourceTable:	StaffInfo_lkup_%time
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
time_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/28/2016 3:26:44 PM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {76323C3A-00A1-4BFD-B762-DAA9FCAA263B}}
HideNewField:	False	LastUpdated:	12/8/2017 9:51:52 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
SessionID	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size, Auto-Increment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	very supervision/the writing's on the wall
GUID:	{guid {14E03BC8-891D-45BA-9E94-F610F2CB778F}}
OrdinalPosition:	0
Required:	False
ResultType:	0
SourceField:	SessionID
SourceTable:	StaffSupervision
TextAlign:	General

SiteID	Text	10

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Site ID code
DisplayControl:	Text Box
GUID:	{guid {941CF050-61A6-4D67-BAE6-C97FE5DC19FE}}
IMEMode:	0

	IMESentenceMode:	3	
	OrdinalPosition:	1	
	Required:	True	
	ResultType:	0	
	SourceField:	SiteID	
	SourceTable:	StaffSupervision	
	TextAlign:	General	
	UnicodeCompression:	False	
StaffID		Text	10
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Staff ID code for who's being supervised	
	DisplayControl:	Text Box	
	GUID:	{guid {706D86F4-36A4-4419-95AC-2B8590475114}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	True	
	ResultType:	0	
	SourceField:	StaffID	
	SourceTable:	StaffSupervision	
	TextAlign:	General	
	UnicodeCompression:	False	
SupervisorID		Text	10
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Staff ID code	
	DisplayControl:	Text Box	
	GUID:	{guid {A32C1616-2014-4EAF-92BC-16C9BAD19078}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	True	
	ResultType:	0	
	SourceField:	SupervisorID	
	SourceTable:	StaffSupervision	
	TextAlign:	General	

	UnicodeCompression:	False	
SessionDate		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Training Date	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Training date	
	Format:	Short Date	
	GUID:	{guid {29FFE728-81AA-40AE-8A49-6FE2F7881295}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	4	
	Required:	True	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	SessionDate	
	SourceTable:	StaffSupervision	
	TextAlign:	General	
	ValidationRule:	<=Date()	
	ValidationText:	The date can't be after today's date!	
SupervisionDuration		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Hours	
	DisplayControl:	Text Box	
	GUID:	{guid {3BF10F6B-7A3F-4769-A39C-34E303CED954}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	SupervisionDuration	
	SourceTable:	StaffSupervision	
created_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	

ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Date on which the record was created
Format:	General Date
GUID:	{guid {3CAEF775-004F-43F6-B608-F9DD8352FF51}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	created_timestamp
SourceTable:	StaffSupervision
TextAlign:	General

created_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	User who created this record
DisplayControl:	Text Box
GUID:	{guid {40C7B0D2-16EC-47D5-A0FE-A071F519B992}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
ResultType:	0
SourceField:	created_user
SourceTable:	StaffSupervision
TextAlign:	General
UnicodeCompression:	True

modified_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Date on which the data was updated most recently
Format:	General Date
GUID:	{guid {BF0D260D-94BF-4F59-B898-379F298047D2}}

IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	8
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	modified_timestamp
SourceTable:	StaffSupervision
TextAlign:	General

modified_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	User who updated the data most recently
DisplayControl:	Text Box
GUID:	{guid {AE95FBA5-D005-4399-AA5B-C272F9D5FB13}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	False
ResultType:	0
SourceField:	modified_user
SourceTable:	StaffSupervision
TextAlign:	General
UnicodeCompression:	True

Relationships

StaffInfoStaffSupervision



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

StaffSupervisionStaffSupervisionCases



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SessionID	Ascending
SiteID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	SiteID
Primary:	False
Required:	False
Unique:	False
Fields:	
SiteID	Ascending
StaffID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	StaffID
Primary:	False
Required:	False
Unique:	False
Fields:	
StaffID	Ascending
StaffID1	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	StaffID1
Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	SupervisorID	Ascending
StaffInfoStaffSupervision		2
	Clustered:	False
	DistinctCount:	0
	Foreign:	True
	IgnoreNulls:	False
	Name:	StaffInfoStaffSupervision
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SiteID	Ascending
	StaffID	Ascending
TrainingID		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	TrainingID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	SessionID	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/28/2016 3:29:38 PM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {48F41771-3F73-44D5-B4F7-A7465F660F5F}}
HideNewField:	False	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	0	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
SessionID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {CA7FE307-82CE-4657-931B-4BB77AE436B1}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	SessionID	
SourceTable:	StaffSupervisionCases	
TextAlign:	General	
person_id	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	

	GUID:	{guid {A67BD951-6A20-4676-B5C3-D97317BEF207}}	
	OrdinalPosition:	1	
	Required:	True	
	ResultType:	0	
	SourceField:	person_id	
	SourceTable:	StaffSupervisionCases	
	TextAlign:	General	
created_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Date on which the record was created	
	Format:	General Date	
	GUID:	{guid {DBCBE30C-F0D5-473A-83A5-7DD0C5DA4671}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	created_timestamp	
	SourceTable:	StaffSupervisionCases	
	TextAlign:	General	
created_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	User who created this record	
	DisplayControl:	Text Box	
	GUID:	{guid {56436876-3328-4F6D-A36D-D7FC2A1477D5}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	ResultType:	0	
	SourceField:	created_user	
	SourceTable:	StaffSupervisionCases	
	TextAlign:	General	
	UnicodeCompression:	True	

modified_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Date on which the data was updated most recently	
	Format:	General Date	
	GUID:	{guid {9E8A081B-2ACF-41B5-9C47-2E3FBA9F8652}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	7	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	modified_timestamp	
	SourceTable:	StaffSupervisionCases	
	TextAlign:	General	
modified_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	User who updated the data most recently	
	DisplayControl:	Text Box	
	GUID:	{guid {2AF20F88-52FC-426B-A2CC-8E5531BE6225}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	ResultType:	0	
	SourceField:	modified_user	
	SourceTable:	StaffSupervisionCases	
	TextAlign:	General	
	UnicodeCompression:	True	

Relationships

StaffSupervisionStaffSupervisionCases



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
person_id	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SessionID	Ascending
person_id	Ascending
StaffSupervisionStaffSupervisionParticipant	1
Clustered:	False
DistinctCount:	0
Foreign:	True
IgnoreNulls:	False
Name:	StaffSupervisionStaffSupervisionParticipants
Primary:	False
Required:	False
Unique:	False
Fields:	
SessionID	Ascending
TrainingID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	TrainingID

Primary:	False
Required:	False
Unique:	False
Fields:	
SessionID	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	10/26/2016 11:36:53 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {95155C0D-EE11-4AFF-8AB9-BD2B813FD7BE}}
HideNewField:	False	LastUpdated:	12/12/2016 5:13:28 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	156	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
TrainingID	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {DF1693EA-A35D-4A70-A17F-7C3F7D349965}}
OrdinalPosition:	0
Required:	False
ResultType:	0
SourceField:	TrainingID
SourceTable:	StaffToTrainingEvents
TextAlign:	General

SiteID	Text	10

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Site ID code
DisplayControl:	Text Box
GUID:	{guid {3998F041-4B6B-4AAF-BBB3-6AFD7A901D75}}

IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	True
ResultType:	0
SourceField:	SiteID
SourceTable:	StaffToTrainingEvents
TextAlign:	General
UnicodeCompression:	False

StaffID Text 10

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Staff ID code
DisplayControl:	Text Box
GUID:	{guid {FD37F244-4774-4D9E-AB87-E5C60332E51D}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	True
ResultType:	0
SourceField:	StaffID
SourceTable:	StaffToTrainingEvents
TextAlign:	General
UnicodeCompression:	False

Relationships

StaffInfoStaffToTrainingEvents



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

StaffTrainingEventStaffToTrainingEvents



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

StaffTrainingEventStaffToTrainingEvents



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	3
Clustered:	False
DistinctCount:	156
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
TrainingID	Ascending
SiteID	Ascending
StaffID	Ascending
SiteID	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	SiteID
Primary:	False
Required:	False
Unique:	False
Fields:	
SiteID	Ascending
StaffID	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	StaffID

Primary:	False
Required:	False
Unique:	False
Fields:	
StaffID	Ascending

StaffInfoStaffToTrainings 2

Clustered:	False
DistinctCount:	6
Foreign:	True
IgnoreNulls:	False
Name:	StaffInfoStaffToTrainings
Primary:	False
Required:	False
Unique:	False
Fields:	
SiteID	Ascending
StaffID	Ascending

StaffTrainingEventStaffToTrainingEvents 1

Clustered:	False
DistinctCount:	156
Foreign:	True
IgnoreNulls:	False
Name:	StaffTrainingEventStaffToTrainingEvents
Primary:	False
Required:	False
Unique:	False
Fields:	
TrainingID	Ascending

StaffTrainingEventStaffToTrainings 1

Clustered:	False
DistinctCount:	156
Foreign:	True
IgnoreNulls:	False
Name:	StaffTrainingEventStaffToTrainings
Primary:	False
Required:	False
Unique:	False
Fields:	
TrainingID	Ascending

TrainingID 1

Clustered:	False
DistinctCount:	156
Foreign:	False
IgnoreNulls:	False
Name:	TrainingID
Primary:	False
Required:	False
Unique:	False
Fields:	
TrainingID	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:17 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {1412CD0B-882D-4899-B396-A7C6730F1D3F}}
HideNewField:	False	LastUpdated:	11/17/2017 12:10:20 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	156	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
TrainingID	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size, Auto-Increment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
GUID:	{guid {F8C808C4-171F-43C2-95A4-41950DEF63DB}}
OrdinalPosition:	0
Required:	False
ResultType:	0
SourceField:	TrainingID
SourceTable:	StaffTrainingEvent
TextAlign:	General

Name	Type	Size
TrainingDate	Date/Time	8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Training Date
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Training date
Format:	Short Date
GUID:	{guid {C1AB5691-65BD-44DF-9DD5-5A375DF6C668}}
IMEMode:	0

IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	1
Required:	True
ResultType:	0
ShowDatePicker:	For dates
SourceField:	TrainingDate
SourceTable:	StaffTrainingEvent
TextAlign:	General
ValidationRule:	<=Date()
ValidationText:	The date can't be after today's date!

TrainingName Text 50

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Name of the training
DisplayControl:	Text Box
GUID:	{guid {1B3074A1-AAB5-4347-B226-387049CCC3EE}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
ResultType:	0
SourceField:	TrainingName
SourceTable:	StaffTrainingEvent
TextAlign:	General
UnicodeCompression:	False

Provider Text 50

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Provider of the training
DisplayControl:	Text Box
GUID:	{guid {B3EA3DA1-A094-4E41-8FEF-6038681130B5}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	False
ResultType:	0

	SourceField:	Provider	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
	UnicodeCompression:	False	
#CEU		Byte	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	Description:	Number of CEU earned	
	DisplayControl:	Text Box	
	Format:	Fixed	
	GUID:	{guid {488F79BA-7DBC-4AF1-A3AA-B4261DF31C2F}}	
	OrdinalPosition:	4	
	Required:	False	
	ResultType:	0	
	SourceField:	#CEU	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
Length		Byte	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Length of training (in hours)	
	DisplayControl:	Text Box	
	Format:	Fixed	
	GUID:	{guid {1F4E6A48-8949-4FC7-A450-46112748AD43}}	
	OrdinalPosition:	5	
	Required:	False	
	ResultType:	0	
	SourceField:	Length	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
ProgramGoals		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	

	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Program goals, services, policies and operating procedures 10-1A	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {51E2EF42-4BC1-4867-BDEE-5FA73EB3B900}}	
	OrdinalPosition:	6	
	Required:	False	
	ResultType:	0	
	SourceField:	ProgramGoals	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
HxHomeVisitation		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	History and philosophy of home visitation 10-1A	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {A0710255-D0BC-4089-9F33-9885FCF34B19}}	
	OrdinalPosition:	7	
	Required:	False	
	ResultType:	0	
	SourceField:	HxHomeVisitation	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
CommunityResources		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Program's relationship with other community resources 10-1B	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {54DEFC46-8A73-4397-BC53-7BCE67755CF1}}	

	OrdinalPosition:	8	
	Required:	False	
	ResultType:	0	
	SourceField:	CommunityResources	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
CAN		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Child abuse and neglect indicators and reporting requirements 10-1C	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {8531CAB9-33FA-4296-A75A-D181F7E1063D}}	
	OrdinalPosition:	9	
	Required:	False	
	ResultType:	0	
	SourceField:	CAN	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
Confidentiality		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Issues of confidentiality 10-1D	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {24E5B9F2-46D5-49CF-B630-31D001871F6D}}	
	OrdinalPosition:	10	
	Required:	False	
	ResultType:	0	
	SourceField:	Confidentiality	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
Boundaries		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	

	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Issues related to boundaries 10-1E	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {EE883382-7973-46DE-BB3C-1AAF7E395C31}}	
	OrdinalPosition:	11	
	Required:	False	
	ResultType:	0	
	SourceField:	Boundaries	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
StaffSafety		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Issues related to staff safety 10-1F	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {27060879-D962-4F5E-B98A-71ED397CD9BE}}	
	OrdinalPosition:	12	
	Required:	False	
	ResultType:	0	
	SourceField:	StaffSafety	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
FamilyAssessment_Stopgap		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	The essential components of family assessment 10-2B	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {D08C36B1-DED3-4A9F-8008-2B9CD69DEC22}}	

	OrdinalPosition:	13	
	Required:	False	
	ResultType:	0	
	SourceField:	FamilyAssessment_Stopgap	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
HomeVisitation_Stopgap		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	The essential components of home visitation 10-2C	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {027AF828-D880-401B-8B1C-397E5D7018D1}}	
	OrdinalPosition:	14	
	Required:	False	
	ResultType:	0	
	SourceField:	HomeVisitation_Stopgap	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
Supervision_Stopgap		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	The essential components of assessment, home visitation, and supervision 10-2D	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {6DCF9206-F45B-4F18-8B75-E31ABA69924D}}	
	OrdinalPosition:	15	
	Required:	False	
	ResultType:	0	
	SourceField:	Supervision_Stopgap	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
FamilyAssessment		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	The essential components of family assessment 10-3B	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {A12F6C11-46FF-4506-A65E-21D4A75C17F7}}	
	OrdinalPosition:	16	
	Required:	False	
	ResultType:	0	
	SourceField:	FamilyAssessment	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
HomeVisitation		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	The essential components of home visitation 10-3C	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {8DC3D6ED-2104-4928-BAE3-8E59E2941F84}}	
	OrdinalPosition:	17	
	Required:	False	
	ResultType:	0	
	SourceField:	HomeVisitation	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
Supervision		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	The essential components of assessment, home visitation, and supervision 10-3D	
	DisplayControl:	Text Box	
	Format:	Yes/No	

	GUID:	{guid {2156B85C-5AB4-4E37-B097-F988B41FA66A}}	
	OrdinalPosition:	18	
	Required:	False	
	ResultType:	0	
	SourceField:	Supervision	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
InfantCare		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Infant care 11-2A	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {3C81F647-27B5-463D-9A4F-95E74ED0E010}}	
	OrdinalPosition:	19	
	Required:	False	
	ResultType:	0	
	SourceField:	InfantCare	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
ChildHealthSafety		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Child health and safety 11-2B	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {8F33CEA7-F462-4500-B3A2-93970E41F400}}	
	OrdinalPosition:	20	
	Required:	False	
	ResultType:	0	
	SourceField:	ChildHealthSafety	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
MaternalFamilyHealth		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Maternal and family health 11-2C	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {45DCF926-72A8-464D-9EE9-6B09379C7C04}}	
	OrdinalPosition:	21	
	Required:	False	
	ResultType:	0	
	SourceField:	MaternalFamilyHealth	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
InfantChildDev		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Infant and child development 11-3A	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {AF0E4ED3-B370-482E-8ABA-F8A0AF6E174B}}	
	OrdinalPosition:	22	
	Required:	False	
	ResultType:	0	
	SourceField:	InfantChildDev	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
ParentChildRelat		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Supporting the Parent-Child relationship 11-3B	
	DisplayControl:	Text Box	
	Format:	Yes/No	

	GUID:	{guid {1BD8ADD5-5B07-47F8-B77D-95DE7C1840CA}}	
	OrdinalPosition:	23	
	Required:	False	
	ResultType:	0	
	SourceField:	ParentChildRelat	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
StaffSbjt		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Staff-related subjects 11-3C	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {33EAD82B-8F84-4131-9790-E5EE91580567}}	
	OrdinalPosition:	24	
	Required:	False	
	ResultType:	0	
	SourceField:	StaffSbjt	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
MentalHealth		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Mental health 11-3D	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {C0C471B6-A446-4136-B805-874EE82B0805}}	
	OrdinalPosition:	25	
	Required:	False	
	ResultType:	0	
	SourceField:	MentalHealth	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
PrenatalTraining		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	NEW7- Prenatal Training 11-5B	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {F1128CEF-45E5-44BD-A69A-A5FD4E3FC40C}}	
	OrdinalPosition:	26	
	Required:	False	
	ResultType:	0	
	SourceField:	PrenatalTraining	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
CANContent		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Child abuse and neglect 11-4A	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {0C2C2ED5-F2D6-472F-A5CF-2B0616BC26ED}}	
	OrdinalPosition:	27	
	Required:	False	
	ResultType:	0	
	SourceField:	CANContent	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
Violence		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Family violence 11-4B	
	DisplayControl:	Text Box	
	Format:	Yes/No	

	GUID:	{guid {F434C234-B50E-4C62-AF47-84079BF6E49D}}	
	OrdinalPosition:	28	
	Required:	False	
	ResultType:	0	
	SourceField:	Violence	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
SubstanceAbuse		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Substance abuse 11-4C	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {30ACE55B-5D62-4EB8-9D85-0D40E0254164}}	
	OrdinalPosition:	29	
	Required:	False	
	ResultType:	0	
	SourceField:	SubstanceAbuse	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
FamilyIssues		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Family issues 11-4D	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {059AD322-099B-4444-8C41-CC2463142191}}	
	OrdinalPosition:	30	
	Required:	False	
	ResultType:	0	
	SourceField:	FamilyIssues	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
Culture		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Role of culture in parenting 11-4E
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {5E225306-9B78-4978-8EED-3188BE999727}}
OrdinalPosition:	31
Required:	False
ResultType:	0
SourceField:	Culture
SourceTable:	StaffTrainingEvent
TextAlign:	General

FamilyGoalPlan Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Family goal plan 11-5C
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {C10BC47A-6168-4F6E-AED0-8B3ED8956D85}}
OrdinalPosition:	32
Required:	False
ResultType:	0
SourceField:	FamilyGoalPlan
SourceTable:	StaffTrainingEvent
TextAlign:	General

ServicePopulation Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Culturally sensitive practices based on population served 5-3
DisplayControl:	Text Box
Format:	Yes/No

GUID: {guid {420F1635-DF8B-4CDC-9BBF-813A4FB47BEC}}
OrdinalPosition: 33
Required: False
ResultType: 0
SourceField: ServicePopulation
SourceTable: StaffTrainingEvent
TextAlign: General

AnnualCAN Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Annual child abuse and neglect training 11-5D
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {A02BA7B4-C729-4183-8E06-F2172664B82B}}
OrdinalPosition: 34
Required: False
ResultType: 0
SourceField: AnnualCAN
SourceTable: StaffTrainingEvent
TextAlign: General

ChildDevTool Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Use of developmental screenings tools 6-6C
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {B1D0DFD4-45C9-4270-8E1A-14127219EB56}}
OrdinalPosition: 35
Required: False
ResultType: 0
SourceField: ChildDevTool
SourceTable: StaffTrainingEvent
TextAlign: General

DepressionTool Yes/No 1
AggregateType: -1
AllowZeroLength: False

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Use of developmental screenings tools 7-5D	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {DC82341F-D21F-46CE-960C-E36712A146A4}}	
	OrdinalPosition:	36	
	Required:	False	
	ResultType:	0	
	SourceField:	DepressionTool	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
ScreeningTool		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Use of screening/assessment tools 11-1	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {266DB15E-8258-466F-8C85-ECF2A1831399}}	
	OrdinalPosition:	37	
	Required:	False	
	ResultType:	0	
	SourceField:	ScreeningTool	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
Ongoing		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Annual child abuse and neglect training 11-5D	
	DisplayControl:	Text Box	
	Format:	Yes/No	

GUID:	{guid {7E5883D8-E539-430B-8A99-8EAFE3F06FC4}}
OrdinalPosition:	38
Required:	False
ResultType:	0
SourceField:	Ongoing
SourceTable:	StaffTrainingEvent
TextAlign:	General

topic102B1 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {9844DC88-7D26-4177-9F4C-77F4C92558A6}}
OrdinalPosition:	39
Required:	False
SourceField:	topic102B1
SourceTable:	StaffTrainingEvent

topic102B2 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {F171EC6F-F3DE-4D06-B991-A750A10615CE}}
OrdinalPosition:	40
Required:	False
SourceField:	topic102B2
SourceTable:	StaffTrainingEvent

topic102B3 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106

	Format:	Yes/No	
	GUID:	{guid {0B937F14-B476-4427-9E9B-5A95177BFF6B}}	
	OrdinalPosition:	41	
	Required:	False	
	SourceField:	topic102B3	
	SourceTable:	StaffTrainingEvent	
topic102B4		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {82769EB7-E81C-4F7A-8EAF-608BEDD05A87}}	
	OrdinalPosition:	42	
	Required:	False	
	SourceField:	topic102B4	
	SourceTable:	StaffTrainingEvent	
topic102B5		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {E6DC0424-68E5-4ECE-B5AE-6C269B67C7F1}}	
	OrdinalPosition:	43	
	Required:	False	
	SourceField:	topic102B5	
	SourceTable:	StaffTrainingEvent	
topic102B6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	

	GUID:	{guid {0A85F61E-9EBA-4BAD-A868-ADDCEAAAA08D}}	
	OrdinalPosition:	44	
	Required:	False	
	SourceField:	topic102B6	
	SourceTable:	StaffTrainingEvent	
topic102C1		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {9725B651-D672-4761-B667-C12E2E3D71C3}}	
	OrdinalPosition:	45	
	Required:	False	
	SourceField:	topic102C1	
	SourceTable:	StaffTrainingEvent	
topic102C2		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {80FC2628-D7FB-4064-9B80-517C484CFC9B}}	
	OrdinalPosition:	46	
	Required:	False	
	SourceField:	topic102C2	
	SourceTable:	StaffTrainingEvent	
topic102C3		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {7280C82C-9E06-4792-9D32-135B3C794744}}	

	OrdinalPosition:	47	
	Required:	False	
	SourceField:	topic102C3	
	SourceTable:	StaffTrainingEvent	
topic102C4		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {DD12816C-3903-4BF7-A853-C638CAD3EDB7}}	
	OrdinalPosition:	48	
	Required:	False	
	SourceField:	topic102C4	
	SourceTable:	StaffTrainingEvent	
topic102C5		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {C7207604-1190-4895-BB40-18737ED60A74}}	
	OrdinalPosition:	49	
	Required:	False	
	SourceField:	topic102C5	
	SourceTable:	StaffTrainingEvent	
topic102C6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {99302BFE-475E-476F-9CD3-E4C5474F7213}}	
	OrdinalPosition:	50	

	Required:	False	
	SourceField:	topic102C6	
	SourceTable:	StaffTrainingEvent	
topic102D1		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {61DB0059-09BB-41E8-ABC2-AA7C3A933AEE}}	
	OrdinalPosition:	51	
	Required:	False	
	SourceField:	topic102D1	
	SourceTable:	StaffTrainingEvent	
topic102D2		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {63AD55AD-8BD0-47F0-B50F-C5BBAB2FA332}}	
	OrdinalPosition:	52	
	Required:	False	
	SourceField:	topic102D2	
	SourceTable:	StaffTrainingEvent	
topic102D3		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {756E5A80-5F61-40DC-B69A-727ADB522BD2}}	
	OrdinalPosition:	53	
	Required:	False	

	SourceField:	topic102D3	
	SourceTable:	StaffTrainingEvent	
topic102D4		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {408B047F-DAB5-4CAB-B16E-BEF4BC136F18}}	
	OrdinalPosition:	54	
	Required:	False	
	SourceField:	topic102D4	
	SourceTable:	StaffTrainingEvent	
topic102D5		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {C7828683-C21D-42B9-9F36-815A886083D1}}	
	OrdinalPosition:	55	
	Required:	False	
	SourceField:	topic102D5	
	SourceTable:	StaffTrainingEvent	
topic102D6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {397C4E2A-A578-4B86-BE5A-5457CD28EBB4}}	
	OrdinalPosition:	56	
	Required:	False	
	SourceField:	topic102D6	

SourceTable: StaffTrainingEvent

topic102D1b Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {4A19FBC7-D3AD-4089-A731-FEE890814F3B}}
OrdinalPosition: 57
Required: False
SourceField: topic102D1b
SourceTable: StaffTrainingEvent

topic102D2b Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {F087B9B2-EDF1-4648-BF2E-ACB8020BA724}}
OrdinalPosition: 58
Required: False
SourceField: topic102D2b
SourceTable: StaffTrainingEvent

topic102D3b Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {A8100FED-0FC4-4B8A-99C9-25B3CFDF3793}}
OrdinalPosition: 59
Required: False
SourceField: topic102D3b
SourceTable: StaffTrainingEvent

topic102D4b Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {F9569112-21A0-4C02-8E73-D59F0A56D282}}
OrdinalPosition:	60
Required:	False
SourceField:	topic102D4b
SourceTable:	StaffTrainingEvent

topic102D5b Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {69F33BBE-EDE3-4D21-89DF-41B478213A91}}
OrdinalPosition:	61
Required:	False
SourceField:	topic102D5b
SourceTable:	StaffTrainingEvent

topic102D6b Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {3ED2B005-03CD-47E0-82C0-18F86A0948C4}}
OrdinalPosition:	62
Required:	False
SourceField:	topic102D6b
SourceTable:	StaffTrainingEvent

topic103C_PSW Yes/No 1

	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	SUP Core Parent Survey	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {128C6526-9B4D-483F-AB54-02D6206C2403}}	
	OrdinalPosition:	63	
	Required:	False	
	ResultType:	0	
	SourceField:	topic103C_PSW	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
topic103C_HV		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	SUP Core Home Visitor	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {552A3E43-5268-45F2-993B-B4F811338F10}}	
	OrdinalPosition:	64	
	Required:	False	
	ResultType:	0	
	SourceField:	topic103C_HV	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
topic_hfa_imp		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	HFA Implementation Training (currently 10-5)	
	DisplayControl:	Text Box	
	Format:	Yes/No	

	GUID:	{guid {E0422D01-C02C-4357-87A9-E6C63ADCA168}}	
	OrdinalPosition:	65	
	Required:	False	
	SourceField:	topic_hfa_imp	
	SourceTable:	StaffTrainingEvent	
topic112A1		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {E2C45471-CD7D-497A-9FB0-0CA2A647EFAC}}	
	OrdinalPosition:	66	
	Required:	False	
	SourceField:	topic112A1	
	SourceTable:	StaffTrainingEvent	
topic112A2		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {33208325-0571-4064-9FF6-5B4B8A83258E}}	
	OrdinalPosition:	67	
	Required:	False	
	SourceField:	topic112A2	
	SourceTable:	StaffTrainingEvent	
topic112A3		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {68ACDD32-8B98-44FB-8485-853C1010F73C}}	

OrdinalPosition:	68
Required:	False
SourceField:	topic112A3
SourceTable:	StaffTrainingEvent

topic112A4 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {88B73EE4-1309-48CE-8D73-764672A1F195}}
OrdinalPosition:	69
Required:	False
SourceField:	topic112A4
SourceTable:	StaffTrainingEvent

topic112B1 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {775C7145-7855-4103-A253-A6D3E8047B94}}
OrdinalPosition:	70
Required:	False
SourceField:	topic112B1
SourceTable:	StaffTrainingEvent

topic112B2 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {90E230AC-2B5B-42E1-B072-4D547EC2A43F}}
OrdinalPosition:	71

	Required:	False	
	SourceField:	topic112B2	
	SourceTable:	StaffTrainingEvent	
topic112B3		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {ED197E4D-3D49-412C-9608-A5E0638C2029}}	
	OrdinalPosition:	72	
	Required:	False	
	SourceField:	topic112B3	
	SourceTable:	StaffTrainingEvent	
topic112B4		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {7BAB63C0-ADB1-47D7-AD0C-BAAE86FF3662}}	
	OrdinalPosition:	73	
	Required:	False	
	SourceField:	topic112B4	
	SourceTable:	StaffTrainingEvent	
topic112B5		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {6E8DA3A4-3CDA-43B6-9D10-A14F8567FCCE}}	
	OrdinalPosition:	74	
	Required:	False	

SourceField: topic112B5
SourceTable: StaffTrainingEvent

topic112B6 Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {8454B130-C51A-47D1-9976-7B5E18A67CD4}}
OrdinalPosition: 75
Required: False
SourceField: topic112B6
SourceTable: StaffTrainingEvent

topic112B7 Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {51D83714-E0DA-4FBA-AE21-8EE29EFF14DC}}
OrdinalPosition: 76
Required: False
SourceField: topic112B7
SourceTable: StaffTrainingEvent

topic112B8 Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {36C3992D-30D8-409E-B381-395DBF7CD3B5}}
OrdinalPosition: 77
Required: False
SourceField: topic112B8

SourceTable: StaffTrainingEvent

topic112C1 Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {538A8D9C-4C69-49B8-BEB7-143676A6E701}}
OrdinalPosition: 78
Required: False
SourceField: topic112C1
SourceTable: StaffTrainingEvent

topic112C2 Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {C1A3DF8F-4E71-43F0-8E5A-3C6EE2026C73}}
OrdinalPosition: 79
Required: False
SourceField: topic112C2
SourceTable: StaffTrainingEvent

topic112C3 Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {9160D97F-DFEB-421A-90C1-9ABAF96D8D93}}
OrdinalPosition: 80
Required: False
SourceField: topic112C3
SourceTable: StaffTrainingEvent

topic112C4 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {F94F13DF-CA98-497A-A7A6-1ADE601AD746}}
OrdinalPosition:	81
Required:	False
SourceField:	topic112C4
SourceTable:	StaffTrainingEvent

topic112C5 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {103BB7B7-BC20-40EA-A50C-E1DD3C3657E8}}
OrdinalPosition:	82
Required:	False
SourceField:	topic112C5
SourceTable:	StaffTrainingEvent

topic113A1 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {2AB7C22D-4600-498D-9C76-A4CCF6DF3C77}}
OrdinalPosition:	83
Required:	False
SourceField:	topic113A1
SourceTable:	StaffTrainingEvent

topic113A2 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {F151E26A-316B-4C34-821E-899A838DC8A4}}
OrdinalPosition:	84
Required:	False
SourceField:	topic113A2
SourceTable:	StaffTrainingEvent

topic113A3 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {2A5F75A7-37B6-43F4-AF3C-79B438B64281}}
OrdinalPosition:	85
Required:	False
SourceField:	topic113A3
SourceTable:	StaffTrainingEvent

topic113A4 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {B781F1A5-7943-4041-BD88-259274C66C63}}
OrdinalPosition:	86
Required:	False
SourceField:	topic113A4
SourceTable:	StaffTrainingEvent

topic113B1 Yes/No 1

AllowZeroLength:	False

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {B597BF0B-1F73-4A68-873F-A5613DDCC71F}}
OrdinalPosition:	87
Required:	False
SourceField:	topic113B1
SourceTable:	StaffTrainingEvent

topic113B2 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {A34A3E3C-8C38-4973-967D-3D6B93549916}}
OrdinalPosition:	88
Required:	False
SourceField:	topic113B2
SourceTable:	StaffTrainingEvent

topic113B3 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {BFB611A2-3FFA-4314-B75A-4874ACA60672}}
OrdinalPosition:	89
Required:	False
SourceField:	topic113B3
SourceTable:	StaffTrainingEvent

topic113B4 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False

	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {11E9AAAB-4EA1-4C68-9434-23BF163CE293}}	
	OrdinalPosition:	90	
	Required:	False	
	SourceField:	topic113B4	
	SourceTable:	StaffTrainingEvent	
topic113B5		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {A3778740-91C3-4FCE-8346-09DE215BD05F}}	
	OrdinalPosition:	91	
	Required:	False	
	SourceField:	topic113B5	
	SourceTable:	StaffTrainingEvent	
topic113B6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {83A706A1-4AFA-44F1-890D-6A0449500F93}}	
	OrdinalPosition:	92	
	Required:	False	
	SourceField:	topic113B6	
	SourceTable:	StaffTrainingEvent	
topic113C1		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {1ACC0C0F-9440-4712-87D3-078805DB789D}}
OrdinalPosition:	93
Required:	False
SourceField:	topic113C1
SourceTable:	StaffTrainingEvent

topic113C2 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {AE3B6A51-43FB-4550-9AF6-1EE97E60ECA1}}
OrdinalPosition:	94
Required:	False
SourceField:	topic113C2
SourceTable:	StaffTrainingEvent

topic113C3 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {BA3FD837-123D-436F-AC9F-71B4565B4514}}
OrdinalPosition:	95
Required:	False
SourceField:	topic113C3
SourceTable:	StaffTrainingEvent

topic113C4 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {144E5576-BD82-410E-B7EB-52700283AC46}}
OrdinalPosition:	96
Required:	False
SourceField:	topic113C4
SourceTable:	StaffTrainingEvent

topic113C5 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {5A161CB4-218F-4618-B8B3-55657BD2FCB3}}
OrdinalPosition:	97
Required:	False
SourceField:	topic113C5
SourceTable:	StaffTrainingEvent

topic113C6 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {D23EDE11-73C8-40FA-AD12-B41115EAB5E1}}
OrdinalPosition:	98
Required:	False
SourceField:	topic113C6
SourceTable:	StaffTrainingEvent

topic113D1 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False

	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {D6CB0E77-3B3C-44D3-8155-2555CB21049B}}	
	OrdinalPosition:	99	
	Required:	False	
	SourceField:	topic113D1	
	SourceTable:	StaffTrainingEvent	
topic113D2		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {19DFB819-A17B-4FAF-8D92-56E3E0784FB2}}	
	OrdinalPosition:	100	
	Required:	False	
	SourceField:	topic113D2	
	SourceTable:	StaffTrainingEvent	
topic113D3		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {C631427D-15AF-43A7-B01A-2F7F5DBDFCB6}}	
	OrdinalPosition:	101	
	Required:	False	
	SourceField:	topic113D3	
	SourceTable:	StaffTrainingEvent	
topic113D4		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {54EF034E-B4C6-40B8-B97E-19E28FEDDB77}}
OrdinalPosition:	102
Required:	False
SourceField:	topic113D4
SourceTable:	StaffTrainingEvent

topic113D5 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {FC46EF1E-823F-4CB6-BFE3-4D4B26926FAC}}
OrdinalPosition:	103
Required:	False
SourceField:	topic113D5
SourceTable:	StaffTrainingEvent

topic115B1 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {5B4D80E8-6EF8-4F8F-9CA9-E2F29529C469}}
OrdinalPosition:	104
Required:	False
SourceField:	topic115B1
SourceTable:	StaffTrainingEvent

topic115B2 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {BF0D0A33-959C-43B9-9D35-CB87B5332993}}
OrdinalPosition: 105
Required: False
SourceField: topic115B2
SourceTable: StaffTrainingEvent

topic115B3 Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {B26E5E02-AFD2-4BC9-A063-F11B3FDEDE15}}
OrdinalPosition: 106
Required: False
SourceField: topic115B3
SourceTable: StaffTrainingEvent

topic115B4 Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 8
DisplayControl: 106
Format: Yes/No
GUID: {guid {E9A8689C-C4B7-4E36-A6F9-2853C280FF82}}
OrdinalPosition: 107
Required: False
SourceField: topic115B4
SourceTable: StaffTrainingEvent

topic115B5 Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False

	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {A887D19B-65A9-43F2-BCE7-22A470EB821B}}	
	OrdinalPosition:	108	
	Required:	False	
	SourceField:	topic115B5	
	SourceTable:	StaffTrainingEvent	
topic114A1		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {0ABA4FB4-82F3-447B-BF65-5B8AB0CD83F3}}	
	OrdinalPosition:	109	
	Required:	False	
	SourceField:	topic114A1	
	SourceTable:	StaffTrainingEvent	
topic114A2		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {65E03CBD-2240-4474-850F-8AADCF24FADC}}	
	OrdinalPosition:	110	
	Required:	False	
	SourceField:	topic114A2	
	SourceTable:	StaffTrainingEvent	
topic114B1		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	

DisplayControl:	106
Format:	Yes/No
GUID:	{guid {F3B90AAC-3D8F-4881-8540-14E23035F76E}}
OrdinalPosition:	111
Required:	False
SourceField:	topic114B1
SourceTable:	StaffTrainingEvent

topic114B2 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {84E1CD89-542A-4690-A8E1-7A18145A8CAB}}
OrdinalPosition:	112
Required:	False
SourceField:	topic114B2
SourceTable:	StaffTrainingEvent

topic114B3 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {FC301F80-C5D1-4979-A1B5-E8E24ABE5D73}}
OrdinalPosition:	113
Required:	False
SourceField:	topic114B3
SourceTable:	StaffTrainingEvent

topic114B4 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106

	Format:	Yes/No	
	GUID:	{guid {C83FA22F-3EBC-4D92-90A5-30AFFCD27248}}	
	OrdinalPosition:	114	
	Required:	False	
	SourceField:	topic114B4	
	SourceTable:	StaffTrainingEvent	
topic114B5		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {67CD66E1-A3CB-4471-B244-D1956AC05BE1}}	
	OrdinalPosition:	115	
	Required:	False	
	SourceField:	topic114B5	
	SourceTable:	StaffTrainingEvent	
topic114B6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {87109B5C-BA93-4445-AF31-84AC3B6A4716}}	
	OrdinalPosition:	116	
	Required:	False	
	SourceField:	topic114B6	
	SourceTable:	StaffTrainingEvent	
topic114C1		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	

	GUID:	{guid {8E97AE8A-EA4C-42B5-9F2E-9DD642DCCDF2}}	
	OrdinalPosition:	117	
	Required:	False	
	SourceField:	topic114C1	
	SourceTable:	StaffTrainingEvent	
topic114C2		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {81E4F788-4B83-4A19-8A3C-D1AA7F40C088}}	
	OrdinalPosition:	118	
	Required:	False	
	SourceField:	topic114C2	
	SourceTable:	StaffTrainingEvent	
topic114C3		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {E56F8714-B5D2-42D7-B73E-A612AB70A25B}}	
	OrdinalPosition:	119	
	Required:	False	
	SourceField:	topic114C3	
	SourceTable:	StaffTrainingEvent	
topic114C4		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {3DEDFDFA-5FDE-418C-B362-1A5D1951DF42}}	

	OrdinalPosition:	120	
	Required:	False	
	SourceField:	topic114C4	
	SourceTable:	StaffTrainingEvent	
topic114C5		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {25C613AC-B909-46FB-B29E-C3C8AE983ABE}}	
	OrdinalPosition:	121	
	Required:	False	
	SourceField:	topic114C5	
	SourceTable:	StaffTrainingEvent	
topic114C6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {2007AD5A-2D6F-4BE9-B922-06345F5B9937}}	
	OrdinalPosition:	122	
	Required:	False	
	SourceField:	topic114C6	
	SourceTable:	StaffTrainingEvent	
topic114C7		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {5838E424-D4B5-4A7E-8F77-9372A134035E}}	
	OrdinalPosition:	123	

	Required:	False	
	SourceField:	topic114C7	
	SourceTable:	StaffTrainingEvent	
topic114C8		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {D5B3DB8E-EED7-44C3-BA8D-F9317133FC42}}	
	OrdinalPosition:	124	
	Required:	False	
	SourceField:	topic114C8	
	SourceTable:	StaffTrainingEvent	
topic114D1		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {A0C7894D-E809-4E5E-A6B3-D2F1AA293EF8}}	
	OrdinalPosition:	125	
	Required:	False	
	SourceField:	topic114D1	
	SourceTable:	StaffTrainingEvent	
topic114D2		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {573E479F-41B0-45DC-A4CE-B94AE4360B4A}}	
	OrdinalPosition:	126	
	Required:	False	

	SourceField:	topic114D2	
	SourceTable:	StaffTrainingEvent	
topic114D3		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {855DBA50-736C-4852-9C60-9456AD64AFCE}}	
	OrdinalPosition:	127	
	Required:	False	
	SourceField:	topic114D3	
	SourceTable:	StaffTrainingEvent	
topic114D4		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {3555D206-6CD6-4F2E-A8B8-542EFA01A0F9}}	
	OrdinalPosition:	128	
	Required:	False	
	SourceField:	topic114D4	
	SourceTable:	StaffTrainingEvent	
topic114D5		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {86FDDC35-C304-46EC-BAA5-76EADCEB0F98}}	
	OrdinalPosition:	129	
	Required:	False	
	SourceField:	topic114D5	

	SourceTable:	StaffTrainingEvent	
topic114D6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {5BF1F611-270F-45AE-91FC-CBB2D7ED1FC2}}	
	OrdinalPosition:	130	
	Required:	False	
	SourceField:	topic114D6	
	SourceTable:	StaffTrainingEvent	
topic114E1		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {0FE61686-BA6B-4694-B833-60BA4D928A6F}}	
	OrdinalPosition:	131	
	Required:	False	
	SourceField:	topic114E1	
	SourceTable:	StaffTrainingEvent	
topic114E2		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {B8F77B30-C7D8-45F3-BEC1-87D988A0FF3D}}	
	OrdinalPosition:	132	
	Required:	False	
	SourceField:	topic114E2	
	SourceTable:	StaffTrainingEvent	

topic114E3 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {2AA263CD-9AB1-4C77-8710-D686FFC65061}}
OrdinalPosition:	133
Required:	False
SourceField:	topic114E3
SourceTable:	StaffTrainingEvent

topic115C1 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {EC94D084-51EF-4E58-A287-EEB690B64E7A}}
OrdinalPosition:	134
Required:	False
SourceField:	topic115C1
SourceTable:	StaffTrainingEvent

topic115C2 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 8
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {BA11B0D4-B971-42B2-B85A-A8F0E61D032A}}
OrdinalPosition:	135
Required:	False
SourceField:	topic115C2
SourceTable:	StaffTrainingEvent

topic115C3 Yes/No 1

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {29293E53-A2D8-4205-8165-212B6DF82B1D}}	
	OrdinalPosition:	136	
	Required:	False	
	SourceField:	topic115C3	
	SourceTable:	StaffTrainingEvent	
topic115C4		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {94FE177E-0D6F-4062-B854-628D0F3C47AC}}	
	OrdinalPosition:	137	
	Required:	False	
	SourceField:	topic115C4	
	SourceTable:	StaffTrainingEvent	
topic115C5		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 8	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {28577B53-FD33-4D70-8362-83C87CFF4B74}}	
	OrdinalPosition:	138	
	Required:	False	
	SourceField:	topic115C5	
	SourceTable:	StaffTrainingEvent	
OtherTopics		Memo	-
	AggregateType:	-1	

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	OBSOLETE- Other topics covered in training 11-5
GUID:	{guid {72DC76B4-BD7C-4C35-A4A5-BC5169218E09}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	139
Required:	False
ResultType:	0
SourceField:	OtherTopics
SourceTable:	StaffTrainingEvent
TextAlign:	General
TextFormat:	Plain Text
UnicodeCompression:	False

TitleOfTool Byte 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	OBSOLETE- Title of the screening/assessment tool
DisplayControl:	Text Box
GUID:	{guid {1D7F98FD-05D3-4AB1-8DC6-B58F36E1F5BE}}
OrdinalPosition:	140
Required:	False
ResultType:	0
SourceField:	TitleOfTool
SourceTable:	StaffTrainingEvent
TextAlign:	General

ParentHealth Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False

	Description:	OBSOLETE- Parental health and well-being	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {F69A3C4D-1F06-4AC9-907C-297AE9F9ED12}}	
	OrdinalPosition:	141	
	Required:	False	
	ResultType:	0	
	SourceField:	ParentHealth	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
ChildDvlp		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	OBSOLETE- Child development and health	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {7E4FC50D-8763-4229-8A75-DF84763B209B}}	
	OrdinalPosition:	142	
	Required:	False	
	ResultType:	0	
	SourceField:	ChildDvlp	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
LanguageDvlp		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	OBSOLETE- Language development	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {8932B38F-5861-4003-897B-CE810DB74C2A}}	
	OrdinalPosition:	143	
	Required:	False	
	ResultType:	0	
	SourceField:	LanguageDvlp	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	

HIV/AIDS Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	OBSOLETE- HIV/AIDS
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {26A8B1F6-049F-470D-9E7B-C3A25CBA2F55}}
OrdinalPosition:	144
Required:	False
ResultType:	0
SourceField:	HIV/AIDS
SourceTable:	StaffTrainingEvent
TextAlign:	General

ParentalIssues Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	OBSOLETE- Parental issues
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {63703E51-2B18-48E9-ABCD-13FD6713585C}}
OrdinalPosition:	145
Required:	False
ResultType:	0
SourceField:	ParentalIssues
SourceTable:	StaffTrainingEvent
TextAlign:	General

created_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False

Description:	Date on which the record was created
Format:	General Date
GUID:	{guid {A1EF33C2-C180-48F7-A833-577771F4F207}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	146
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	created_timestamp
SourceTable:	StaffTrainingEvent
TextAlign:	General

created_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	User who created this record
DisplayControl:	Text Box
GUID:	{guid {287C4C3B-FF5E-43A9-BA42-9E121198CA83}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	147
Required:	False
ResultType:	0
SourceField:	created_user
SourceTable:	StaffTrainingEvent
TextAlign:	General
UnicodeCompression:	True

modified_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Date on which the data was updated most recently
Format:	General Date
GUID:	{guid {D731004C-9C48-4CA6-901A-1C6141CFD372}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	148
Required:	False

	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	modified_timestamp	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
modified_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	User who updated the data most recently	
	DisplayControl:	Text Box	
	GUID:	{guid {F2094701-9849-421A-A559-59323719183D}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	149	
	Required:	False	
	ResultType:	0	
	SourceField:	modified_user	
	SourceTable:	StaffTrainingEvent	
	TextAlign:	General	
	UnicodeCompression:	True	
Old_TrainingID		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	PIMS7 training ID, used during data migration to PIMS 8 only	
	DisplayControl:	Text Box	
	GUID:	{guid {E5478B49-CF88-4478-A5DE-3F8177A379B5}}	
	OrdinalPosition:	150	
	Required:	False	
	SourceField:	Old_TrainingID	
	SourceTable:	StaffTrainingEvent	
CurricPPForms		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
Description:	added for BPS 2018 in PIMS 8.0.6
DisplayControl:	Text Box
Format:	Yes/No
OrdinalPosition:	151
Required:	False
SourceField:	CurricPPForms
SourceTable:	StaffTrainingEvent

ChildDevToolASQSE Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	added for BPS 2018 in PIMS 8.0.6
DisplayControl:	Text Box
Format:	Yes/No
OrdinalPosition:	152
Required:	False
SourceField:	ChildDevToolASQSE
SourceTable:	StaffTrainingEvent

Relationships

StaffTrainingEventStaffToTrainingEvents



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

StaffTrainingEventStaffToTrainingEvents



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False

	DistinctCount:	156
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	TrainingID	Ascending
TrainingID		1
	Clustered:	False
	DistinctCount:	156
	Foreign:	False
	IgnoreNulls:	False
	Name:	TrainingID
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	TrainingID	Ascending
TrainingID1		1
	Clustered:	False
	DistinctCount:	156
	Foreign:	False
	IgnoreNulls:	False
	Name:	TrainingID1
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	Old_TrainingID	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
Description:	for ND MIECHV eval	FrozenColumns:	2
GUID:	{guid {6A35FAAD-B72C-4AC9-A7BE-000ADBBAE658}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1
Updatable:	True		

Columns

Name	Type	Size
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1440	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {06A1123E-14D3-4CE0-911F-6BCE3A4EFAD4}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	person_id	
SourceTable:	taces_data	
admin_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	Short Date	
GUID:	{guid {04935E0B-1DCF-4C54-83C4-B78514572534}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	99/99/00;0;_	
OrdinalPosition:	1	
Required:	False	
SourceField:	admin_date	
SourceTable:	taces_data	
ValidationRule:	<=Date()	
ValidationText:	Date must be prior to or equal to todays date	
admin_staff_id	Text	10
AllowZeroLength:	False	

AppendOnly:	False
Attributes:	Variable Length
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
Description:	staff person who made this measurement
DisplayControl:	Combo Box
GUID:	{guid {7B882327-0ECF-45B9-B659-B1C4415405DF}}
IMEMode:	0
IMESentenceMode:	3
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	2
Required:	False
RowSource:	StaffInfo
RowSourceType:	Table/Query
SourceField:	admin_staff_id
SourceTable:	taces_data
UnicodeCompression:	False

ace_q01_ynr Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	question #5 on ACES form
DisplayControl:	Combo Box
GUID:	{guid {0073C599-0826-487F-8F01-F60A9B44003F}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	3
Required:	False
RowSource:	tgeneral_lkup_yes_no_refused
RowSourceType:	Table/Query
SourceField:	ace_q01_ynr
SourceTable:	taces_data

ace_q02_ynr Byte 1

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	question #6 on ACES form	
	DisplayControl:	Combo Box	
	GUID:	{guid {C6EA3DE1-F533-4C8E-8364-D776E8FBA4ED}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	4	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_refused	
	RowSourceType:	Table/Query	
	SourceField:	ace_q02_ynr	
	SourceTable:	taces_data	
ace_q03_ynr		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	question #7 on ACES form	
	DisplayControl:	Combo Box	
	GUID:	{guid {49740ED5-94C8-495D-8B1D-5C9978576243}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	5	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_refused	
	RowSourceType:	Table/Query	
	SourceField:	ace_q03_ynr	
	SourceTable:	taces_data	
ace_q04_ynr		Byte	1
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	question #8 on ACES form	
	DisplayControl:	Combo Box	
	GUID:	{guid {D9D42DE0-CD95-4E90-A2B4-8B936D5D03F7}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	6	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_refused	
	RowSourceType:	Table/Query	
	SourceField:	ace_q04_ynr	
	SourceTable:	taces_data	
ace_q05_ynr		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	question #1 on ACES form	
	DisplayControl:	Combo Box	
	GUID:	{guid {A55BA4A0-5A44-4A6A-91E9-CD16396BEA4C}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	7	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_refused	
	RowSourceType:	Table/Query	
	SourceField:	ace_q05_ynr	
	SourceTable:	taces_data	
ace_q06_ynr		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	

	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	question #2 on ACES form	
	DisplayControl:	Combo Box	
	GUID:	{guid {2D55B3BD-0D5D-435B-92FE-63E18DF65EFE}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	8	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_refused	
	RowSourceType:	Table/Query	
	SourceField:	ace_q06_ynr	
	SourceTable:	taces_data	
ace_q07_ynr		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	question #3 on ACES form	
	DisplayControl:	Combo Box	
	GUID:	{guid {416E855D-E68F-4F21-8ECD-D5855D9645D9}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	9	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_refused	
	RowSourceType:	Table/Query	
	SourceField:	ace_q07_ynr	
	SourceTable:	taces_data	
ace_q08_ynr		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	

BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	question #4 on ACES form
DisplayControl:	Combo Box
GUID:	{guid {89B4FA07-50DC-4A6F-86ED-745EC74DD894}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	10
Required:	False
RowSource:	tgeneral_lkup_yes_no_refused
RowSourceType:	Table/Query
SourceField:	ace_q08_ynr
SourceTable:	taces_data

ace_q09_ynr Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {D9EFD014-7AE6-4448-9D7F-F3E469EEC460}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	11
Required:	False
RowSource:	tgeneral_lkup_yes_no_refused
RowSourceType:	Table/Query
SourceField:	ace_q09_ynr
SourceTable:	taces_data

ace_q10_ynr Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General

ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {B0A2627A-9D47-4F3C-9198-C5D8D349089D}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	12
Required:	False
RowSource:	tgeneral_lkup_yes_no_refused
RowSourceType:	Table/Query
SourceField:	ace_q10_ynr
SourceTable:	taces_data

ace_q11_ynr Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {107D306A-E8CF-457E-9211-33E42693ECE0}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	13
Required:	False
RowSource:	tgeneral_lkup_yes_no_refused
RowSourceType:	Table/Query
SourceField:	ace_q11_ynr
SourceTable:	taces_data

ace_q12_ynr Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False

ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {FFA209B3-BA65-41CC-BEC5-C78BDD82091F}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	14
Required:	False
RowSource:	tgeneral_lkup_yes_no_refused
RowSourceType:	Table/Query
SourceField:	ace_q12_ynr
SourceTable:	taces_data

ace_q13_ynr Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {E48269E3-F911-49DD-B1EB-18C20697C4FE}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	15
Required:	False
RowSource:	tgeneral_lkup_yes_no_refused
RowSourceType:	Table/Query
SourceField:	ace_q13_ynr
SourceTable:	taces_data

ace_q14_ynr Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880

DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {EF86A8BB-4F0B-486E-A450-887C6684543A}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	16
Required:	False
RowSource:	tgeneral_lkup_yes_no_refused
RowSourceType:	Table/Query
SourceField:	ace_q14_ynr
SourceTable:	taces_data

ace_q15_ynr Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {A0A489D6-F28A-485C-BE09-68735B1C9D29}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	17
Required:	False
RowSource:	tgeneral_lkup_yes_no_refused
RowSourceType:	Table/Query
SourceField:	ace_q15_ynr
SourceTable:	taces_data

ace_q16_ynr Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box

	GUID:	{guid {C98E170A-9046-4DDE-8FC3-062258A16B12}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	18	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_refused	
	RowSourceType:	Table/Query	
	SourceField:	ace_q16_ynr	
	SourceTable:	taces_data	
ace_q17_ynr		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {74224299-D89C-4751-BF7A-8D708C9AF605}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	19	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_refused	
	RowSourceType:	Table/Query	
	SourceField:	ace_q17_ynr	
	SourceTable:	taces_data	
ace_q18_ynr		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {D09478D7-9F44-40E5-8504-FA4B24B4475E}}	
	LimitToList:	True	
	ListRows:	8	

ListWidth:	0twip
OrdinalPosition:	20
Required:	False
RowSource:	tgeneral_lkup_yes_no_refused
RowSourceType:	Table/Query
SourceField:	ace_q18_ynr
SourceTable:	taces_data

ace_q19_ynr Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {89BA5CFD-88E4-495D-AE62-D6798EC32BD1}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	21
Required:	False
RowSource:	tgeneral_lkup_yes_no_refused
RowSourceType:	Table/Query
SourceField:	ace_q19_ynr
SourceTable:	taces_data

ace_q20_ynr Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {F4975352-A58F-4A84-BD6B-2745F1AF6CAD}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	22
Required:	False

	RowSource:	tgeneral_lkup_yes_no_refused	
	RowSourceType:	Table/Query	
	SourceField:	ace_q20_ynr	
	SourceTable:	taces_data	
ace_q21_ynr		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {02F2ECA2-3EDC-43A0-ABA1-7B264ADF759A}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	23	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_refused	
	RowSourceType:	Table/Query	
	SourceField:	ace_q21_ynr	
	SourceTable:	taces_data	
ace_total_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {436CD557-E1BA-4957-8AFE-F539DA997AFF}}	
	OrdinalPosition:	24	
	Required:	False	
	SourceField:	ace_total_score	
	SourceTable:	taces_data	
ace_num_answered_yn		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {0043B436-A2CB-407B-BE54-62FD363E2EF6}}
OrdinalPosition:	25
Required:	False
SourceField:	ace_num_answered_yn
SourceTable:	taces_data

ace_total_score_cdc Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {B37FF924-A7B8-4843-B031-FEB01131DC8E}}
OrdinalPosition:	26
Required:	False
SourceField:	ace_total_score_cdc
SourceTable:	taces_data

ace_num_answered_yn_cdc Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {8A24CFA4-6C0A-4A78-8D42-FBC0CAE1271E}}
OrdinalPosition:	27
Required:	False
SourceField:	ace_num_answered_yn_cdc
SourceTable:	taces_data

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {391615FA-8889-4D9F-8D8E-D74119F1D32B}}

IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	28
Required:	False
SourceField:	created_timestamp
SourceTable:	taces_data

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {5BCF88F8-D2AB-4CE7-A475-E6CB4B319616}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	29
Required:	False
SourceField:	created_user
SourceTable:	taces_data
UnicodeCompression:	True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {D3559B48-525C-4A60-9C94-E0CCFDFFABF0}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	30
Required:	False
SourceField:	modified_timestamp
SourceTable:	taces_data

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {C8FFD322-35F8-48D3-8F2D-2CE28A2145FC}}

IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	31
Required:	False
SourceField:	modified_user
SourceTable:	taces_data
UnicodeCompression:	True

Relationships

tpeople_datataces_data



Attributes:	Unique, Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-One

Table Indexes

Name	Number of Fields
{3151EE8B-7B5E-4F41-BA12-064660A2EC	1
Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	{3151EE8B-7B5E-4F41-BA12-064660A2EC76}
Primary:	False
Required:	False
Unique:	True
Fields:	
person_id	Ascending
admin_staff_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	admin_staff_id
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_staff_id	Ascending
person_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False
Required:	False

	Unique:	False
	Fields:	
	person_id	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	person_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:17 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {FBA3D297-E6D9-4D6C-84D7-0E3BDCB5E486}}
HideNewField:	False	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	10	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
saved_query_code	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size, Auto-Increment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
GUID:	{guid {578B12AD-F3F5-4CB8-9C30-A87E5D95D57F}}
OrdinalPosition:	0
Required:	False
ResultType:	0
SourceField:	saved_query_code
SourceTable:	tadhoc_saved_queries
TextAlign:	General

saved_query_name	Text	50

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2115
CurrencyLCID:	0
DataUpdatable:	False
Description:	user-defined query name
DisplayControl:	Text Box
GUID:	{guid {562AF76B-9858-4E3F-A589-865C1A372EAF}}
IMEMode:	0
IMESentenceMode:	3

	OrdinalPosition:	1	
	Required:	False	
	ResultType:	0	
	SourceField:	saved_query_name	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
	UnicodeCompression:	True	
saved_query_category_code		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2550	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	added in PIMS 7- user-defined category	
	DisplayControl:	Text Box	
	GUID:	{guid {A5384AF5-9EC3-431F-85F7-9E542098A3BC}}	
	OrdinalPosition:	2	
	Required:	False	
	ResultType:	0	
	SourceField:	saved_query_category_code	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_title		Text	50
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	user-defined report title, added in PIMS 7.3	
	DisplayControl:	Text Box	
	GUID:	{guid {769EC8B1-5B27-429A-8CA8-67471BA2A54A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	ResultType:	0	
	SourceField:	report_title	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
	UnicodeCompression:	True	
report_type		Long Integer	4

	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {52CBF343-8D97-48E8-8820-39D64168D2EF}}	
	OrdinalPosition:	4	
	Required:	False	
	ResultType:	0	
	SourceField:	report_type	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_type_sub		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {7D88F76A-DAF3-41E0-87E2-A1E873488E40}}	
	OrdinalPosition:	5	
	Required:	False	
	ResultType:	0	
	SourceField:	report_type_sub	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_category		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {5E4992FD-AE25-4C91-926A-0CAA99FB052D}}	

	OrdinalPosition:	6	
	Required:	False	
	ResultType:	0	
	SourceField:	report_category	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_field		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {0DC3FD31-7E43-47BB-9E32-7ECCB7FC9232}}	
	OrdinalPosition:	7	
	Required:	False	
	ResultType:	0	
	SourceField:	report_field	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_category2		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {0E74B3D3-20A2-4382-8066-2D7A3504CFBF}}	
	OrdinalPosition:	8	
	Required:	False	
	ResultType:	0	
	SourceField:	report_category2	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_field2		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {544BCE5F-BBDB-45B5-8238-C9DA7B51D8A7}}
OrdinalPosition:	9
Required:	False
ResultType:	0
SourceField:	report_field2
SourceTable:	tadhoc_saved_queries
TextAlign:	General

report_category3 Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {5458665A-E43E-4ED6-9289-C793B225B147}}
OrdinalPosition:	10
Required:	False
ResultType:	0
SourceField:	report_category3
SourceTable:	tadhoc_saved_queries
TextAlign:	General

report_field3 Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {6CA75E47-FE05-4781-93DC-6E7C4F065B4E}}
OrdinalPosition:	11
Required:	False
ResultType:	0
SourceField:	report_field3
SourceTable:	tadhoc_saved_queries

	TextAlign:	General	
report_category4		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {F9363FF0-D80F-4090-9382-88E6635DCD03}}	
	OrdinalPosition:	12	
	Required:	False	
	ResultType:	0	
	SourceField:	report_category4	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_field4		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {2BCDC600-30F9-4D46-957F-4B87CB6C8211}}	
	OrdinalPosition:	13	
	Required:	False	
	ResultType:	0	
	SourceField:	report_field4	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_category5		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	

DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {13315EB8-6FC0-4320-86C1-47DF5F86CCB0}}
OrdinalPosition:	14
Required:	False
ResultType:	0
SourceField:	report_category5
SourceTable:	tadhoc_saved_queries
TextAlign:	General

report_field5 Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {942735F8-C61D-483C-98D2-4F670BAD1B12}}
OrdinalPosition:	15
Required:	False
ResultType:	0
SourceField:	report_field5
SourceTable:	tadhoc_saved_queries
TextAlign:	General

report_category6 Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {61970483-B2D5-4A37-8E79-599E4A8E69E9}}
OrdinalPosition:	16
Required:	False
ResultType:	0
SourceField:	report_category6
SourceTable:	tadhoc_saved_queries
TextAlign:	General

report_field6 Long Integer 4

AggregateType:	-1
AllowZeroLength:	False

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {2E446F1B-F315-46CD-A677-12803DF89CEE}}	
	OrdinalPosition:	17	
	Required:	False	
	ResultType:	0	
	SourceField:	report_field6	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_category7		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {FB6EA195-2980-4491-9D96-0E19DCEE8FAA}}	
	OrdinalPosition:	18	
	Required:	False	
	ResultType:	0	
	SourceField:	report_category7	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_field7		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {3E7BB53B-BF46-434A-B447-8A80E1A27BAB}}	
	OrdinalPosition:	19	
	Required:	False	

	ResultType:	0	
	SourceField:	report_field7	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_category8		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {9683B9E6-38F6-4309-ADCB-2B1C99612A04}}	
	OrdinalPosition:	20	
	Required:	False	
	ResultType:	0	
	SourceField:	report_category8	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_field8		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {225633B2-5673-42B6-8EA2-203B93000FC3}}	
	OrdinalPosition:	21	
	Required:	False	
	ResultType:	0	
	SourceField:	report_field8	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
report_category9		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {2AAEF846-E3AC-4112-94F7-03BEBCBA1B36}}
OrdinalPosition:	22
Required:	False
ResultType:	0
SourceField:	report_category9
SourceTable:	tadhoc_saved_queries
TextAlign:	General

report_field9 Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {D21EECE4-4624-42ED-A6E4-C7F02CF71467}}
OrdinalPosition:	23
Required:	False
ResultType:	0
SourceField:	report_field9
SourceTable:	tadhoc_saved_queries
TextAlign:	General

report_category10 Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {B76F585D-1ADA-48BC-B683-09EC3315105F}}
OrdinalPosition:	24
Required:	False
ResultType:	0
SourceField:	report_category10
SourceTable:	tadhoc_saved_queries
TextAlign:	General

report_field10 Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {72F942C8-AD92-4D27-A875-065BB81965B2}}
OrdinalPosition:	25
Required:	False
ResultType:	0
SourceField:	report_field10
SourceTable:	tadhoc_saved_queries
TextAlign:	General

notes Text 255

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {ACCA77D6-D4E2-4C7D-955A-3D729FAA23A8}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	26
Required:	False
ResultType:	0
SourceField:	notes
SourceTable:	tadhoc_saved_queries
TextAlign:	General
UnicodeCompression:	True

temp_import_saved_query_code Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False

DecimalPlaces:	Auto
Description:	this is necessary during importing procedures to link query criteria to queries
DisplayControl:	Text Box
GUID:	{guid {4E51709F-550D-4B12-A5AF-3BE61DADD05B}}
OrdinalPosition:	27
Required:	False
ResultType:	0
SourceField:	temp_import_saved_query_code
SourceTable:	tadhoc_saved_queries
TextAlign:	General

export_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {76F0B195-714F-4EEF-B411-09C0A1F5CCF8}}
OrdinalPosition:	28
Required:	True
ResultType:	0
SourceField:	export_flag
SourceTable:	tadhoc_saved_queries
TextAlign:	General

created_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
GUID:	{guid {EDB6CB60-5A24-4300-9187-3A192BE63FD0}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	29
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	created_timestamp
SourceTable:	tadhoc_saved_queries
TextAlign:	General

modified_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
GUID:	{guid {E482061F-2EA6-4079-8C52-7BB360412A1E}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	30
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	modified_timestamp
SourceTable:	tadhoc_saved_queries
TextAlign:	General

created_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	added in PIMS 7
DisplayControl:	Text Box
GUID:	{guid {979DE9B4-C22A-4A74-A5E5-391DE052D654}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	31
Required:	False
ResultType:	0
SourceField:	created_user
SourceTable:	tadhoc_saved_queries
TextAlign:	General
UnicodeCompression:	True

modified_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

CurrencyLCID:	0
DataUpdatable:	False
Description:	added in PIMS 7
DisplayControl:	Text Box
GUID:	{guid {BEF91717-151B-4B63-A261-DDCCC62BBF0A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	32
Required:	False
ResultType:	0
SourceField:	modified_user
SourceTable:	tadhoc_saved_queries
TextAlign:	General
UnicodeCompression:	True

group_code Text 50

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	internal code assigned to each group, referenced in PeopleToGroups
DisplayControl:	Text Box
GUID:	{guid {E0B4FE71-DE94-49CD-81A4-DB00EF776FA3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	33
Required:	False
ResultType:	0
SourceField:	group_code
SourceTable:	tadhoc_saved_queries
TextAlign:	General
UnicodeCompression:	False

group_display Text 255

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	display group names corresponding to group codes
DisplayControl:	Text Box
GUID:	{guid {ED8A69B6-BDD6-4D7B-AF13-2247EADE1F3A}}
IMEMode:	0
IMESentenceMode:	3

	OrdinalPosition:	34	
	Required:	False	
	ResultType:	0	
	SourceField:	group_display	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
	UnicodeCompression:	False	
include_exclude_groups_flag		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	1= include, 2 = exclude	
	DisplayControl:	Text Box	
	GUID:	{guid {F693EB17-B9CC-4BD3-8FE3-BAA2E01FC7E2}}	
	OrdinalPosition:	35	
	Required:	False	
	ResultType:	0	
	SourceField:	include_exclude_groups_flag	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
site_id		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	
	DisplayControl:	Text Box	
	GUID:	{guid {FE7FA02C-DB09-47D7-858A-BA8BE75D1B28}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	36	
	Required:	False	
	ResultType:	0	
	SourceField:	site_id	
	SourceTable:	tadhoc_saved_queries	
	TextAlign:	General	
	UnicodeCompression:	False	

Relationships

tadhoc_saved_queriestadhoc_saved_queries_criteria



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tadhoc_saved_queries_lkup_categoriestadhoc_saved_queries



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{3FD7AB7A-2732-4A8B-8673-8AFA1318D	1

Clustered:	False
DistinctCount:	2
Foreign:	True
IgnoreNulls:	False
Name:	{3FD7AB7A-2732-4A8B-8673-8AFA1318DD0A}
Primary:	False
Required:	False
Unique:	False
Fields:	
saved_query_category_code	Ascending

PrimaryKey 1

Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
saved_query_code	Ascending

saved_query_category 1

Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	saved_query_category

	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	saved_query_category_code	Ascending
saved_query_code		1
	Clustered:	False
	DistinctCount:	10
	Foreign:	False
	IgnoreNulls:	False
	Name:	saved_query_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	saved_query_code	Ascending
saved_query_name		1
	Clustered:	False
	DistinctCount:	10
	Foreign:	False
	IgnoreNulls:	False
	Name:	saved_query_name
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	saved_query_name	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {8581D700-76D2-403D-816E-0C93100DB02D}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	18
Updatable:	True		

Columns

Name	Type	Size
criteria_code	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size, Auto-Increment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {3E9D5640-F59F-409E-9A63-62A3694FCB01}}
OrdinalPosition:	0
Required:	False
SourceField:	criteria_code
SourceTable:	tadhoc_saved_queries_criteria

Name	Type	Size
criteria_order	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	user-defined order of criteria (useful when grouping into parens)
DisplayControl:	Text Box
GUID:	{guid {F3882CC2-2E39-4AFB-A622-971D0733E7C8}}
OrdinalPosition:	1
Required:	False
SourceField:	criteria_order
SourceTable:	tadhoc_saved_queries_criteria

Name	Type	Size
saved_query_code	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1560

	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {D580FC61-00FD-4874-98A5-48365A679CA4}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	saved_query_code	
	SourceTable:	tadhoc_saved_queries_criteria	
criteria_English		Text	100
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2040	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {453C2448-BCBE-46E9-A2AE-EC49CD411CA1}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	criteria_English	
	SourceTable:	tadhoc_saved_queries_criteria	
	UnicodeCompression:	True	
criteria_SQL		Text	100
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	4605	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {D28EBB2E-090A-4029-A7B8-2085B8BF0408}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	criteria_SQL	
	SourceTable:	tadhoc_saved_queries_criteria	
	UnicodeCompression:	True	
criteria_source_table_name		Text	50
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	3045	

DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {52E59E64-4718-48DD-B3D1-DE876FE2AC83}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
SourceField:	criteria_source_table_name
SourceTable:	tadhoc_saved_queries_criteria
UnicodeCompression:	True

criteria_source_field_name Text 50

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {3EC534C0-1D52-489C-A625-2EB083974201}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
SourceField:	criteria_source_field_name
SourceTable:	tadhoc_saved_queries_criteria
UnicodeCompression:	True

strBoolean Text 50

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {10ED3315-F5DA-4801-B2F6-E2949C313DAC}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
SourceField:	strBoolean
SourceTable:	tadhoc_saved_queries_criteria
UnicodeCompression:	True

nOpenParens Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False

	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {D8739371-33FA-4D84-BEC0-31E40D54B63F}}	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	nOpenParens	
	SourceTable:	tadhoc_saved_queries_criteria	
nCloseParens		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {C6FBE354-B9E0-472F-8142-5176F6A9F80F}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	nCloseParens	
	SourceTable:	tadhoc_saved_queries_criteria	
field_cat1		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	added in PIMS 7 to enable editing of existing queries	
	DisplayControl:	Text Box	
	GUID:	{guid {E351287F-DCE2-452C-833A-68B1F14A3D99}}	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	field_cat1	
	SourceTable:	tadhoc_saved_queries_criteria	
field1		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	

	DecimalPlaces:	Auto	
	Description:	added in PIMS 7 to enable editing of existing queries	
	DisplayControl:	Text Box	
	GUID:	{guid {5F1DC36A-F771-440C-A288-5DEFC36E3F4D}}	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	field1	
	SourceTable:	tadhoc_saved_queries_criteria	
operator1		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	added in PIMS 7 to enable editing of existing queries	
	DisplayControl:	Text Box	
	GUID:	{guid {CF9B6750-916E-4DAE-BE09-2405051553BC}}	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	operator1	
	SourceTable:	tadhoc_saved_queries_criteria	
value1		Text	50
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	added in PIMS 7 to enable editing of existing queries	
	DisplayControl:	Text Box	
	GUID:	{guid {19F6E16F-138E-4BDC-9BF6-43CFC523A3E3}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	value1	
	SourceTable:	tadhoc_saved_queries_criteria	
	UnicodeCompression:	False	
value2		Text	50
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

	DataUpdatable:	False	
	Description:	added in PIMS 7 to enable editing of existing queries	
	DisplayControl:	Text Box	
	GUID:	{guid {E5D4F599-B208-49A4-A997-6F4D9AD66832}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	value2	
	SourceTable:	tadhoc_saved_queries_criteria	
	UnicodeCompression:	False	
value1_lkup		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	added in PIMS 7 to enable editing of existing queries	
	DisplayControl:	Text Box	
	GUID:	{guid {91F5171F-CA77-466A-AAE7-0F0D6FFC8E6F}}	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	value1_lkup	
	SourceTable:	tadhoc_saved_queries_criteria	
criteria_version		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	version of PIMS in which criteria was created; v. 6 criteria can't be edited	
	DisplayControl:	Text Box	
	GUID:	{guid {23F58770-192E-4F3E-8EF5-0CB38FFE3D52}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	criteria_version	
	SourceTable:	tadhoc_saved_queries_criteria	

Relationships

tadhoc_saved_queriestadhoc_saved_queries_criteria



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{3E8F9267-5E8F-4692-98A4-427E7D2EC3	1
Clustered:	False
DistinctCount:	7
Foreign:	True
IgnoreNulls:	False
Name:	{3E8F9267-5E8F-4692-98A4-427E7D2EC34A}
Primary:	False
Required:	False
Unique:	False
Fields:	
saved_query_code	Ascending
criteria_order	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	criteria_order
Primary:	False
Required:	False
Unique:	False
Fields:	
criteria_order	Ascending
param_code1	1
Clustered:	False
DistinctCount:	18
Foreign:	False
IgnoreNulls:	False
Name:	param_code1
Primary:	False
Required:	False
Unique:	False
Fields:	
criteria_code	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	18
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True

Required:	True
Unique:	True
Fields:	
criteria_code	Ascending
saved_query_code	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	saved_query_code
Primary:	False
Required:	False
Unique:	False
Fields:	
saved_query_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {4766B98C-F196-498B-8B1C-3ACB122DAA19}}	LastUpdated:	4/2/2017 1:05:44 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

Columns

Name	Type	Size
criteria_code	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {16B3A046-4B80-4773-B25F-0A7C9410B3E2}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	criteria_code	
SourceTable:	tadhoc_saved_queries_criteria_v6	
saved_query_code	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1560	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {012012A7-C6F8-40FE-B335-F6C4F9CFB5B0}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	saved_query_code	
SourceTable:	tadhoc_saved_queries_criteria_v6	
saved_query_name	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

	Description:	user-defined query name	
	DisplayControl:	Text Box	
	GUID:	{guid {0A05268C-8D23-4146-9C5E-61C07B58F3BD}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	saved_query_name	
	SourceTable:	tadhoc_saved_queries_criteria_v6	
	UnicodeCompression:	True	
criteria_English		Text	100
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2040	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {E91AF961-B090-4050-A650-01F5FC20F33E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	criteria_English	
	SourceTable:	tadhoc_saved_queries_criteria_v6	
	UnicodeCompression:	True	
criteria_SQL		Text	100
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	4605	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {7E0E2F3F-8AB7-4890-893C-DF42A2930BF8}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	criteria_SQL	
	SourceTable:	tadhoc_saved_queries_criteria_v6	
	UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
param_code1	1
Clustered:	False
DistinctCount:	0

	Foreign:	False
	IgnoreNulls:	False
	Name:	param_code1
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	criteria_code	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	criteria_code	Ascending
saved_query_code		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	saved_query_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	saved_query_code	Ascending
saved_query_name		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	saved_query_name
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	saved_query_name	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:17 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {2BADC619-C1E5-43C1-A4EB-B09CDD72D0D9}}
HideNewField:	False	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	3	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
saved_query_category_code	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	added in PIMS 7	
GUID:	{guid {0E34A0F3-E80A-44A7-B048-9AE3D8953762}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	saved_query_category_code	
SourceTable:	tadhoc_saved_queries_lkup_categories	
TextAlign:	General	
saved_query_category_name	Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2115	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	added in PIMS 7	
DisplayControl:	Text Box	
GUID:	{guid {907B2743-B80E-4AAB-9AD2-D1A18536805F}}	
IMEMode:	0	

	IMESentenceMode:	3	
	OrdinalPosition:	1	
	Required:	False	
	ResultType:	0	
	SourceField:	saved_query_category_name	
	SourceTable:	tadhoc_saved_queries_lkup_categories	
	TextAlign:	General	
	UnicodeCompression:	True	
created_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	added in PIMS 7	
	GUID:	{guid {F7D2E3CB-BBA9-4805-A8A0-EDD1CDEE6C19}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	created_timestamp	
	SourceTable:	tadhoc_saved_queries_lkup_categories	
	TextAlign:	General	
modified_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	added in PIMS 7	
	GUID:	{guid {738C1A7F-9EA7-4475-AA69-EDBEC55B2F0C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	modified_timestamp	
	SourceTable:	tadhoc_saved_queries_lkup_categories	
	TextAlign:	General	

created_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	added in PIMS 7
DisplayControl:	Text Box
GUID:	{guid {91521336-04A2-4D03-AFED-59F378120BAF}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	4
Required:	False
ResultType:	0
SourceField:	created_user
SourceTable:	tadhoc_saved_queries_lkup_categories
TextAlign:	General
UnicodeCompression:	True

modified_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	added in PIMS 7
DisplayControl:	Text Box
GUID:	{guid {45281212-1775-47D7-B0FA-1E61964B8AC1}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
ResultType:	0
SourceField:	modified_user
SourceTable:	tadhoc_saved_queries_lkup_categories
TextAlign:	General
UnicodeCompression:	True

Relationships

tadhoc_saved_queries_lkup_categoriestadhoc_saved_queries



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
saved_query_category_code	Ascending
saved_query_code	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	saved_query_code
Primary:	False
Required:	False
Unique:	False
Fields:	
saved_query_category_code	Ascending
saved_query_name	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	saved_query_name
Primary:	False
Required:	False
Unique:	True
Fields:	
saved_query_category_name	Ascending

User Permissions

066

105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {1108D9D8-9F4C-42D5-8D88-423A1AA1AA98}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1
Updatable:	True		

Columns

Name	Type	Size
SiteID	Text	10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Site ID code
DisplayControl:	Text Box
GUID:	{guid {BD7BB182-6F81-4C7D-B35A-D206B281B9B6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	0
Required:	True
SourceField:	SiteID
SourceTable:	TargetCommunity
UnicodeCompression:	False

CommunityName	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Name of the community
DisplayControl:	Text Box
GUID:	{guid {FC9E34CC-4D90-4E7F-9DAD-AF26875B5A93}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	True
SourceField:	CommunityName
SourceTable:	TargetCommunity
UnicodeCompression:	False

CommunityType Text 50
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
Caption: Community type
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Community type
DisplayControl: Text Box
GUID: {guid {7D867758-C4BD-4DFD-9C83-7037FBBD16BF}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: CommunityType
SourceTable: TargetCommunity
UnicodeCompression: False

American Indian/Alaskan native Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
Caption: American Indian/Alaskan Native
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: 25% of American Indian/Alaskan native
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {735330D4-729C-4775-AE0E-8EEA3550D6B6}}
OrdinalPosition: 3
Required: False
SourceField: American Indian/Alaskan native
SourceTable: TargetCommunity

Asian/Pacific Islanders Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
Caption: Asian/Pacific Islanders
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: 25% of Asian/Pacific Islanders
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {C9813A76-57EF-44F2-A283-AB867F300069}}
OrdinalPosition: 4

	Required:	False	
	SourceField:	Asian/Pacific Islanders	
	SourceTable:	TargetCommunity	
African American, non-Hispanic		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	African American, non-Hispanic Origin	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	25% of African American, not of Hispanic origin	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {98991561-A97B-4139-AE77-ABBF24318C10}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	African American, non-Hispanic	
	SourceTable:	TargetCommunity	
Hispanic/Latino		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Hispanic/Latino	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	25% of Hispanic/Latino	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {21381ECF-3F95-4A31-A53F-7C06EF300835}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	Hispanic/Latino	
	SourceTable:	TargetCommunity	
White, non-Hispanic		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	White, non-Hispanic Origin	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	25% of White, not of Hispanic origin	
	DisplayControl:	Text Box	
	Format:	Yes/No	

	GUID:	{guid {C40BA12A-BC95-4B1D-A21D-5F6B8B3289DC}}	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	White, non-Hispanic	
	SourceTable:	TargetCommunity	
OtherEthnicity		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Specify other ethnicity and corresponding %	
	DisplayControl:	Text Box	
	GUID:	{guid {859AC709-78C2-496F-986C-031818522EA9}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	OtherEthnicity	
	SourceTable:	TargetCommunity	
	UnicodeCompression:	False	
Poverty		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	%ChldBelowPvrty	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	% children under 5 living under poverty level	
	DisplayControl:	Text Box	
	GUID:	{guid {1291EA59-4960-4CA5-B58A-516B21EB1DE6}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	Poverty	
	SourceTable:	TargetCommunity	
	ValidationRule:	Is Null Or <=100	
	ValidationText:	The number must be <=100!	
Births		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Avg Annual Births	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	0	
	Description:	Average annual births	
	DisplayControl:	Text Box	
	Format:	Standard	
	GUID:	{guid {BA40A503-9164-4E37-85D0-6A10704DB5F0}}	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	Births	
	SourceTable:	TargetCommunity	
Language		Text	25
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Major language groups	
	DisplayControl:	Text Box	
	GUID:	{guid {26AD8E01-F1C4-48AB-BD4D-F2BA9D2A86AA}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	Language	
	SourceTable:	TargetCommunity	
	UnicodeCompression:	False	
LanguageOther		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Specify other major language group	
	DisplayControl:	Text Box	
	GUID:	{guid {F0FB5126-9C9B-4118-9612-E40AA82A4806}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	LanguageOther	
	SourceTable:	TargetCommunity	
	UnicodeCompression:	False	
SingleParent		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	

Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	% single parent households	
DisplayControl:	Text Box	
GUID:	{guid {82FECAAD-E069-41C5-94F9-3A0B31C34FFC}}	
OrdinalPosition:	13	
Required:	False	
SourceField:	SingleParent	
SourceTable:	TargetCommunity	
ValidationRule:	Is Null Or <=100	
ValidationText:	The number must be <=100!	
AFDC	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	% households receiving AFDC	
DisplayControl:	Text Box	
GUID:	{guid {F94CD3B0-8B59-4AE8-BD75-F0B147E73FEE}}	
OrdinalPosition:	14	
Required:	False	
SourceField:	AFDC	
SourceTable:	TargetCommunity	
ValidationRule:	Is Null Or <=100	
ValidationText:	The number must be <=100!	
created_timestamp	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date on which the record was created	
Format:	General Date	
GUID:	{guid {2A73E0A1-5AED-45DC-8480-19B843F07C80}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	15	
Required:	False	
SourceField:	created_timestamp	
SourceTable:	TargetCommunity	

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	User who created this record
DisplayControl:	Text Box
GUID:	{guid {BBE19F0F-7F29-4E0E-90AD-67EEC24A9E27}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	16
Required:	False
SourceField:	created_user
SourceTable:	TargetCommunity
UnicodeCompression:	True

RecUpdateDate Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date on which the data was updated most recently
Format:	General Date
GUID:	{guid {60145CB8-08F5-4DF0-B053-C8F622AAC197}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	17
Required:	False
SourceField:	RecUpdateDate
SourceTable:	TargetCommunity

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	User who updated the data most recently
DisplayControl:	Text Box
GUID:	{guid {8D425374-BFB0-422C-99E4-A2EA25E05926}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	18
Required:	False

SourceField:	modified_user
SourceTable:	TargetCommunity
UnicodeCompression:	True

Relationships

Site/ProgramInfoTargetCommunity



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{7882EF26-EB81-414B-8FAF-149338592D	1
Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	{7882EF26-EB81-414B-8FAF-149338592DE9}
Primary:	False
Required:	False
Unique:	False
Fields:	
SiteID	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SiteID	Ascending
CommunityName	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition,

	Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
FrozenColumns:	2	GUID:	{guid {209754D8-A61B-481B-BF7F-A395F8CB9E4F}}
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	174	Updatable:	True

Columns

Name	Type	Size
site_id	Text	5

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {1A95E1FE-B6D6-4B80-B909-F0331EE9DFFA}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	0
Required:	False
SourceField:	site_id
SourceTable:	tassessment_data
UnicodeCompression:	False

assessment_id	Text	15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1500
DataUpdatable:	False
Description:	In combination with Site ID provides a unique identifier for the individual assessment
DisplayControl:	Text Box
GUID:	{guid {4B9AB8BE-A8DF-4E0E-A16A-A31A97C3CCE2}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	assessment_id
SourceTable:	tassessment_data
UnicodeCompression:	False

person_id Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1440
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {637791C7-0361-4DDD-A465-8B26FB0A018E}}
OrdinalPosition:	2
Required:	True
SourceField:	person_id
SourceTable:	tassessment_data

screen_id Text 15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1440
DataUpdatable:	False
Description:	screen ID
DisplayControl:	Text Box
GUID:	{guid {399EDF19-E4B8-4DB7-9378-DB12C8731DC5}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	False
SourceField:	screen_id
SourceTable:	tassessment_data
UnicodeCompression:	False

faw_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1440
DataUpdatable:	False
Description:	Family Assessment Worker ID
DisplayControl:	Text Box
GUID:	{guid {7C37E0A4-69E1-4E65-ACAF-A561E737D0FC}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	4
Required:	False
SourceField:	faw_id
SourceTable:	tassessment_data

UnicodeCompression: False

transfer_fsw_id Text 10
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Family Assessment Worker ID
DisplayControl: Text Box
GUID: {guid {842AE38B-723C-4427-BB09-3D7181DB9413}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: transfer_fsw_id
SourceTable: tassessment_data
UnicodeCompression: False

assessed_name_last_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1440
DataUpdatable: False
Description: assessed person's last name
DisplayControl: Text Box
GUID: {guid {D2031E37-762A-4DF8-B8B8-4A0ADFC33C5B}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
SourceField: assessed_name_last_text
SourceTable: tassessment_data
UnicodeCompression: False

assessed_name_first_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: assessed person's first name
DisplayControl: Text Box
GUID: {guid {AE2702D1-55E3-4EDD-BF25-F24C39FA189F}}
IMEMode: 0

IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
SourceField:	assessed_name_first_text
SourceTable:	tassessment_data
UnicodeCompression:	False

assessed_address_street_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2655
DataUpdatable:	False
Description:	assessed person's street address
DisplayControl:	Text Box
GUID:	{guid {17B2FD22-C2E4-4B7C-A737-B52A295A477D}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	8
Required:	False
SourceField:	assessed_address_street_text
SourceTable:	tassessment_data
UnicodeCompression:	False

assessed_address_city_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2475
DataUpdatable:	False
Description:	assessed person's city
DisplayControl:	Text Box
GUID:	{guid {EACB0E31-A627-4B2D-A4FF-F073C02FFA79}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	False
SourceField:	assessed_address_city_text
SourceTable:	tassessment_data
UnicodeCompression:	False

assessed_address_state_text Text 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2595

	DataUpdatable:	False	
	Description:	assessed person's state	
	DisplayControl:	Text Box	
	GUID:	{guid {0EEFAAAF-94F7-41E0-A391-37825E19A9DC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	assessed_address_state_text	
	SourceTable:	tassessment_data	
	UnicodeCompression:	False	
assessed_address_zip_text		Text	12
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2415	
	DataUpdatable:	False	
	Description:	assessed person's zip	
	DisplayControl:	Text Box	
	GUID:	{guid {1E7D38F3-8887-4DEC-A489-C5FDA90F382A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	00000\-9999;0;_	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	assessed_address_zip_text	
	SourceTable:	tassessment_data	
	UnicodeCompression:	False	
assessed_address_township_text		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	assessed person's township	
	DisplayControl:	Text Box	
	GUID:	{guid {CD3A8321-3DD3-46D8-8882-8E5C49733EA7}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	assessed_address_township_text	
	SourceTable:	tassessment_data	
	UnicodeCompression:	False	
assessed_address_county_text		Text	50
	AllowZeroLength:	False	

AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	assessed person's county	
DisplayControl:	Text Box	
GUID:	{guid {9EE589E4-FDA8-48F9-9D79-90908E2A962F}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	13	
Required:	False	
SourceField:	assessed_address_county_text	
SourceTable:	tassessment_data	
UnicodeCompression:	False	
assessed_phone_home_text	Text	15
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	assessed person's home phone	
DisplayControl:	Text Box	
GUID:	{guid {C01E063C-7AB9-41BA-8190-C86F163EC1CE}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	!\(999") "000\-0000;0;_	
OrdinalPosition:	14	
Required:	False	
SourceField:	assessed_phone_home_text	
SourceTable:	tassessment_data	
UnicodeCompression:	False	
assessed_phone_work_text	Text	15
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	assessed person's work phone	
DisplayControl:	Text Box	
GUID:	{guid {3D779090-C57A-4C98-A250-D6D1EC56B19E}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	!\(999") "000\-0000;0;_	
OrdinalPosition:	15	

	Required:	False	
	SourceField:	assessed_phone_work_text	
	SourceTable:	tassessment_data	
	UnicodeCompression:	False	
assessed_email_text		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	assessed person's email	
	DisplayControl:	Text Box	
	GUID:	{guid {54B60EA4-0BE1-4695-83A6-C77D4BBD4FA5}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	assessed_email_text	
	SourceTable:	tassessment_data	
	UnicodeCompression:	False	
	ValidationRule:	Is Null Or ((Like "*?@?*.?*") And (Not Like "*[,;]*"))	
	ValidationText:	this does not appear to be a valid email address	
assessment_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date of assessment	
	Format:	Short Date	
	GUID:	{guid {93468B40-FDA5-4E0E-9247-F52E1838089B}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	17	
	Required:	True	
	SourceField:	assessment_date	
	SourceTable:	tassessment_data	
	ValidationRule:	<=Date()	
	ValidationText:	Date must be prior to or equal to todays date	
assessment_time_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	time of assessment
DisplayControl:	Text Box
GUID:	{guid {62DF2D5E-05DC-4FD9-AC40-1E97C0227F68}}
OrdinalPosition:	18
Required:	False
SourceField:	assessment_time_code
SourceTable:	tassessment_data

mother_legal_history_1_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Historical juvenile probation
DisplayControl:	Text Box
GUID:	{guid {716411F2-0BD7-4B86-B3BE-015DE52E85CF}}
OrdinalPosition:	19
Required:	False
SourceField:	mother_legal_history_1_ynu
SourceTable:	tassessment_data

mother_legal_history_2_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Historical juvenile detention
DisplayControl:	Text Box
GUID:	{guid {68E74784-17DA-4569-8FCD-F95C0908C050}}
OrdinalPosition:	20
Required:	False
SourceField:	mother_legal_history_2_ynu
SourceTable:	tassessment_data

mother_legal_history_3_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default

ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Past adult conviction for felony
DisplayControl:	Text Box
GUID:	{guid {238125BF-CC6F-4E6A-83CE-025C573AEDA5}}
OrdinalPosition:	21
Required:	False
SourceField:	mother_legal_history_3_ynu
SourceTable:	tassessment_data

mother_legal_history_4_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Past sentence for incarceration
DisplayControl:	Text Box
GUID:	{guid {84D372E9-8504-4D5C-BF91-BB673A04DC20}}
OrdinalPosition:	22
Required:	False
SourceField:	mother_legal_history_4_ynu
SourceTable:	tassessment_data

mother_assessment_method_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	assessment method
DisplayControl:	Text Box
GUID:	{guid {CAAF5958-5F28-42CC-9CBE-D55C9BBC765C}}
OrdinalPosition:	23
Required:	False
SourceField:	mother_assessment_method_code
SourceTable:	tassessment_data

mother_assessment_method_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

DataUpdatable:	False
Description:	other assessment method
DisplayControl:	Text Box
GUID:	{guid {D5B0F844-8B80-428D-A2B0-A45D97AF6244}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	24
Required:	False
SourceField:	mother_assessment_method_other_text
SourceTable:	tassessment_data
UnicodeCompression:	False

mother_fsc_1_score — Integer — 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Childhood history
DisplayControl:	Text Box
GUID:	{guid {0FDD8ED3-9B5E-446F-B43C-800A0A1703BB}}
OrdinalPosition:	25
Required:	False
SourceField:	mother_fsc_1_score
SourceTable:	tassessment_data

mother_fsc_2_score — Integer — 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Substance abuse, mental illness, or criminal history
DisplayControl:	Text Box
GUID:	{guid {345CB59F-2091-48A4-8D11-D11580AEB5C0}}
OrdinalPosition:	26
Required:	False
SourceField:	mother_fsc_2_score
SourceTable:	tassessment_data

isMother_fsc_2a — Yes/No — 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default

	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	substance abuse (was alcohol abuse)	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {55656049-DCCA-46EB-8279-D1F0D9051E2B}}	
	OrdinalPosition:	27	
	Required:	False	
	SourceField:	isMother_fsc_2a	
	SourceTable:	tassessment_data	
isMother_fsc_2b		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	OBSOLETE (was drug abuse)	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {E1AA6376-644A-44DD-92C2-5496050B4002}}	
	OrdinalPosition:	28	
	Required:	False	
	SourceField:	isMother_fsc_2b	
	SourceTable:	tassessment_data	
isMother_fsc_2c		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	criminal history	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {5AEBA447-E1B3-49F7-A704-FCF441C3F658}}	
	OrdinalPosition:	29	
	Required:	False	
	SourceField:	isMother_fsc_2c	
	SourceTable:	tassessment_data	
isMother_fsc_2d		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

DataUpdatable:	False
Description:	mental illness
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {C79DBC5E-AC15-4037-AF19-5E30D5EBB081}}
OrdinalPosition:	30
Required:	False
SourceField:	isMother_fsc_2d
SourceTable:	tassessment_data

mother_fsc_3_score Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Previous or current Child Protective Services involvement
DisplayControl:	Text Box
GUID:	{guid {4781ED14-2E91-42CE-BE23-199D697AEF15}}
OrdinalPosition:	31
Required:	False
SourceField:	mother_fsc_3_score
SourceTable:	tassessment_data

mother_fsc_4_score Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Self-esteem, available life-lines, coping skills
DisplayControl:	Text Box
GUID:	{guid {2A4FCEA5-04BE-46DD-84F6-827DF2D0EFA2}}
OrdinalPosition:	32
Required:	False
SourceField:	mother_fsc_4_score
SourceTable:	tassessment_data

mother_fsc_5_score Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False

DecimalPlaces:	Auto
Description:	Stressors/concerns
DisplayControl:	Text Box
GUID:	{guid {AA393494-D5CC-4A86-91E1-50BFE9D1ECC6}}
OrdinalPosition:	33
Required:	False
SourceField:	mother_fsc_5_score
SourceTable:	tassessment_data

mother_fsc_6_score Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Potential for violence
DisplayControl:	Text Box
GUID:	{guid {AE8D046B-9C0B-49E9-AF8A-805DCC103D80}}
OrdinalPosition:	34
Required:	False
SourceField:	mother_fsc_6_score
SourceTable:	tassessment_data

mother_fsc_7_score Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Expectations of infant's milestones/behavior
DisplayControl:	Text Box
GUID:	{guid {E85C385D-D2CA-4897-9047-AF4C02928232}}
OrdinalPosition:	35
Required:	False
SourceField:	mother_fsc_7_score
SourceTable:	tassessment_data

mother_fsc_8_score Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto

	Description:	Discipline of infant/toddler/child	
	DisplayControl:	Text Box	
	GUID:	{guid {EAD8CFC0-049D-4867-87D4-9E7DCB45EEAC}}	
	OrdinalPosition:	36	
	Required:	False	
	SourceField:	mother_fsc_8_score	
	SourceTable:	tassessment_data	
mother_fsc_9_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Perception of new infant	
	DisplayControl:	Text Box	
	GUID:	{guid {BBA1CCC9-B259-4FE6-B25D-6ED7829C5E8D}}	
	OrdinalPosition:	37	
	Required:	False	
	SourceField:	mother_fsc_9_score	
	SourceTable:	tassessment_data	
mother_fsc_10_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Bonding/attachment issues	
	DisplayControl:	Text Box	
	GUID:	{guid {F5DBA999-3AF6-44FD-9C74-C340ADE424EC}}	
	OrdinalPosition:	38	
	Required:	False	
	SourceField:	mother_fsc_10_score	
	SourceTable:	tassessment_data	
mother_fsc_total_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Family Stress Checklist total score	

DisplayControl: Text Box
GUID: {guid {2B082292-6153-4439-BB74-27AB5965B4F0}}
OrdinalPosition: 39
Required: False
SourceField: mother_fsc_total_score
SourceTable: tassessment_data

additional_fsc_score_flag Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: was additional FSC score obtained?
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {FA7F22FD-9EF2-4C9B-8DFB-3361F6B569BF}}
OrdinalPosition: 40
Required: False
SourceField: additional_fsc_score_flag
SourceTable: tassessment_data

relationship_to_child_code Byte 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: relationship to target child
DisplayControl: Text Box
GUID: {guid {AC2E4ABD-5210-4266-9D1B-3AC0D08E770C}}
OrdinalPosition: 41
Required: False
SourceField: relationship_to_child_code
SourceTable: tassessment_data

relationship_to_child_other_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: relationship to target child - other
DisplayControl: Text Box
GUID: {guid {928904DD-B9B0-4FCF-9005-B00F076C4CA9}}

	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	42	
	Required:	False	
	SourceField:	relationship_to_child_other_text	
	SourceTable:	tassessment_data	
	UnicodeCompression:	False	
additional_legal_history_1_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Historical juvenile probation	
	DisplayControl:	Text Box	
	GUID:	{guid {CDA0A3BC-8E5B-42D6-A907-B04AAAC36B3D}}	
	OrdinalPosition:	43	
	Required:	False	
	SourceField:	additional_legal_history_1_ynu	
	SourceTable:	tassessment_data	
additional_legal_history_2_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Historical juvenile detention	
	DisplayControl:	Text Box	
	GUID:	{guid {79C2497B-B092-4508-9DFF-49EA68D12055}}	
	OrdinalPosition:	44	
	Required:	False	
	SourceField:	additional_legal_history_2_ynu	
	SourceTable:	tassessment_data	
additional_legal_history_3_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Past adult conviction for Felony	

	DisplayControl:	Text Box	
	GUID:	{guid {B6A80815-B76A-42B1-A1C7-E0FD85846CB0}}	
	OrdinalPosition:	45	
	Required:	False	
	SourceField:	additional_legal_history_3_ynu	
	SourceTable:	tassessment_data	
additional_legal_history_4_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Past sentence for incarceration	
	DisplayControl:	Text Box	
	GUID:	{guid {899865EA-A983-4682-88D6-D6728F0EFF81}}	
	OrdinalPosition:	46	
	Required:	False	
	SourceField:	additional_legal_history_4_ynu	
	SourceTable:	tassessment_data	
additional_legal_history_5_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Current juvenile probation	
	DisplayControl:	Text Box	
	GUID:	{guid {2D70B007-A576-4DDE-B482-9117EA0B7744}}	
	OrdinalPosition:	47	
	Required:	False	
	SourceField:	additional_legal_history_5_ynu	
	SourceTable:	tassessment_data	
additional_legal_history_6_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Current juvenile detention	
	DisplayControl:	Text Box	

GUID:	{guid {4A31902F-DA4D-49B2-A919-C0C215C26C53}}		
OrdinalPosition:	48		
Required:	False		
SourceField:	additional_legal_history_6_ynu		
SourceTable:	tassessment_data		
additional_legal_history_7_ynu		Byte	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Current adult conviction for felony		
DisplayControl:	Text Box		
GUID:	{guid {23F31C35-B536-4921-884D-325B9C993470}}		
OrdinalPosition:	49		
Required:	False		
SourceField:	additional_legal_history_7_ynu		
SourceTable:	tassessment_data		
additional_legal_history_8_ynu		Byte	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Current sentence for incarceration		
DisplayControl:	Text Box		
GUID:	{guid {C5877BA9-16CE-400D-82B9-82A358DE52C8}}		
OrdinalPosition:	50		
Required:	False		
SourceField:	additional_legal_history_8_ynu		
SourceTable:	tassessment_data		
additional_fsc_1_score		Integer	2
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Childhood history		
DisplayControl:	Text Box		
GUID:	{guid {A3B8245A-C354-47E1-9913-F083B59475FD}}		

	OrdinalPosition:	51	
	Required:	False	
	SourceField:	additional_fsc_1_score	
	SourceTable:	tassessment_data	
additional_fsc_2_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Substance abuse, mental illness, or criminal history	
	DisplayControl:	Text Box	
	GUID:	{guid {E37D0844-2AB7-4262-AFCE-2A8FACF6403C}}	
	OrdinalPosition:	52	
	Required:	False	
	SourceField:	additional_fsc_2_score	
	SourceTable:	tassessment_data	
isAdditional_fsc_2a		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	substance abuse (was alcohol abuse)	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {B57FEA40-9801-45D7-B929-683F5D1EC978}}	
	OrdinalPosition:	53	
	Required:	False	
	SourceField:	isAdditional_fsc_2a	
	SourceTable:	tassessment_data	
isAdditional_fsc_2b		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	OBSOLETE (was drug abuse)	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {90E5EB9D-E813-45A5-A4B7-9B6BEEF5567D}}	
	OrdinalPosition:	54	

	Required:	False	
	SourceField:	isAdditional_fsc_2b	
	SourceTable:	tassessment_data	
isAdditional_fsc_2c		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	criminal illness	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {03E8A592-0B45-45F5-8710-913963204FDE}}	
	OrdinalPosition:	55	
	Required:	False	
	SourceField:	isAdditional_fsc_2c	
	SourceTable:	tassessment_data	
isAdditional_fsc_2d		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	mental history	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {49A241A1-326A-443D-9921-A946BE61F4E3}}	
	OrdinalPosition:	56	
	Required:	False	
	SourceField:	isAdditional_fsc_2d	
	SourceTable:	tassessment_data	
additional_fsc_3_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Previous or current Child Protective Services involvement	
	DisplayControl:	Text Box	
	GUID:	{guid {1A2C706F-3809-4EE8-B23E-039EAD94639E}}	
	OrdinalPosition:	57	
	Required:	False	

	SourceField:	additional_fsc_3_score	
	SourceTable:	tassessment_data	
additional_fsc_4_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Self-esteem, available life-lines, coping skills	
	DisplayControl:	Text Box	
	GUID:	{guid {87CF1BEC-90D7-48F7-BEC1-158707ACF4F6}}	
	OrdinalPosition:	58	
	Required:	False	
	SourceField:	additional_fsc_4_score	
	SourceTable:	tassessment_data	
additional_fsc_5_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Stressors/concerns	
	DisplayControl:	Text Box	
	GUID:	{guid {7636FC2D-D051-47C9-9B9C-BE37D9B73943}}	
	OrdinalPosition:	59	
	Required:	False	
	SourceField:	additional_fsc_5_score	
	SourceTable:	tassessment_data	
additional_fsc_6_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Potential for violence	
	DisplayControl:	Text Box	
	GUID:	{guid {15ADCCBD-7F2F-430A-ACE1-939BE65A6AC8}}	
	OrdinalPosition:	60	
	Required:	False	
	SourceField:	additional_fsc_6_score	

	SourceTable:	tassessment_data	
additional_fsc_7_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Expectations of infant's milestones/behavior	
	DisplayControl:	Text Box	
	GUID:	{guid {6333F446-0603-4F4E-809C-8234187AB3B4}}	
	OrdinalPosition:	61	
	Required:	False	
	SourceField:	additional_fsc_7_score	
	SourceTable:	tassessment_data	
additional_fsc_8_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Discipline of infant/toddler/child	
	DisplayControl:	Text Box	
	GUID:	{guid {01522D38-EA25-4928-8941-192CE28D7E4F}}	
	OrdinalPosition:	62	
	Required:	False	
	SourceField:	additional_fsc_8_score	
	SourceTable:	tassessment_data	
additional_fsc_9_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Perception of new infant	
	DisplayControl:	Text Box	
	GUID:	{guid {F0EB6C33-C472-4701-90F3-B5DB8598D4E9}}	
	OrdinalPosition:	63	
	Required:	False	
	SourceField:	additional_fsc_9_score	
	SourceTable:	tassessment_data	

additional_fsc_10_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Bonding/attachment issues	
	DisplayControl:	Text Box	
	GUID:	{guid {4F188EA4-01FE-43C9-BC60-F12639EAD561}}	
	OrdinalPosition:	64	
	Required:	False	
	SourceField:	additional_fsc_10_score	
	SourceTable:	tassessment_data	
additional_fsc_total_score		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	additional Family Stress Checklist total score	
	DisplayControl:	Text Box	
	GUID:	{guid {13B27364-C40D-464B-BDC6-CF8AF139B8E0}}	
	OrdinalPosition:	65	
	Required:	False	
	SourceField:	additional_fsc_total_score	
	SourceTable:	tassessment_data	
additional_info_direct_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	was information directly obtained from the respondent	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {849F6463-CA37-48B4-8266-A90058D01137}}	
	OrdinalPosition:	66	
	Required:	False	
	SourceField:	additional_info_direct_flag	
	SourceTable:	tassessment_data	
post_assess_disposition_code		Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	post assessment disposition
DisplayControl:	Text Box
GUID:	{guid {20082527-F93E-4093-BEE9-6B026C10834C}}
OrdinalPosition:	67
Required:	False
SourceField:	post_assess_disposition_code
SourceTable:	tassessment_data

refused_services_reason_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	reason for refusing services
DisplayControl:	Text Box
GUID:	{guid {4EE6C6F1-30E6-496B-B6A9-38EB49323D16}}
OrdinalPosition:	68
Required:	False
SourceField:	refused_services_reason_code
SourceTable:	tassessment_data

refused_services_reason_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	reason for refusing services - other
DisplayControl:	Text Box
GUID:	{guid {5EE7F763-87ED-4610-A102-593804678EEC}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	69
Required:	False
SourceField:	refused_services_reason_other_text
SourceTable:	tassessment_data
UnicodeCompression:	False

refused_services_date Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: date services refused
GUID: {guid {FDEBFCD8-A6D1-45D5-A182-8689852F5FE7}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 70
Required: False
SourceField: refused_services_date
SourceTable: tassessment_data
ValidationText: date must be between assessment date and today's date

created_timestamp Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: General Date
GUID: {guid {EE92500B-1270-4BDB-9A58-40CE4332BA2C}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 71
Required: False
SourceField: created_timestamp
SourceTable: tassessment_data

created_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {75D1FCD2-EAEF-4BD5-BC85-0CD677F47AB2}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 72
Required: False
SourceField: created_user
SourceTable: tassessment_data
UnicodeCompression: True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {82FB2A58-C0FD-4C59-8242-C80FE0DC04F2}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	73
Required:	False
SourceField:	modified_timestamp
SourceTable:	tassessment_data

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {9465817C-FA0E-4414-A8B0-606E19A89780}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	74
Required:	False
SourceField:	modified_user
SourceTable:	tassessment_data
UnicodeCompression:	True

reviewed_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {6D238542-39C9-42C9-99A7-2C185B4DEF43}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	75
Required:	False
SourceField:	reviewed_timestamp
SourceTable:	tassessment_data

reviewed_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {305D38F4-23C6-49BF-A271-3659E22FBF56}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	76
Required:	False
SourceField:	reviewed_user
SourceTable:	tassessment_data
UnicodeCompression:	True

Relationships

tassessment_lkup_refused_services_reasontassessment_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

tassessment_datatassessment_data_instruments



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tassessment_lkup_assessment_methodtassessment_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

tassessment_lkup_relationship_to_childtassessment_data



Attributes: Enforced, Cascade Updates
RelationshipType: One-To-Many

tassessment_lkup_dispositiontassessment_data



Attributes: Enforced, Cascade Updates
RelationshipType: One-To-Many

tassessment_lkup_assessment_timetassessment_data



Attributes: Enforced, Cascade Updates
RelationshipType: One-To-Many

tpeople_datatassessment_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tsite_lkuptassessment_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields

{05C061F8-8147-4110-BBFF-ACE4E34583 1
Clustered: False
DistinctCount: 11
Foreign: True
IgnoreNulls: False
Name: {05C061F8-8147-4110-BBFF-ACE4E345835E}
Primary: False
Required: False
Unique: False
Fields:
refused_services_reason_cod Ascending
{270CCA40-AB23-4303-A5BF-A680A05683 1
Clustered: False
DistinctCount: 6
Foreign: True
IgnoreNulls: False
Name: {270CCA40-AB23-4303-A5BF-A680A05683A5}
Primary: False
Required: False
Unique: False
Fields:
mother_assessment_method_ Ascending
{2C551D03-DF1F-4E05-BA14-5EA59D015F 1
Clustered: False
DistinctCount: 2
Foreign: True
IgnoreNulls: False
Name: {2C551D03-DF1F-4E05-BA14-5EA59D015F85}
Primary: False
Required: False
Unique: False
Fields:
relationship_to_child_code Ascending
{3D74C561-F618-4C33-9DC9-5BDCB9101 1
Clustered: False
DistinctCount: 5
Foreign: True
IgnoreNulls: False
Name: {3D74C561-F618-4C33-9DC9-5BDCB91012FB}
Primary: False
Required: False
Unique: False
Fields:
post_assess_disposition_code Ascending
{4CA9F8D9-7C13-47AC-8BF4-46FA1BE6C7 1
Clustered: False
DistinctCount: 6
Foreign: True
IgnoreNulls: False
Name: {4CA9F8D9-7C13-47AC-8BF4-46FA1BE6C72B}
Primary: False
Required: False
Unique: False

	Fields:	
	assessment_time_code	Ascending
assessment_time_code		1
	Clustered:	False
	DistinctCount:	6
	Foreign:	False
	IgnoreNulls:	False
	Name:	assessment_time_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	assessment_time_code	Ascending
email_text		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	email_text
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	assessed_email_text	Ascending
faw_id		1
	Clustered:	False
	DistinctCount:	9
	Foreign:	False
	IgnoreNulls:	False
	Name:	faw_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	faw_id	Ascending
mother_assessment_method_code		1
	Clustered:	False
	DistinctCount:	6
	Foreign:	False
	IgnoreNulls:	False
	Name:	mother_assessment_method_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	mother_assessment_method_	Ascending
person_id		1
	Clustered:	False
	DistinctCount:	174
	Foreign:	False
	IgnoreNulls:	False
	Name:	person_id
	Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	person_id	Ascending
post_assess_disposition_code		1
	Clustered:	False
	DistinctCount:	5
	Foreign:	False
	IgnoreNulls:	False
	Name:	post_assess_disposition_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	post_assess_disposition_code	Ascending
PrimaryKey		2
	Clustered:	False
	DistinctCount:	174
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	site_id	Ascending
	assessment_id	Ascending
refused_services_reason_code		1
	Clustered:	False
	DistinctCount:	11
	Foreign:	False
	IgnoreNulls:	False
	Name:	refused_services_reason_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	refused_services_reason_cod	Ascending
relationship_to_child_code		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	relationship_to_child_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	relationship_to_child_code	Ascending
screen_id		1
	Clustered:	False
	DistinctCount:	171
	Foreign:	False

IgnoreNulls:	False
Name:	screen_id
Primary:	False
Required:	False
Unique:	False
Fields:	
screen_id	Ascending

tpeople_datatassessment_data 1

Clustered:	False
DistinctCount:	174
Foreign:	True
IgnoreNulls:	False
Name:	tpeople_datatassessment_data
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending

transfer_fsw_id 1

Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	transfer_fsw_id
Primary:	False
Required:	False
Unique:	False
Fields:	
transfer_fsw_id	Ascending

tsite_lkuptassessment_data 1

Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	tsite_lkuptassessment_data
Primary:	False
Required:	False
Unique:	False
Fields:	
site_id	Ascending

User Permissions

066

105

admin

guest

Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Pims Admin

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {21B63488-669B-4989-B486-D9C0BFB2E0CF}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

Columns

Name	Type	Size
site_id	Text	5

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {E4317EB9-BD04-4A83-A91E-D7ACC3BB8489}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	0
Required:	False
SourceField:	site_id
SourceTable:	tassessment_data_instruments
UnicodeCompression:	False

assessment_id	Text	15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {51AE9C4C-C9E9-4C0F-AA57-BA789E594343}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	assessment_id
SourceTable:	tassessment_data_instruments
UnicodeCompression:	False

instrument_id	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {19EAFDC8-7E9E-4783-A021-F9F7A9069086}}
OrdinalPosition:	2
Required:	False
SourceField:	instrument_id
SourceTable:	tassessment_data_instruments

Relationships

tassessment_datatassessment_data_instruments



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

toutcome_instrument_lkup_defstassessment_data_instruments



Attributes:	Not Enforced
RelationshipType:	Indeterminate

Table Indexes

Name	Number of Fields
{05EFF60B-E8D8-4C11-ADD9-8F457FD744	2

Clustered:	False
DistinctCount:	0
Foreign:	True
IgnoreNulls:	False
Name:	{05EFF60B-E8D8-4C11-ADD9-8F457FD744CA}
Primary:	False
Required:	False
Unique:	False

	Fields:	
	site_id	Ascending
	assessment_id	Ascending
PrimaryKey		3
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	site_id	Ascending
	assessment_id	Ascending
	instrument_id	Ascending
tassessment_data_instrumentssite_id		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	tassessment_data_instrumentssite_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	9	Updatable:	True

Columns

Name	Type	Size
assessment_method_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2325	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	assessment_method_code	
SourceTable:	tassessment_lkup_assessment_method	
assessment_method_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2775	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	assessment_method_desc	
SourceTable:	tassessment_lkup_assessment_method	
UnicodeCompression:	False	

Relationships

tassessment_lkup_assessment_methodtassessment_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
assessment_method_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
assessment_time_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2055	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	assessment_time_code	
SourceTable:	tassessment_lkup_assessment_time	
assessment_time_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2460	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	assessment_time_desc	
SourceTable:	tassessment_lkup_assessment_time	
UnicodeCompression:	False	
assessment_group_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2640	
DataUpdatable:	False	

Description:	assessment time grouped into pre or post natal for reporting purpose
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	assessment_group_desc
SourceTable:	tassessment_lkup_assessment_time
UnicodeCompression:	False

assessment_subsection_desc Text 50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2610
DataUpdatable:	False
Description:	assessment time grouped into subsection for reporting purpose
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	False
SourceField:	assessment_subsection_desc
SourceTable:	tassessment_lkup_assessment_time
UnicodeCompression:	False

Relationships

tassessment_lkup_assessmenttassessment_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True

Fields:

assessment_time_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {E98C36F2-0073-4B60-A5B9-EDC49832A8B6}}	LastUpdated:	6/13/2016 12:21:24 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	12
Updatable:	True		

Columns

Name	Type	Size
birth_control_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	1
ColumnWidth:	1695
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {7CFFF52E-6AA1-40CA-B9EB-D4B1F2F8D01D}}
OrdinalPosition:	0
Required:	False
SourceField:	birth_control_code
SourceTable:	tassessment_lkup_birth_control

birth_control_desc	Text	255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	3780
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {2414EDF6-0965-4BD9-8C84-B64BF2BAD294}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	birth_control_desc
SourceTable:	tassessment_lkup_birth_control
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
birth_control_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {C340F8DC-A6BD-415C-B99D-2ABFF29A8094}}	LastUpdated:	10/17/2018 4:13:39 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	6
Updatable:	True		

Columns

Name	Type	Size
disposition_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1530	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {8D1C0DB5-7F60-4130-9942-E475E98D57D3}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	disposition_code	
SourceTable:	tassessment_lkup_disposition	
disposition_descr	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	5460	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {BAEEA11D-CD4D-49F2-91D1-0AEB016B76A1}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	disposition_descr	
SourceTable:	tassessment_lkup_disposition	
UnicodeCompression:	False	
disposition_group_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2100	
	DataUpdatable:	False	
	Description:	group description for positive services offered or refused for report purposes	
	DisplayControl:	Text Box	
	GUID:	{guid {084F317C-8788-43CB-981E-96CC030A2A66}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	disposition_group_desc	
	SourceTable:	tassessment_lkup_disposition	
	UnicodeCompression:	False	
positive_assessment_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2265	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {4743EAA3-7599-4E07-B9FD-61FFF69F39A2}}	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	positive_assessment_flag	
	SourceTable:	tassessment_lkup_disposition	
services_offered_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1935	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {2EB2EC2D-FAB9-4AD9-9812-E70BE3059B39}}	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	services_offered_flag	
	SourceTable:	tassessment_lkup_disposition	
services_refused_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1965
DataUpdatable:	False
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {56A596EE-E98D-4A2C-90D3-E078B1F85B04}}
OrdinalPosition:	5
Required:	False
SourceField:	services_refused_flag
SourceTable:	tassessment_lkup_disposition

Relationships

tassessment_lkup_dispositiontassessment_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
disposition_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:17 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	4	Updatable:	True

Columns

Name	Type	Size
fsc_item_score	Integer	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	score for an individual FSC item	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	fsc_item_score	
SourceTable:	tassessment_lkup_fsc_items	
fsc_item_desc	Text	50
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	5550	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	fsc_item_desc	
SourceTable:	tassessment_lkup_fsc_items	
UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
assessment_outcome_code	1
Clustered:	False
DistinctCount:	4
Foreign:	False

	IgnoreNulls:	False
	Name:	assessment_outcome_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	fsc_item_score	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	4
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	fsc_item_score	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	16	Updatable:	True

Columns

Name	Type	Size
refused_services_reason_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2745	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	refused_services_reason_code	
SourceTable:	tassessment_lkup_refused_services_reason	
refused_services_reason_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3690	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	refused_services_reason_desc	
SourceTable:	tassessment_lkup_refused_services_reason	
UnicodeCompression:	False	
isParticipantReason	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

	DisplayControl:	106	
	Format:	Yes/No	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	isParticipantReason	
	SourceTable:	tassessment_lkup_refused_services_reason	
isSiteReason		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	isSiteReason	
	SourceTable:	tassessment_lkup_refused_services_reason	

Relationships

tassessment_lkup_refused_services_reasontassessment_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	16
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
refused_services_reason_cod	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
GUID:	{guid {64B3D577-ACA1-471E-81B9-6C8267AAFF4D}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	6
Updatable:	True		

Columns

Name	Type	Size
relationship_to_child_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2385	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {0D350B60-B070-4D36-A507-A42281981893}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	relationship_to_child_code	
SourceTable:	tassessment_lkup_relationship_to_child	
relationship_to_child_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4365	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {0472C294-6008-4B20-AF36-BBE44E3D7C71}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	relationship_to_child_desc	
SourceTable:	tassessment_lkup_relationship_to_child	
UnicodeCompression:	False	

Relationships

tassessment_lkup_relationship_to_childtassessment_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
relationship_to_child_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
GUID:	{guid {FD669863-F4E5-42FC-95EB-B88F608DE8ED}}	LastUpdated:	6/23/2015 2:21:27 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	14
Updatable:	True		

Columns

Name	Type	Size
religion_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {1F9AD953-6D00-41CF-AD2F-B10198DD603B}}
OrdinalPosition:	0
Required:	False
SourceField:	religion_code
SourceTable:	tassessment_lkup_religion

religion_code_desc	Text	255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	3375
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {DDF5D297-28CB-4A74-B19C-9874A1479770}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	religion_code_desc
SourceTable:	tassessment_lkup_religion
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	14
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
religion_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:18 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {92B95717-F2C1-4EFF-BF86-7E13B97A24FF}}
HideNewField:	False	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	71	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
kid_id	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size, Auto-Increment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Unique identification code for each child
GUID:	{guid {25397FCA-3D5A-4F4A-BFE9-8B90F1CAAB2C}}
OrdinalPosition:	0
Required:	False
ResultType:	0
SourceField:	kid_id
SourceTable:	tbirth_data
TextAlign:	General

external_kid_id	Text	15

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	ID number for identification in another system, specifying a child
DisplayControl:	Text Box
GUID:	{guid {30C5AFA8-17A3-443A-85CF-E72711BB4017}}
IMEMode:	0

	IMESentenceMode:	3	
	OrdinalPosition:	1	
	Required:	False	
	ResultType:	0	
	SourceField:	external_kid_id	
	SourceTable:	tbirth_data	
	TextAlign:	General	
	UnicodeCompression:	False	
person_id		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Unique identification code for participant	
	DisplayControl:	Text Box	
	GUID:	{guid {C6D43AE4-1ADB-433A-9B0E-140521A57DB5}}	
	OrdinalPosition:	2	
	Required:	True	
	ResultType:	0	
	SourceField:	person_id	
	SourceTable:	tbirth_data	
	TextAlign:	General	
partner_id		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Unique identification code for participant's spouse	
	DisplayControl:	Text Box	
	GUID:	{guid {324A8CF5-A346-4651-8390-E071E27A7799}}	
	OrdinalPosition:	3	
	Required:	False	
	ResultType:	0	
	SourceField:	partner_id	
	SourceTable:	tbirth_data	
	TextAlign:	General	
birth_outcome_code		Byte	1
	AggregateType:	-1	

AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1830	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	birth outcome	
DisplayControl:	Text Box	
GUID:	{guid {69354B2A-6C7C-4860-9F49-1416F856E7C7}}	
OrdinalPosition:	4	
Required:	False	
ResultType:	0	
SourceField:	birth_outcome_code	
SourceTable:	tbirth_data	
TextAlign:	General	
gestation_age_weeks_qty	Byte	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	gestational age in weeks	
DisplayControl:	Text Box	
GUID:	{guid {2504DFD7-E9C9-4AA1-80E6-2AAEA556BA93}}	
OrdinalPosition:	5	
Required:	False	
ResultType:	0	
SourceField:	gestation_age_weeks_qty	
SourceTable:	tbirth_data	
TextAlign:	General	
delivery_method_code	Byte	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	method of delivery	

DisplayControl: Text Box
GUID: {guid {CDB43EFC-ED10-4E51-823D-FD90F35FB699}}
OrdinalPosition: 6
Required: False
ResultType: 0
SourceField: delivery_method_code
SourceTable: tbirth_data
TextAlign: General

birth_weight_grams_qty Double 8
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: child's birth weight in grams
DisplayControl: Text Box
GUID: {guid {3C107C4C-9B15-4B02-B1E6-A5212A305BEC}}
OrdinalPosition: 7
Required: False
ResultType: 0
SourceField: birth_weight_grams_qty
SourceTable: tbirth_data
TextAlign: General

five_minute_apgar_score Byte 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: child's five minute APGAR
DisplayControl: Text Box
GUID: {guid {F9D0E683-F68D-4023-86A7-6A6B653B0214}}
OrdinalPosition: 8
Required: False
ResultType: 0
SourceField: five_minute_apgar_score
SourceTable: tbirth_data
TextAlign: General
ValidationRule: Between 0 And 10 Or Is Null
ValidationText: APGAR scores range from 0 to 10 (integers only)

birth_health_normal_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	child's health at birth - normal
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {19BA372C-E626-41C8-904B-2B2923F04475}}
OrdinalPosition:	9
Required:	False
ResultType:	0
SourceField:	birth_health_normal_flag
SourceTable:	tbirth_data
TextAlign:	General

birth_health_alcohol_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	child's health at birth - positive alcohol screen
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {4F01A67D-690D-45BA-99A7-D79B23977421}}
OrdinalPosition:	10
Required:	False
ResultType:	0
SourceField:	birth_health_alcohol_flag
SourceTable:	tbirth_data
TextAlign:	General

birth_health_drug_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False

Description:	child's health at birth - positive drug screen	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {144C6A21-03F2-4359-A21B-260A1042B5B2}}	
OrdinalPosition:	11	
Required:	False	
ResultType:	0	
SourceField:	birth_health_drug_flag	
SourceTable:	tbirth_data	
TextAlign:	General	

birth_health_compl_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	child's health at birth - general category or pre PIMS 7	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {CDC8DB3B-1C08-4437-BC9A-5C096A82FA56}}	
OrdinalPosition:	12	
Required:	False	
ResultType:	0	
SourceField:	birth_health_compl_flag	
SourceTable:	tbirth_data	
TextAlign:	General	

birth_health_compl_defects_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	child's health at birth - birth defects, such as Down’s Syndrome, cleft palate, heart defect, etc.	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {1B79FC9B-5EFB-4642-A1D3-5945EB92C4EB}}	
OrdinalPosition:	13	
Required:	False	
ResultType:	0	
SourceField:	birth_health_compl_defects_flag	
SourceTable:	tbirth_data	
TextAlign:	General	

birth_health_compl_delivery_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	child's health at birth - complications of delivery, such as meconium aspirate, asphyxiation, subdural hematoma, broken clavicle, etc.
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {74EE65CC-207A-4A84-8A83-CB0CFD049054}}
OrdinalPosition:	14
Required:	False
ResultType:	0
SourceField:	birth_health_compl_delivery_flag
SourceTable:	tbirth_data
TextAlign:	General

birth_health_compl_newborn_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	child's health at birth - newborn complications, such as jaundice, hypoglycemia, infection, etc.
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {1AF61FC0-6AB8-408A-8FEA-41166FB59B79}}
OrdinalPosition:	15
Required:	False
ResultType:	0
SourceField:	birth_health_compl_newborn_flag
SourceTable:	tbirth_data
TextAlign:	General

birth_health_other_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default

	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	child's health at birth - other	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {8790D399-F199-4C97-95CB-494421269958}}	
	OrdinalPosition:	16	
	Required:	False	
	ResultType:	0	
	SourceField:	birth_health_other_flag	
	SourceTable:	tbirth_data	
	TextAlign:	General	
birth_health_unknown_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	child's health at birth - unknown	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {52339FC0-7C9D-4CE1-83BC-0298414B015D}}	
	OrdinalPosition:	17	
	Required:	False	
	ResultType:	0	
	SourceField:	birth_health_unknown_flag	
	SourceTable:	tbirth_data	
	TextAlign:	General	
birth_health_other_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	child's health at birth - other specify	
	DisplayControl:	Text Box	
	GUID:	{guid {D7C17CB0-C7D4-486F-9B20-FB28E41A463E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	18	
	Required:	False	
	ResultType:	0	

	SourceField:	birth_health_other_text	
	SourceTable:	tbirth_data	
	TextAlign:	General	
	UnicodeCompression:	False	
mother_cigarettes_48_hours_qty		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	NC MIECHV indicator	
	DisplayControl:	Text Box	
	GUID:	{guid {8374EB24-C574-439E-A2BE-D25E6D0D1317}}	
	OrdinalPosition:	19	
	Required:	False	
	ResultType:	0	
	SourceField:	mother_cigarettes_48_hours_qty	
	SourceTable:	tbirth_data	
	TextAlign:	General	
nursery_type_code		Byte	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	nursery type	
	DisplayControl:	Text Box	
	GUID:	{guid {470B9D27-3B4B-496B-B17D-0DF3D9D6CB83}}	
	OrdinalPosition:	20	
	Required:	False	
	ResultType:	0	
	SourceField:	nursery_type_code	
	SourceTable:	tbirth_data	
	TextAlign:	General	
premature_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	was target child premature?
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {6B7BEB6F-0954-4505-948F-8AECEDBED036}}
OrdinalPosition:	21
Required:	False
ResultType:	0
SourceField:	premature_flag
SourceTable:	tbirth_data
TextAlign:	General

due_date Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	if child was premature, expected due date
Format:	Short Date
GUID:	{guid {87A28382-18F7-4E14-AD3A-8989F0E1A510}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	22
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	due_date
SourceTable:	tbirth_data
TextAlign:	General

birth_date Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	child's birth date
Format:	Short Date
GUID:	{guid {6944D67E-920D-4D48-A04D-BB0EA5AE4B04}}

IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	23
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	birth_date
SourceTable:	tbirth_data
TextAlign:	General

child_gender_text Text 10

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	child's gender
DisplayControl:	Text Box
GUID:	{guid {F61A0172-469D-48FF-8B57-31EDA04FE5C0}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	24
Required:	False
ResultType:	0
SourceField:	child_gender_text
SourceTable:	tbirth_data
TextAlign:	General
UnicodeCompression:	False
ValidationRule:	In (Null,"male","female")

child_ethnicity_code Byte 1

AggregateType:	-1
AllowValueListEdits:	False
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;1440
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	child's ethnicity
DisplayControl:	Combo Box

	GUID:	{guid {03AE38F6-226E-4CAC-A3B8-A0C6FB8C828E}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	25	
	Required:	False	
	ResultType:	0	
	RowSource:	tgeneral_lkup_ethnicity	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	child_ethnicity_code	
	SourceTable:	tbirth_data	
	TextAlign:	General	
child_race_code		Byte	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	child's race	
	DisplayControl:	Text Box	
	GUID:	{guid {B4FA423C-A115-4CBD-B453-2FFC22A38DCD}}	
	OrdinalPosition:	26	
	Required:	False	
	ResultType:	0	
	SourceField:	child_race_code	
	SourceTable:	tbirth_data	
	TextAlign:	General	
child_race_sub_code		Byte	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	child's race or ethnic group	
	DisplayControl:	Text Box	
	GUID:	{guid {5EAD8446-5EF0-4135-AC19-75A4665918AE}}	
	OrdinalPosition:	27	
	Required:	False	
	ResultType:	0	
	SourceField:	child_race_sub_code	

SourceTable:	tbirth_data
TextAlign:	General

participant_id Text 15

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	kept for compatibility with pre-PIMS 7 supp systems, which didn't use person_id
DisplayControl:	Text Box
GUID:	{guid {2D8E1D4A-9CEB-40F8-81E5-7BE25CECFF5F}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	29
Required:	False
ResultType:	0
SourceField:	participant_id
SourceTable:	tbirth_data
TextAlign:	General
UnicodeCompression:	False

pregnancy_id Text 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	In combination with participant ID provides a unique identifier of the pregnancy, with A the first, B the second...
DisplayControl:	Text Box
GUID:	{guid {EF12FDE8-EE3D-4D57-8CB2-A6AB1DC4EE77}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	30
Required:	True
ResultType:	0
SourceField:	pregnancy_id
SourceTable:	tbirth_data
TextAlign:	General
UnicodeCompression:	False
ValidationRule:	In ("A","B","C","D","E","F","G","H","I","J","K","L","M","N","P","O","Q","R","S","T","V","W","Y","X","Z")

	ValidationText:	The Pregnancy ID must be a letter	
child_id		Byte	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	In combination with participant and pregnancy IDs provides a unique identifier of the child, with 0 for single birth, 1 for first, 2 for second	
	DisplayControl:	Text Box	
	GUID:	{guid {87989E40-E704-4680-A5F1-466E4D93929C}}	
	OrdinalPosition:	31	
	Required:	True	
	ResultType:	0	
	SourceField:	child_id	
	SourceTable:	tbirth_data	
	TextAlign:	General	
child_came_home_ynu		Byte	1
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	ND 8/30/13	
	DisplayControl:	Combo Box	
	GUID:	{guid {780B76E3-EFAA-4058-AB43-2A119A1AFC1E}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	32	
	Required:	False	
	ResultType:	0	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	child_came_home_ynu	

	SourceTable:	tbirth_data	
	TextAlign:	General	
child_came_home_notes_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	ND 8/30/13	
	DisplayControl:	Text Box	
	GUID:	{guid {A232CC2B-ED5A-4681-B036-4C5DC2331FF9}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	33	
	Required:	False	
	ResultType:	0	
	SourceField:	child_came_home_notes_text	
	SourceTable:	tbirth_data	
	TextAlign:	General	
	UnicodeCompression:	False	
created_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {0FB4185E-F84E-4642-B7DA-06F8E179758C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	34	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	created_timestamp	
	SourceTable:	tbirth_data	
	TextAlign:	General	
created_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {71FB29AF-F9E3-4B2E-B2BC-A6D8C53ED4BB}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	35
Required:	False
ResultType:	0
SourceField:	created_user
SourceTable:	tbirth_data
TextAlign:	General
UnicodeCompression:	True

modified_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Format:	General Date
GUID:	{guid {738F8E25-36CB-4E3F-8072-61E84C85DFBF}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	36
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	modified_timestamp
SourceTable:	tbirth_data
TextAlign:	General

modified_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {4838B74D-4134-4D2E-8851-B0BDE7724337}}
IMEMode:	0

	IMESentenceMode:	3	
	OrdinalPosition:	37	
	Required:	False	
	ResultType:	0	
	SourceField:	modified_user	
	SourceTable:	tbirth_data	
	TextAlign:	General	
	UnicodeCompression:	True	
reviewed_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {73A38FB9-B7C6-4333-A8F3-916CBE9E2A58}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	38	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	reviewed_timestamp	
	SourceTable:	tbirth_data	
	TextAlign:	General	
reviewed_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {23721BD5-B686-410C-8CE5-CAA07028B3DD}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	39	
	Required:	False	
	ResultType:	0	
	SourceField:	reviewed_user	
	SourceTable:	tbirth_data	
	TextAlign:	General	
	UnicodeCompression:	True	

qa_weightfix_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	added PIMS 7.0.3, note when the QA tool is used to update an existing birthweight
Format:	General Date
GUID:	{guid {DBC3927C-0F04-478C-AC59-71D17B0B97BA}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	40
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	qa_weightfix_timestamp
SourceTable:	tbirth_data
TextAlign:	General

Relationships

tbirth_datatchildprotectiveservices_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tbirth_datatoutcome_ASQ_SE



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tgeneral_lkup_race_subtbirth_data



Attributes: Enforced
RelationshipType: One-To-Many

tbirth_datatimmunization_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tgeneral_lkup_racetbirth_data



Attributes: Enforced
RelationshipType: One-To-Many

tpeople_datatbirth_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tbirth_datatoutcome_ASQ



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tbirth_lkup_birth_outcometbirth_data



Attributes: Enforced
RelationshipType: One-To-Many

tbirth_datatwellbaby_visit_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tbirth_datatchilddevelop_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tbirth_datatfollowup_child_history



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tbirth_datatoutcome_KIPS



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tbirth_lkup_nursery_typetbirth_data



Attributes: Enforced
RelationshipType: One-To-Many

tbirth_datatchild_history



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tbirth_lkup_delivery_methodtbirth_data



Attributes: Enforced
RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
{0832C7E7-70EF-4D7D-A1EF-28F071DA4D	1

Clustered: False
DistinctCount: 5
Foreign: True
IgnoreNulls: False
Name: {0832C7E7-70EF-4D7D-A1EF-28F071DA4D38}
Primary: False
Required: False
Unique: False
Fields:
child_race_sub_code Ascending

{17E2FA73-DB85-403C-A4B3-6798E036DB 1

Clustered: False
DistinctCount: 6
Foreign: True
IgnoreNulls: False
Name: {17E2FA73-DB85-403C-A4B3-6798E036DB33}
Primary: False
Required: False
Unique: False

Fields:
child_race_code Ascending
{2DEDA83B-A59B-4796-9AE1-7653BAD4B 1
Clustered: False
DistinctCount: 62
Foreign: True
IgnoreNulls: False
Name: {2DEDA83B-A59B-4796-9AE1-7653BAD4B75B}
Primary: False
Required: False
Unique: False
Fields:
person_id Ascending
{79EDDA0F-31AC-4EB9-9791-18BCB063A 1
Clustered: False
DistinctCount: 1
Foreign: True
IgnoreNulls: False
Name: {79EDDA0F-31AC-4EB9-9791-18BCB063AD91}
Primary: False
Required: False
Unique: False
Fields:
birth_outcome_code Ascending
{CCD74403-D0A2-496E-BB96-7A7E31CB0 1
Clustered: False
DistinctCount: 4
Foreign: True
IgnoreNulls: False
Name: {CCD74403-D0A2-496E-BB96-7A7E31CB05AE}
Primary: False
Required: False
Unique: False
Fields:
nursery_type_code Ascending
{FAC701E8-EEE9-49E6-9F6C-2D7FCEC441 1
Clustered: False
DistinctCount: 5
Foreign: True
IgnoreNulls: False
Name: {FAC701E8-EEE9-49E6-9F6C-2D7FCEC4415D}
Primary: False
Required: False
Unique: False
Fields:
delivery_method_code Ascending
birth_outcome_code 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: birth_outcome_code
Primary: False

	Required:	False
	Unique:	False
	Fields:	
	birth_outcome_code	Ascending
child_race_asian_code		1
	Clustered:	False
	DistinctCount:	5
	Foreign:	False
	IgnoreNulls:	False
	Name:	child_race_asian_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	child_race_sub_code	Ascending
child_race_code		1
	Clustered:	False
	DistinctCount:	6
	Foreign:	False
	IgnoreNulls:	False
	Name:	child_race_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	child_race_code	Ascending
child_race_code1		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	child_race_code1
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	child_ethnicity_code	Ascending
ChildKey		3
	Clustered:	False
	DistinctCount:	71
	Foreign:	False
	IgnoreNulls:	False
	Name:	ChildKey
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	person_id	Ascending
	pregnancy_id	Ascending
	child_id	Ascending
delivery_method_code		1
	Clustered:	False
	DistinctCount:	5

Foreign: False
IgnoreNulls: False
Name: delivery_method_code
Primary: False
Required: False
Unique: False
Fields:
delivery_method_code Ascending

external_id 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: external_id
Primary: False
Required: False
Unique: True
Fields:
external_kid_id Ascending

nursery_type_code 1
Clustered: False
DistinctCount: 4
Foreign: False
IgnoreNulls: False
Name: nursery_type_code
Primary: False
Required: False
Unique: False
Fields:
nursery_type_code Ascending

participant_id 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: participant_id
Primary: False
Required: False
Unique: False
Fields:
participant_id Ascending

partner_id 1
Clustered: False
DistinctCount: 62
Foreign: False
IgnoreNulls: False
Name: partner_id
Primary: False
Required: False
Unique: False
Fields:
partner_id Ascending

person_id 1

	Clustered:	False
	DistinctCount:	62
	Foreign:	False
	IgnoreNulls:	False
	Name:	person_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	person_id	Ascending
person_id1		1
	Clustered:	False
	DistinctCount:	71
	Foreign:	False
	IgnoreNulls:	False
	Name:	person_id1
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	kid_id	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	71
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	kid_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
LastUpdated:	6/13/2016 12:19:24 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	6	Updatable:	True

Columns

Name	Type	Size
birth_health_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1635	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {433A80D0-5F1B-4733-BC31-03B7FC446D58}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	birth_health_code	
SourceTable:	tbirth_lkup_birth_health	
birth_health_text	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4260	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {75366C23-32B2-4365-9D35-DC3FF166D18A}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	birth_health_text	
SourceTable:	tbirth_lkup_birth_health	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	6

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
birth_health_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	4	Updatable:	True

Columns

Name	Type	Size
birth_outcome_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1830	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	birth_outcome_code	
SourceTable:	tbirth_lkup_birth_outcome	
birth_outcome_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1725	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	birth_outcome_text	
SourceTable:	tbirth_lkup_birth_outcome	
UnicodeCompression:	False	

Relationships

tbirth_lkup_birth_outcometbirth_data



Attributes:	Enforced
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
birth_outcome_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	4	Updatable:	True

Columns

Name	Type	Size
delivery_method_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2010	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	delivery_method_code	
SourceTable:	tbirth_lkup_delivery_method	
delivery_method_text	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2235	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	delivery_method_text	
SourceTable:	tbirth_lkup_delivery_method	
UnicodeCompression:	False	

Relationships

tbirth_lkup_delivery_methodtbirth_data



Attributes:	Enforced
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
delivery_method_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	4	Updatable:	True

Columns

Name	Type	Size
nursery_type_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1710	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	nursery_type_code	
SourceTable:	tbirth_lkup_nursery_type	
nursery_type_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3315	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	nursery_type_text	
SourceTable:	tbirth_lkup_nursery_type	
UnicodeCompression:	False	

Relationships

tbirth_lkup_nursery_typetbirth_data



Attributes:	Enforced
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
nursery_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
LastUpdated:	6/13/2016 12:19:34 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {3B0F2FD0-7F93-4BE0-A1C3-E42BF8821EC0}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblClinicType1	
Type	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2010	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {D0936FB0-9E8B-47F9-9061-F9928075D545}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Type	
SourceTable:	tblClinicType1	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	3

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:18 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblClinicType2	
Ownership	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Ownership	
SourceTable:	tblClinicType2	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
LastUpdated:	6/13/2016 12:19:37 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	7	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	540	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {1F196FA9-4E63-4459-9C48-C242F4D47FAB}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblCommunity	
Desc	Text	40
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2415	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {DA161652-78B6-4DFD-9C10-7D3DABB6AEFD}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Desc	
SourceTable:	tblCommunity	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	7

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
LastUpdated:	6/13/2016 12:19:47 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	9	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	540	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {A1377FEA-9412-4765-9786-F4114090A675}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblFunction	
Function	Text	60
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3780	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {5A987D4E-AAE8-4A69-B8CE-AC5A444837FD}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Function	
SourceTable:	tblFunction	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	9

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	6/13/2016 12:19:57 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	7	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {A0464CDA-9EC8-49A8-8EAA-EC6E7BC247E7}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblFundingSource	
Desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1845	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {429AB403-B0AA-4C03-AEAC-A39EDD6176CE}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Desc	
SourceTable:	tblFundingSource	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	7

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:19 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	13	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblHostAgency	
Desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Desc	
SourceTable:	tblHostAgency	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	6/13/2016 12:20:02 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	1	Updatable:	True

Columns

Name	Type	Size
SiteID	Text	15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {BAE60756-6BB3-4819-8440-3EA4A6D917BB}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	0
Required:	True
SourceField:	SiteID
SourceTable:	tblID
UnicodeCompression:	False

RecUpdateDate	Date/Time	8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1950
DataUpdatable:	False
Description:	Date on which the data was updated most recently
GUID:	{guid {79613728-4687-4238-9140-2E4442B974A3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	RecUpdateDate
SourceTable:	tblID

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False

DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
SiteID	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	6/13/2016 12:20:08 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	11	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	915
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Job title code
DisplayControl:	Text Box
GUID:	{guid {4D130325-134E-46D3-99B0-72D777268E48}}
OrdinalPosition:	0
Required:	False
SourceField:	Code
SourceTable:	tblJobTitle

Desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	3030
DataUpdatable:	False
Description:	Job category/title
DisplayControl:	Text Box
GUID:	{guid {536D01E9-F846-4395-9546-2CEC001CEB25}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	Desc
SourceTable:	tblJobTitle
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	11
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	6/13/2016 12:20:12 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {689C37A4-D881-4883-B53E-C54711E0417D}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblLanguageGroup	
Desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1845	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {1EDBCE5D-46F5-4218-9479-BC7EE0EFE51A}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Desc	
SourceTable:	tblLanguageGroup	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	3

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:19 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	11	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblPrimaryFocus	
Desc	Text	30
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Desc	
SourceTable:	tblPrimaryFocus	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	11
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:19 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblProgStructure	
Desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Desc	
SourceTable:	tblProgStructure	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
Code	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False

Name:	Code
Primary:	False
Required:	False
Unique:	False
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:19 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	8	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblScope	
Desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Desc	
SourceTable:	tblScope	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:19 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	6	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	915	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Job title code	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblSpecialty	
Desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3030	
DataUpdatable:	False	
Description:	Job category/title	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Desc	
SourceTable:	tblSpecialty	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	6

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:19 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
Education	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Educational level
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	0
Required:	False
SourceField:	Education
SourceTable:	tblStaffEdu
UnicodeCompression:	False

Code	Text	2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Educational level code
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	Code
SourceTable:	tblStaffEdu
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:19 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	4	Updatable:	True

Columns

Name	Type	Size
Code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	Code	
SourceTable:	tblTargetPopulation	
Desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	Desc	
SourceTable:	tblTargetPopulation	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
Code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	109	Updatable:	True

Columns

Name	Type	Size
kid_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {FCFE40E4-416F-4EF0-89F5-B7B2978BE295}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	kid_id	
SourceTable:	tchild_history	
start_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	date provider assigned	
Format:	Short Date	
GUID:	{guid {A69BB86F-5641-4F38-BC1F-D70939F7A5C4}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	start_date	
SourceTable:	tchild_history	
end_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	

	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date before provider changed	
	Format:	Short Date	
	GUID:	{guid {16F2DC54-A877-4666-9B1E-9106ADC242F9}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	end_date	
	SourceTable:	tchild_history	
child_name_last_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	child's last name	
	DisplayControl:	Text Box	
	GUID:	{guid {B0340D1B-D618-4D43-898F-8CDE8A78BAD0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	child_name_last_text	
	SourceTable:	tchild_history	
	UnicodeCompression:	False	
child_name_first_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	child's first name	
	DisplayControl:	Text Box	
	GUID:	{guid {1F220E97-9919-4889-B223-103ABE60991C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	child_name_first_text	
	SourceTable:	tchild_history	
	UnicodeCompression:	False	
pediatrician_name_last_text		Text	255
	AllowZeroLength:	False	

AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	pediatrician's last name	
DisplayControl:	Text Box	
GUID:	{guid {B40ADAD0-574D-4C0B-AC2B-E0C75FFD04FD}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	5	
Required:	False	
SourceField:	pediatrician_name_last_text	
SourceTable:	tchild_history	
UnicodeCompression:	False	
pediatrician_name_first_text	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	pediatrician's first name	
DisplayControl:	Text Box	
GUID:	{guid {AF8D43DC-55DC-4894-873A-9E96ADC684C8}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	6	
Required:	False	
SourceField:	pediatrician_name_first_text	
SourceTable:	tchild_history	
UnicodeCompression:	False	
pediatrician_number_text	Text	15
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	pediatrician's phone number	
DisplayControl:	Text Box	
GUID:	{guid {91F89A88-6B97-4458-BCA9-D75213703225}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	!\(999") "000\-0000;0;_	
OrdinalPosition:	7	
Required:	False	

SourceField: pediatrician_number_text
SourceTable: tchild_history
UnicodeCompression: False

child_clinic_name_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: child's clinic name
DisplayControl: Text Box
GUID: {guid {2083D030-DD5F-417B-90EE-B92E76ED5E29}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: child_clinic_name_text
SourceTable: tchild_history
UnicodeCompression: False

isInitial Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: whether this is the initial history record (i.e., from Birth Form)
DisplayControl: 106
Format: Yes/No
GUID: {guid {EFAE1F89-A776-4FFB-BDC6-A54F5327F9F7}}
OrdinalPosition: 9
Required: False
SourceField: isInitial
SourceTable: tchild_history

created_timestamp Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: General Date
GUID: {guid {B65FDCCB-FB6F-47AA-8F73-2E594C1A7421}}
IMEMode: 0
IMESentenceMode: 3

	OrdinalPosition:	10	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	tchild_history	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {12DAA98E-CC3C-4E4B-BEE4-EC55FD5B7F2F}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tchild_history	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {0353CA6A-1758-49FD-9EC1-9FB8EF0CBAC5}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	tchild_history	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {4C4D5CBC-1940-4A4F-8783-FC2D4C09F12E}}	
	IMEMode:	0	
	IMESentenceMode:	3	

OrdinalPosition:	13
Required:	False
SourceField:	modified_user
SourceTable:	tchild_history
UnicodeCompression:	True

reviewed_timestamp — Date/Time — 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {BA769087-C053-4EBB-9933-816E35E1C55E}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	14
Required:	False
SourceField:	reviewed_timestamp
SourceTable:	tchild_history

reviewed_user — Text — 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {3948AF4E-8B6E-416C-AD3D-807C36579929}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	15
Required:	False
SourceField:	reviewed_user
SourceTable:	tchild_history
UnicodeCompression:	True

Relationships

tbirth_datatchild_history



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{E159BF48-4FF7-4387-AB41-D589CCCAE0	1
Clustered:	False
DistinctCount:	71
Foreign:	True
IgnoreNulls:	False
Name:	{E159BF48-4FF7-4387-AB41-D589CCCAE0EE}
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
kid_id	1
Clustered:	False
DistinctCount:	71
Foreign:	False
IgnoreNulls:	False
Name:	kid_id
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	109
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
kid_id	Ascending
start_date	Ascending
start_date	1
Clustered:	False
DistinctCount:	93
Foreign:	False
IgnoreNulls:	False
Name:	start_date
Primary:	False
Required:	False
Unique:	False
Fields:	
start_date	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:19 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {4ECEEBA9-5287-4779-B960-CB81AADDF585}}
HideNewField:	False	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	2	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
measurement_id	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size, Auto-Increment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Unique identifier for child development record
GUID:	{guid {DEA5B8FB-1FCB-4728-9F06-D35699DA15EE}}
OrdinalPosition:	0
Required:	False
ResultType:	0
SourceField:	measurement_id
SourceTable:	tchilddevelop_data
TextAlign:	General

kid_id	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each person
DisplayControl:	Text Box
GUID:	{guid {7DAC29E4-2647-4CAD-AC84-1D018AF07962}}

OrdinalPosition:	1		
Required:	True		
ResultType:	0		
SourceField:	kid_id		
SourceTable:	tchilddevelop_data		
TextAlign:	General		
standard_instrument_id		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {7210DFCC-EB9C-485C-B55B-C73926CBBBDF}}		
OrdinalPosition:	2		
Required:	True		
ResultType:	0		
SourceField:	standard_instrument_id		
SourceTable:	tchilddevelop_data		
TextAlign:	General		
admin_person_text		Text	50
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	who administered the screen		
DisplayControl:	Text Box		
GUID:	{guid {87E711AC-D308-4849-A9DF-CD8B0F507DD0}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	3		
Required:	False		
ResultType:	0		
SourceField:	admin_person_text		
SourceTable:	tchilddevelop_data		
TextAlign:	General		
UnicodeCompression:	False		
screening_date		Date/Time	8
AggregateType:	-1		
AllowZeroLength:	False		

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	date of screening
GUID:	{guid {897848E0-F1FF-4CFD-A826-3CA1D91A31A3}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	4
Required:	True
ResultType:	0
ShowDatePicker:	For dates
SourceField:	screening_date
SourceTable:	tchilddevelop_data
TextAlign:	General

time_point_code Integer 2

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	schedule of screening time point
DisplayControl:	Text Box
GUID:	{guid {B62A54E6-86B3-4079-B6FD-A1FF8BDDF6F4}}
OrdinalPosition:	5
Required:	False
ResultType:	0
SourceField:	time_point_code
SourceTable:	tchilddevelop_data
TextAlign:	General

isRepeatAdmin Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	whether this tool's administration was repeated

DisplayControl: 106
Format: Yes/No
GUID: {guid {1D178731-18A7-421B-B8FB-F49278A194F5}}
OrdinalPosition: 6
Required: False
ResultType: 0
SourceField: isRepeatAdmin
SourceTable: tchilddevelop_data
TextAlign: General

developmental_delay_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: is developmental delay suspected
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {86A19AD0-5AC5-4FE6-8B01-61E14BA989E6}}
OrdinalPosition: 7
Required: False
ResultType: 0
SourceField: developmental_delay_flag
SourceTable: tchilddevelop_data
TextAlign: General

isReferralMade_pims6 Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: PIMS 6- obsolete
DisplayControl: 106
Format: Yes/No
GUID: {guid {7B268F81-C026-49DC-828D-C066065E9051}}
OrdinalPosition: 8
Required: False
ResultType: 0
SourceField: isReferralMade_pims6
SourceTable: tchilddevelop_data
TextAlign: General

score_generic Single 4

	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {85710CE6-8316-4FE7-9F26-3881BFBE7633}}	
	OrdinalPosition:	9	
	Required:	False	
	ResultType:	0	
	SourceField:	score_generic	
	SourceTable:	tchilddevelop_data	
	TextAlign:	General	
notes_text		Memo	-
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	notes	
	GUID:	{guid {B398CD53-E7D8-4405-AD53-4B4415D2BF43}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	
	Required:	False	
	ResultType:	0	
	SourceField:	notes_text	
	SourceTable:	tchilddevelop_data	
	TextAlign:	General	
	TextFormat:	Plain Text	
	UnicodeCompression:	False	
site_id		Text	5
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	690	
	CurrencyLCID:	0	

DataUpdatable:	False
Description:	Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {6908073C-CBCC-4A25-B830-00EF91DECBB4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
ResultType:	0
SourceField:	site_id
SourceTable:	tchilddevelop_data
TextAlign:	General
UnicodeCompression:	False

participant_id Text 15

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1260
CurrencyLCID:	0
DataUpdatable:	False
Description:	In combination with Site ID provides a unique identifier for the individual participant
DisplayControl:	Text Box
GUID:	{guid {141297C7-3144-4D2A-BFFE-37B4E9556447}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	12
Required:	False
ResultType:	0
SourceField:	participant_id
SourceTable:	tchilddevelop_data
TextAlign:	General
UnicodeCompression:	False

pregnancy_id Text 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1425
CurrencyLCID:	0
DataUpdatable:	False
Description:	In combination with participant ID provides a unique identifier of the pregnancy, with A the first, B the second...
DisplayControl:	Text Box
GUID:	{guid {91D94CDE-D76C-4751-8754-40452A05A118}}
IMEMode:	0

IMESentenceMode:	3
OrdinalPosition:	13
Required:	False
ResultType:	0
SourceField:	pregnancy_id
SourceTable:	tchilddevelop_data
TextAlign:	General
UnicodeCompression:	False

child_id Byte 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	765
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	In combination with participant and pregnancy IDs provides a unique identifier of the child, with 0 for single birth, 1 for first, 2 for second
DisplayControl:	Text Box
GUID:	{guid {04F58C72-D1EC-4BA0-8B62-333067B04425}}
OrdinalPosition:	14
Required:	False
ResultType:	0
SourceField:	child_id
SourceTable:	tchilddevelop_data
TextAlign:	General

outcome_referral_id Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	link to a related referral directed from this assessment; isReferralMade is implied here
DisplayControl:	Text Box
GUID:	{guid {C9EA5605-EA5F-462B-914A-EB148F1E19B1}}
OrdinalPosition:	15
Required:	False
ResultType:	0
SourceField:	outcome_referral_id
SourceTable:	tchilddevelop_data
TextAlign:	General

created_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Format:	General Date
GUID:	{guid {E6D726E8-7C98-402B-93D7-7A9EFDF51803}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	16
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	created_timestamp
SourceTable:	tchilddevelop_data
TextAlign:	General

created_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {9E824CA2-7140-485A-8D61-D9269267D1E3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	17
Required:	False
ResultType:	0
SourceField:	created_user
SourceTable:	tchilddevelop_data
TextAlign:	General
UnicodeCompression:	True

modified_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {A7FA4D84-EF25-4C24-BDA8-A3A8DA1D5FF0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	18	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	modified_timestamp	
	SourceTable:	tchilddevelop_data	
	TextAlign:	General	
modified_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {7A83197C-8795-434A-BC3A-5EBD012D32D6}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	19	
	Required:	False	
	ResultType:	0	
	SourceField:	modified_user	
	SourceTable:	tchilddevelop_data	
	TextAlign:	General	
	UnicodeCompression:	True	
reviewed_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {76370F4D-1A49-4A1D-B58D-0BF5875A1190}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	20	
	Required:	False	
	ResultType:	0	

ShowDatePicker:	For dates
SourceField:	reviewed_timestamp
SourceTable:	tchilddevelop_data
TextAlign:	General

reviewed_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {1A7A2EFC-1DE3-4C32-AF52-9415C9D61B3B}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	21
Required:	False
ResultType:	0
SourceField:	reviewed_user
SourceTable:	tchilddevelop_data
TextAlign:	General
UnicodeCompression:	True

Relationships

tbirth_datatchilddevelop_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{8FC966EC-6C63-45DC-B8D4-3573D0336F	1

Clustered:	False
DistinctCount:	2
Foreign:	True
IgnoreNulls:	False
Name:	{8FC966EC-6C63-45DC-B8D4-3573D0336F6D}
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending

child_id 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: child_id
Primary: False
Required: False
Unique: False
Fields:
child_id Ascending

kid_id 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: kid_id
Primary: False
Required: False
Unique: False
Fields:
kid_id Ascending

outcome_referral_id 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: outcome_referral_id
Primary: False
Required: False
Unique: True
Fields:
outcome_referral_id Ascending

participant_id 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: participant_id
Primary: False
Required: False
Unique: False
Fields:
participant_id Ascending

pregnancy_id 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: pregnancy_id
Primary: False
Required: False
Unique: False

	Fields:	
	pregnancy_id	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	measurement_id	Ascending
screening_instrument_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	screening_instrument_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	standard_instrument_id	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending
time_point_code		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	time_point_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	time_point_code	Ascending

User Permissions

066
105
admin

guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:19 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	0	Updatable:	True

Columns

Name	Type	Size
childprotectiveservices_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Unique identifier for each cps record	
GUID:	{guid {E0C77B1C-2BBC-4FCC-A8EC-C41AED64255A}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	childprotectiveservices_id	
SourceTable:	tchildprotectiveservices_data	
kid_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {2A2ED7F1-3491-4170-9AF7-2C8DCE7B25D0}}	
OrdinalPosition:	1	
Required:	True	
SourceField:	kid_id	
SourceTable:	tchildprotectiveservices_data	
suspected_reports_flag	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

	Description:	are there suspected reports of child abuse/neglect for this target child	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {FEF343DD-6B3A-4547-B2B5-C5768A9D0E65}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	suspected_reports_flag	
	SourceTable:	tchildprotectiveservices_data	
suspected_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	if yes, date of suspected report	
	GUID:	{guid {8CFF6DE0-9515-4CB0-A8F2-E2DA9CA820E6}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	suspected_date	
	SourceTable:	tchildprotectiveservices_data	
substantiated_reports_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	are there substantiated or founded reports of child abuse/neglect for this target child	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {4ECADC5B-D7B6-4257-ADF9-2ECC3F977701}}	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	substantiated_reports_flag	
	SourceTable:	tchildprotectiveservices_data	
substantiated_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

	DataUpdatable:	False	
	Description:	if yes, date of substantiated or founded report	
	GUID:	{guid {A80DA7AA-3996-4062-A270-22D09038D668}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	substantiated_date	
	SourceTable:	tchildprotectiveservices_data	
maltreatment_1_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Physical Abuse	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {1E9790CE-DB11-4D74-8DF7-A5FF4817FE4B}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	maltreatment_1_flag	
	SourceTable:	tchildprotectiveservices_data	
maltreatment_2_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Sexual Abuse	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {20568824-AF61-4684-9439-21204977CEBE}}	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	maltreatment_2_flag	
	SourceTable:	tchildprotectiveservices_data	
maltreatment_3_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

	DataUpdatable:	False	
	Description:	Emotional Abuse	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {E3AB79DB-C119-423C-AE37-93948720F83E}}	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	maltreatment_3_flag	
	SourceTable:	tchildprotectiveservices_data	
maltreatment_4_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Neglect	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {BB78C0B6-1B80-4637-A913-D9AE0D93B5DD}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	maltreatment_4_flag	
	SourceTable:	tchildprotectiveservices_data	
maltreatment_other_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	maltreatment - other	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {34F22F9B-7A2A-4022-A199-058AAC56290E}}	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	maltreatment_other_flag	
	SourceTable:	tchildprotectiveservices_data	
maltreatment_unknown_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	

	Description:	maltreatment - unknown	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {DA87AC84-BC2E-43D9-BC7D-A4ADC48F5539}}	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	maltreatment_unknown_flag	
	SourceTable:	tchildprotectiveservices_data	
maltreatment_other_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	maltreatment - other specify	
	DisplayControl:	Text Box	
	GUID:	{guid {00F6FE36-26F0-48E5-A0B9-59ED3D4C7275}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	maltreatment_other_text	
	SourceTable:	tchildprotectiveservices_data	
	UnicodeCompression:	False	
perpetrator_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	perpetrator of maltreatment	
	DisplayControl:	Text Box	
	GUID:	{guid {CE4BD168-40A2-4732-9C34-D4F17B02E680}}	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	perpetrator_code	
	SourceTable:	tchildprotectiveservices_data	
perpetrator_other_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

DataUpdatable:	False
Description:	perpetrator of maltreatment - other
DisplayControl:	Text Box
GUID:	{guid {27F988B2-DF24-42D6-9069-D80315A10D65}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	14
Required:	False
SourceField:	perpetrator_other_text
SourceTable:	tchildprotectiveservices_data
UnicodeCompression:	False

report_by_hfs_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	was report made by Healthy Families staff
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {2700E86C-ABD6-4E00-8727-839769D5141A}}
OrdinalPosition:	15
Required:	False
SourceField:	report_by_hfs_flag
SourceTable:	tchildprotectiveservices_data

site_id Text 5

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {5BDE983C-22C6-4CA2-814F-EDCE42CFC393}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	16
Required:	False
SourceField:	site_id
SourceTable:	tchildprotectiveservices_data
UnicodeCompression:	False

participant_id Text 15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	In combination with Site ID provides a unique identifier for the individual participant
DisplayControl:	Text Box
GUID:	{guid {1A87A061-B200-4C9A-B437-C830AB4371C8}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	17
Required:	False
SourceField:	participant_id
SourceTable:	tchildprotectiveservices_data
UnicodeCompression:	False

pregnancy_id Text 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	In combination with participant ID provides a unique identifier of the pregnancy, with A the first, B the second...
DisplayControl:	Text Box
GUID:	{guid {1992DF55-A3D8-4083-A581-911CD78D5F97}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	18
Required:	False
SourceField:	pregnancy_id
SourceTable:	tchildprotectiveservices_data
UnicodeCompression:	False

child_id Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	In combination with participant and pregnancy IDs provides a unique identifier of the child, with 0 for single birth, 1 for first, 2 for second
DisplayControl:	Text Box
GUID:	{guid {C2F54809-BF3A-4791-A8AA-CC0E1E9E0A6D}}
OrdinalPosition:	19
Required:	False

	SourceField:	child_id	
	SourceTable:	tchildprotectiveservices_data	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {4E80A40E-E709-4848-9E82-27747DCFB570}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	tchildprotectiveservices_data	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {BC559841-D124-4B3A-8905-8700FB7231C9}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	21	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tchildprotectiveservices_data	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {60353862-2D78-4668-93D2-28036CE5663C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	22	
	Required:	False	

	SourceField:	modified_timestamp	
	SourceTable:	tchildprotectiveservices_data	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {F5E190F9-8979-48F2-9B51-9BC55757C7C8}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	23	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	tchildprotectiveservices_data	
	UnicodeCompression:	True	
reviewed_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {FD49D66C-616F-49C0-88A2-A5D5F1A9DBAA}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	24	
	Required:	False	
	SourceField:	reviewed_timestamp	
	SourceTable:	tchildprotectiveservices_data	
reviewed_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {3AA150C7-5196-48C8-A7EA-63632DE20BFB}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	25	
	Required:	False	

SourceField:	reviewed_user
SourceTable:	tchildprotectiveservices_data
UnicodeCompression:	True

Relationships

tbirth_datatchildprotectiveservices_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{0087E0A6-6AEC-4CC0-B24F-8CB167622F	1
Clustered:	False
DistinctCount:	0
Foreign:	True
IgnoreNulls:	False
Name:	{0087E0A6-6AEC-4CC0-B24F-8CB167622FC5}
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
child_id	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	child_id
Primary:	False
Required:	False
Unique:	False
Fields:	
child_id	Ascending
kid_id	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	kid_id
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
participant_id	1

	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	participant_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	participant_id	Ascending
perpetrator_code		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	perpetrator_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	perpetrator_code	Ascending
pregnancy_id		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	pregnancy_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	pregnancy_id	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	childprotectiveservices_id	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False

Fields:	
site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:20 AM	DefaultView:	2
LastUpdated:	6/13/2016 12:21:13 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	8	Updatable:	True

Columns

Name	Type	Size
perpetrator_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2730	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {B63A3F24-1DC5-46C9-A709-BD728CF947F8}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	perpetrator_code	
SourceTable:	tchildprotectiveservices_lkup_perpetrator	
perpetrator_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2685	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {57C153D6-98CC-4942-90F8-EA4A58B4FA43}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	perpetrator_desc	
SourceTable:	tchildprotectiveservices_lkup_perpetrator	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	8

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
perpetrator_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:20 AM	DefaultView:	2
GUID:	{guid {57F43B91-D5F7-4D47-9B37-899F945A80DB}}	LastUpdated:	4/2/2017 1:02:15 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1
Updatable:	True		

Columns

Name	Type	Size
family_goal_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {E012C405-9755-4F19-9303-67B47BEC944B}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	family_goal_id	
SourceTable:	tfamily_goal_data	
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {85948841-7BA0-4FB9-91AE-BA1A157DF8E9}}	
OrdinalPosition:	1	
Required:	True	
SourceField:	person_id	
SourceTable:	tfamily_goal_data	
family_goal_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	

DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {76134882-068F-4FA6-87E5-A86D6C11E43D}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	True
SourceField:	family_goal_desc
SourceTable:	tfamily_goal_data
UnicodeCompression:	True

fgp_developed_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {E573D7EA-5502-48E7-9B97-428146D382AA}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	True
SourceField:	fgp_developed_date
SourceTable:	tfamily_goal_data

fgp_completed_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {C7867817-F067-4CB5-924E-C777EA21A96F}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	4
Required:	False
SourceField:	fgp_completed_date
SourceTable:	tfamily_goal_data

isSuspended Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	106

	Format:	Yes/No	
	GUID:	{guid {DF341D3C-0DF9-4D34-B7F0-CC4333DEFB42}}	
	OrdinalPosition:	5	
	Required:	True	
	SourceField:	isSuspended	
	SourceTable:	tfamily_goal_data	
goal_why_important_desc		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {2BD41D89-4256-4B39-A71B-53E1C85A197A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	goal_why_important_desc	
	SourceTable:	tfamily_goal_data	
	UnicodeCompression:	False	
how_important_rank		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {CF69C94D-E9BE-4551-9994-2154F1528DC4}}	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	how_important_rank	
	SourceTable:	tfamily_goal_data	
	ValidationRule:	>=1 And <=10	
	ValidationText:	Goal importance must be between 1 and 10	
goal_family_strengths_desc		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	

GUID:	{guid {CBCE7946-8F01-4533-88D8-659D808EC566}}		
IMEMode:	0		
IMESentenceMode:	0		
OrdinalPosition:	8		
Required:	False		
SourceField:	goal_family_strengths_desc		
SourceTable:	tfamily_goal_data		
UnicodeCompression:	True		
goal_barriers_desc		Text	255
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {ACE4AE46-7614-4DD7-9A59-F2A782F81AA4}}		
IMEMode:	0		
IMESentenceMode:	0		
OrdinalPosition:	9		
Required:	False		
SourceField:	goal_barriers_desc		
SourceTable:	tfamily_goal_data		
UnicodeCompression:	True		
goal_overcome_barriers_desc		Text	255
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {2CA28971-3522-49BA-BB57-F32D1195C137}}		
IMEMode:	0		
IMESentenceMode:	0		
OrdinalPosition:	10		
Required:	False		
SourceField:	goal_overcome_barriers_desc		
SourceTable:	tfamily_goal_data		
UnicodeCompression:	True		
created_timestamp		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

DataUpdatable:	False
Format:	General Date
GUID:	{guid {737420A0-690F-4794-9F11-ADC623194354}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
SourceField:	created_timestamp
SourceTable:	tfamily_goal_data

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {DEFA0F3C-6D71-4D90-93C3-4BEFFED1934C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	12
Required:	False
SourceField:	created_user
SourceTable:	tfamily_goal_data
UnicodeCompression:	True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {4454BFA4-4773-45E6-906E-BBA3B10944BF}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	13
Required:	False
SourceField:	modified_timestamp
SourceTable:	tfamily_goal_data

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {5FB5F186-ECA0-4818-A572-1052E7A3AB70}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	14
Required:	False
SourceField:	modified_user
SourceTable:	tfamily_goal_data
UnicodeCompression:	True

Relationships

tfamily_goal_datatfamily_goal_steps_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
family_goal_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	family_goal_id
Primary:	False
Required:	False
Unique:	False
Fields:	
family_goal_id	Ascending
person_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
family_goal_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:20 AM	DefaultView:	2
GUID:	{guid {995C2C7F-6ADA-4955-91D2-D045BAA79CDA}}	LastUpdated:	4/2/2017 1:02:08 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1
Updatable:	True		

Columns

Name	Type	Size
family_goal_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {5D278E46-DE4C-49FD-99FD-8146EB51C0C3}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	family_goal_id	
SourceTable:	tfamily_goal_steps_data	
fgp_step_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {E8D0C530-E465-45DA-910E-5D9A7F9812D2}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	fgp_step_id	
SourceTable:	tfamily_goal_steps_data	
fgp_step_desc	Text	255
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {DF5C5833-7B02-4B8E-821F-D42D54D76E52}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	True
SourceField:	fgp_step_desc
SourceTable:	tfamily_goal_steps_data
UnicodeCompression:	True

fgp_step_target_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {28E6C708-5061-4D91-87FC-965C42AC88E6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	True
SourceField:	fgp_step_target_date
SourceTable:	tfamily_goal_steps_data

fgp_step_completed_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {8A099B54-4565-48FB-AAF4-D02F8B686384}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	4
Required:	False
SourceField:	fgp_step_completed_date
SourceTable:	tfamily_goal_steps_data

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False

	Format:	General Date	
	GUID:	{guid {930FFFE1-A661-4E14-A2EC-0844E913C0B8}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	tfamily_goal_steps_data	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {B5F3F274-E890-4A4C-8CC1-F824AD651D37}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tfamily_goal_steps_data	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {B3D78220-8EF6-40BF-A8BE-B5A69AD3EFE0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	tfamily_goal_steps_data	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	

DisplayControl:	Text Box
GUID:	{guid {100D3175-F31E-43BD-8F42-95DF2BDFAD09}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	8
Required:	False
SourceField:	modified_user
SourceTable:	tfamily_goal_steps_data
UnicodeCompression:	True

Relationships

tfamily_goal_datatfamily_goal_steps_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{63C6EB36-2BCA-4E85-91F5-736ECE586D	1

Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	{63C6EB36-2BCA-4E85-91F5-736ECE586DC7}
Primary:	False
Required:	False
Unique:	False
Fields:	
family_goal_id	Ascending

family_goal_id 1

Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	family_goal_id
Primary:	False
Required:	False
Unique:	False
Fields:	
family_goal_id	Ascending

fgp_step_id 1

Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	fgp_step_id

	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	fgp_step_id	Ascending
PrimaryKey		2
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	family_goal_id	Ascending
	fgp_step_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:20 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	120	Updatable:	True

Columns

Name	Type	Size
kid_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {FD8D7210-63BF-4430-9298-32889859DB60}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	kid_id	
SourceTable:	tfollowup_child_history	
followup_period_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {B6ED8709-8C06-4F77-9829-0F93CFF96BA2}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	followup_period_code	
SourceTable:	tfollowup_child_history	
followup_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	

DataUpdatable: False
Description: Date of child follow-up
Format: Short Date
GUID: {guid {226D007C-551F-4624-AF5A-E959C52CE7A7}}
IMEMode: 0
IMESentenceMode: 3
InputMask: 99/99/00;0;_
OrdinalPosition: 2
Required: True
SourceField: followup_date
SourceTable: tfollowup_child_history

child_insurance_type_code Byte 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
GUID: {guid {10E6BA67-A9A6-4B08-81E7-A2AB706F5598}}
OrdinalPosition: 3
Required: False
SourceField: child_insurance_type_code
SourceTable: tfollowup_child_history

child_insurance_type_other_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {3D76860B-38D0-47D9-ADF1-6700427A3F56}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False
SourceField: child_insurance_type_other_text
SourceTable: tfollowup_child_history
UnicodeCompression: False

breastfeeding_ynu Byte 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 1

ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	whether child is breastfeeding (added in PIMS 7)
DisplayControl:	Combo Box
GUID:	{guid {C637387D-F70F-43A8-90D9-8CF4B2588C94}}
LimitToList:	False
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	5
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	breastfeeding_ynu
SourceTable:	tfollowup_child_history

breastfeed_quit_date — Date/Time — 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	ND 8/30/13
Format:	Short Date
GUID:	{guid {FEAC3D64-1F35-4171-8A67-67EFA8E23D32}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	6
Required:	False
SourceField:	breastfeed_quit_date
SourceTable:	tfollowup_child_history
ValidationRule:	<=Date() Or Is Null
ValidationText:	Date must be prior to or equal to todays date

smoke_cigarettes_status_code — Byte — 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto

	Description:	ND 8/30/13	
	DisplayControl:	Combo Box	
	GUID:	{guid {EECC5065-2F70-46A1-89A0-29F18755D776}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	7	
	Required:	False	
	RowSource:	tgeneral_lkup_smoking_status	
	RowSourceType:	Table/Query	
	SourceField:	smoke_cigarettes_status_code	
	SourceTable:	tfollowup_child_history	
cigarette_quit_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	ND 8/30/13	
	Format:	Short Date	
	GUID:	{guid {685CFDBE-D2D7-496D-867B-75F3C22D2E0A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	cigarette_quit_date	
	SourceTable:	tfollowup_child_history	
	ValidationRule:	<=Date() Or Is Null	
	ValidationText:	Date must be prior to or equal to todays date	
cigarettes_per_day		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	ND 8/30/13	
	DisplayControl:	Text Box	
	GUID:	{guid {751876A1-2E46-42E3-9A2E-F89A0C113C30}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	cigarettes_per_day	
	SourceTable:	tfollowup_child_history	
birth_control_code		Byte	1
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	1	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	ND 8/30/13	
	DisplayControl:	Combo Box	
	GUID:	{guid {C6B81EE7-5A14-4CAD-8CD4-08148F2455AD}}	
	LimitToList:	False	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	10	
	Required:	False	
	RowSource:	tassessment_lkup_birth_control	
	RowSourceType:	Table/Query	
	SourceField:	birth_control_code	
	SourceTable:	tfollowup_child_history	
birth_control_other_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	ND 8/30/13	
	DisplayControl:	Text Box	
	GUID:	{guid {F4A81534-7CC6-4447-A60E-5C60E3932DDC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	birth_control_other_text	
	SourceTable:	tfollowup_child_history	
	UnicodeCompression:	False	
site_id		Text	5
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	

DisplayControl: Text Box
GUID: {guid {D1B42114-9F72-4576-8479-671DFCE19F82}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
SourceField: site_id
SourceTable: tfollowup_child_history
UnicodeCompression: False

participant_id Text 15
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {80F26964-9D84-4B87-B036-D833CD2674B9}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: participant_id
SourceTable: tfollowup_child_history
UnicodeCompression: False

pregnancy_id Text 1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {F6EEA62C-6C67-443E-B60B-7BE14FA58310}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: pregnancy_id
SourceTable: tfollowup_child_history
UnicodeCompression: False

child_id Byte 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default

ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {E4D375F7-A575-4EDE-A2E9-21AD7E679DCC}}
OrdinalPosition:	15
Required:	False
SourceField:	child_id
SourceTable:	tfollowup_child_history

person_id Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for participant; this is needed for linking with parent form
DisplayControl:	Text Box
GUID:	{guid {9242B578-1AB4-4F7C-B963-EDCCE242C3BF}}
OrdinalPosition:	16
Required:	False
SourceField:	person_id
SourceTable:	tfollowup_child_history

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {5EAC8DB7-B6C8-442D-A1CF-7FE3C21069B3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	17
Required:	False
SourceField:	created_timestamp
SourceTable:	tfollowup_child_history

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {116DDAA3-F060-4994-9980-3E95119FD3E9}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tfollowup_child_history	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {BAF0D129-1BD3-4EB9-ADCE-B8A637AF38B2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	tfollowup_child_history	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {A62FDFCA-353F-49B8-A64D-2CAC7218422C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	tfollowup_child_history	
	UnicodeCompression:	True	
reviewed_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {88F1E500-7B5B-4967-9742-DC61AF3112AF}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	21
Required:	False
SourceField:	reviewed_timestamp
SourceTable:	tfollowup_child_history

reviewed_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {49FEE5ED-A2A2-4FBD-A563-1447B0AEA060}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	22
Required:	False
SourceField:	reviewed_user
SourceTable:	tfollowup_child_history
UnicodeCompression:	True

Relationships

tbirth_datatfollowup_child_history



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tfollowup_participant_historytfollowup_child_history



Attributes:	Not Enforced
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{B8757BC2-5A30-413A-8921-940B0396A6	1
Clustered:	False
DistinctCount:	44
Foreign:	True
IgnoreNulls:	False
Name:	{B8757BC2-5A30-413A-8921-940B0396A674}
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
birth_control_code	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	birth_control_code
Primary:	False
Required:	False
Unique:	False
Fields:	
birth_control_code	Ascending
child_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	child_id
Primary:	False
Required:	False
Unique:	False
Fields:	
child_id	Ascending
child_insurance_type_code	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	child_insurance_type_code
Primary:	False
Required:	False
Unique:	False
Fields:	
child_insurance_type_code	Ascending
kid_id	1
Clustered:	False
DistinctCount:	44
Foreign:	False
IgnoreNulls:	False
Name:	kid_id
Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	kid_id	Ascending
participant_id		1
	Clustered:	False
	DistinctCount:	38
	Foreign:	False
	IgnoreNulls:	False
	Name:	participant_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	participant_id	Ascending
person_id		1
	Clustered:	False
	DistinctCount:	38
	Foreign:	False
	IgnoreNulls:	False
	Name:	person_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	person_id	Ascending
pregnancy_id		1
	Clustered:	False
	DistinctCount:	3
	Foreign:	False
	IgnoreNulls:	False
	Name:	pregnancy_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	pregnancy_id	Ascending
PrimaryKey		2
	Clustered:	False
	DistinctCount:	120
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	kid_id	Ascending
	followup_period_code	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False

IgnoreNulls:	False
Name:	site_id
Primary:	False
Required:	False
Unique:	False
Fields:	
site_id	Ascending
smoke_cigarettes_status_code	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	smoke_cigarettes_status_code
Primary:	False
Required:	False
Unique:	False
Fields:	
smoke_cigarettes_status_cod	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:20 AM	DefaultView:	2
FrozenColumns:	2	GUID:	{guid {63F7DFFC-05F0-4C22-9386-F76AB589EEB0}}
LastUpdated:	2/8/2018 9:39:27 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	260	Updatable:	True

Columns

Name	Type	Size
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each participant	
DisplayControl:	Text Box	
GUID:	{guid {8A920AE0-8CBE-4AE4-8036-33810A49EFCB}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	person_id	
SourceTable:	tfollowup_participant_history	
followup_period_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Time period of follow-up	
DisplayControl:	Text Box	
GUID:	{guid {48FAED15-0CF3-4144-8E74-C652DBF55C91}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	followup_period_code	
SourceTable:	tfollowup_participant_history	
followup_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date of follow-up	
	Format:	Short Date	
	GUID:	{guid {7EEF4188-3862-43E2-95EE-1F0319D70295}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	2	
	Required:	True	
	SourceField:	followup_date	
	SourceTable:	tfollowup_participant_history	
mother_marital_status_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	1	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	assessed person's marital status	
	DisplayControl:	Combo Box	
	GUID:	{guid {E37C529B-0331-461B-B5B2-E6B54D13D778}}	
	LimitToList:	False	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	3	
	Required:	False	
	RowSource:	tgeneral_lkup_marital_status	
	RowSourceType:	Table/Query	
	SourceField:	mother_marital_status_code	
	SourceTable:	tfollowup_participant_history	
mother_education_level_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	1	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	assessed person's education level	

	DisplayControl:	Combo Box	
	GUID:	{guid {E34DB169-D361-4622-87CF-32CC6CC5E208}}	
	LimitToList:	False	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	4	
	Required:	False	
	RowSource:	tgeneral_lkup_education	
	RowSourceType:	Table/Query	
	SourceField:	mother_education_level_code	
	SourceTable:	tfollowup_participant_history	
mother_in_school_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	is assessed person currently in school	
	DisplayControl:	Text Box	
	GUID:	{guid {C568FF7D-FDA3-4141-9478-E5392F4F2A16}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	mother_in_school_ynu	
	SourceTable:	tfollowup_participant_history	
mother_employment_status_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	1	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	assessed person's employment status	
	DisplayControl:	Combo Box	
	GUID:	{guid {AC348C3D-7A0E-47E5-B66C-A7DD940AFB06}}	
	LimitToList:	False	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	6	
	Required:	False	
	RowSource:	tgeneral_lkup_employment	
	RowSourceType:	Table/Query	
	SourceField:	mother_employment_status_code	
	SourceTable:	tfollowup_participant_history	

mother_employment_status_other_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: assessed person's employment status - other
DisplayControl: Text Box
GUID: {guid {346849F1-4DD7-40DB-8A74-B8B18E2DA52D}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
SourceField: mother_employment_status_other_text
SourceTable: tfollowup_participant_history
UnicodeCompression: False

family_military_ynu Byte 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: Past or current military service
DisplayControl: Text Box
OrdinalPosition: 8
Required: False
SourceField: family_military_ynu
SourceTable: tfollowup_participant_history

mother_insurance_type_code Byte 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 1
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: mother's insurance type
DisplayControl: Combo Box
GUID: {guid {BF364C43-333A-4A15-AD78-74AA1D33EEC9}}
LimitToList: False
ListRows: 8

	ListWidth:	0twip	
	OrdinalPosition:	9	
	Required:	False	
	RowSource:	tintake_lkup_insurance	
	RowSourceType:	Table/Query	
	SourceField:	mother_insurance_type_code	
	SourceTable:	tfollowup_participant_history	
mother_insurance_type_other_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	mother's insurance type - other	
	DisplayControl:	Text Box	
	GUID:	{guid {F6E2A940-6419-4D35-AD07-2B84145DFBB0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	mother_insurance_type_other_text	
	SourceTable:	tfollowup_participant_history	
	UnicodeCompression:	False	
mother_insurance_provider_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	mother's insurance provider	
	DisplayControl:	Text Box	
	GUID:	{guid {DE811A96-9F62-4B7B-BFBB-E6B2F54E0F61}}	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	mother_insurance_provider_code	
	SourceTable:	tfollowup_participant_history	
birth_control_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	1	
	ColumnHeads:	False	
	ColumnHidden:	False	

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	DEFUNCT (moved to child followup) - assessed person's type of birth control prior to pregnancy
DisplayControl:	Combo Box
GUID:	{guid {B01FB9A5-1152-49F5-B13F-8889CBD13A13}}
LimitToList:	False
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	12
Required:	False
RowSource:	tassessment_lkup_birth_control
RowSourceType:	Table/Query
SourceField:	birth_control_code
SourceTable:	tfollowup_participant_history

birth_control_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	DEFUNCT(moved to child followup) - assessed person's type of birth control prior to pregnancy - other
DisplayControl:	Text Box
GUID:	{guid {5625E50E-B701-4CC7-ADA9-A67AC3D001A6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	13
Required:	False
SourceField:	birth_control_other_text
SourceTable:	tfollowup_participant_history
UnicodeCompression:	False

mother_pregnancy_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	gravida (# of pregnancies, including current target pregnancy)
DisplayControl:	Text Box
GUID:	{guid {442F150A-E6A7-4FEF-869F-6F1D9216CBF3}}
OrdinalPosition:	14
Required:	False

	SourceField:	mother_pregnancy_count	
	SourceTable:	tfollowup_participant_history	
mother_parity_count		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	parity (# of completed deliveries)	
	DisplayControl:	Text Box	
	GUID:	{guid {8BB6FDEC-4EFA-40BC-9E47-831FDB1A27D1}}	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	mother_parity_count	
	SourceTable:	tfollowup_participant_history	
mother_abortion_miscarriage_count		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	spontaneous abortion/miscarriage (# of previous spontaneous abortion/miscarriage)	
	DisplayControl:	Text Box	
	GUID:	{guid {7781465D-75B8-46D4-A71E-E3A9948B14AB}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	mother_abortion_miscarriage_count	
	SourceTable:	tfollowup_participant_history	
mother_induced_termination_count		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	induced termination of pregnancy (# of previous induced termination of pregnancy)	
	DisplayControl:	Text Box	
	GUID:	{guid {8C1B13C5-1E3F-4323-BC21-74E5CC1FCFF4}}	
	OrdinalPosition:	17	

	Required:	False	
	SourceField:	mother_induced_termination_count	
	SourceTable:	tfollowup_participant_history	
mother_legal_history_5_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Current juvenile probation	
	DisplayControl:	Text Box	
	GUID:	{guid {27C10F77-0761-4A4E-B3BB-B58CC3469053}}	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	mother_legal_history_5_ynu	
	SourceTable:	tfollowup_participant_history	
mother_legal_history_6_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Current juvenile detention	
	DisplayControl:	Text Box	
	GUID:	{guid {C0AE30E0-FE91-4EF5-A15F-1A6461F198D3}}	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	mother_legal_history_6_ynu	
	SourceTable:	tfollowup_participant_history	
mother_legal_history_7_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Current adult conviction for felony	
	DisplayControl:	Text Box	
	GUID:	{guid {4A748D90-B49F-4F4B-A303-63A15E3B45AC}}	
	OrdinalPosition:	20	
	Required:	False	

SourceField:	mother_legal_history_7_ynu		
SourceTable:	tfollowup_participant_history		
mother_legal_history_8_ynu		Byte	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Current sentence for incarceration		
DisplayControl:	Text Box		
GUID:	{guid {C69FE7B1-9545-4A18-9CE7-45D29F734FBF}}		
OrdinalPosition:	21		
Required:	False		
SourceField:	mother_legal_history_8_ynu		
SourceTable:	tfollowup_participant_history		
household_income_amount		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Current household income		
DisplayControl:	Text Box		
Format:	$#,##0.00;($#,##0.00)		
GUID:	{guid {5EF13E0D-A1DD-44FB-91B4-31DC0C19DF8D}}		
OrdinalPosition:	22		
Required:	False		
SourceField:	household_income_amount		
SourceTable:	tfollowup_participant_history		
household_income_level_code		Byte	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	1		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	household income level		
DisplayControl:	Combo Box		

GUID:	{guid {4CDCF44F-C704-4BA9-863D-86AEE363F030}}
LimitToList:	False
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	23
Required:	False
RowSource:	tintake_lkup_income
RowSourceType:	Table/Query
SourceField:	household_income_level_code
SourceTable:	tfollowup_participant_history

household_income_source_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	1
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	income source
DisplayControl:	Combo Box
GUID:	{guid {8C1E0B4A-20B3-41F3-8BDE-E3CE939B59A2}}
LimitToList:	False
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	24
Required:	False
RowSource:	tintake_lkup_income_source
RowSourceType:	Table/Query
SourceField:	household_income_source_code
SourceTable:	tfollowup_participant_history

household_income_source_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	income source - other
DisplayControl:	Text Box
GUID:	{guid {3EB77FB2-6BF7-4787-9044-733361478D51}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	25
Required:	False
SourceField:	household_income_source_other_text
SourceTable:	tfollowup_participant_history

	UnicodeCompression:	False	
pregnant_since_8_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Current sentence for incarceration	
	DisplayControl:	Text Box	
	GUID:	{guid {6E82AA44-F91F-40BD-B5BD-B6E02E02B70D}}	
	OrdinalPosition:	26	
	Required:	False	
	SourceField:	pregnant_since_8_ynu	
	SourceTable:	tfollowup_participant_history	
aid_afdc_tanf_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Aid to dependant families with children/Temporary assistance for needy families	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {7E35E680-71D7-4A33-9735-987A48A6673D}}	
	OrdinalPosition:	27	
	Required:	False	
	SourceField:	aid_afdc_tanf_flag	
	SourceTable:	tfollowup_participant_history	
aid_wic_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Supplemental Food program for Women, Infants, Children	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {7281A15B-BA58-4973-83C1-B132EEB5C90D}}	
	OrdinalPosition:	28	
	Required:	False	
	SourceField:	aid_wic_flag	

SourceTable: tfollowup_participant_history

aid_ssi_flag Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Supplemental Security Income
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {93354149-F037-48C8-A4E9-D1049A35E30D}}
OrdinalPosition: 29
Required: False
SourceField: aid_ssi_flag
SourceTable: tfollowup_participant_history

aid_food_stamps_flag Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: food stamps
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {75EE839D-239E-498C-88F1-C3E581024145}}
OrdinalPosition: 30
Required: False
SourceField: aid_food_stamps_flag
SourceTable: tfollowup_participant_history

aid_school_meals_flag Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: school meals
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {E557573A-AACF-473A-83CE-693D203BC19E}}
OrdinalPosition: 31
Required: False
SourceField: aid_school_meals_flag
SourceTable: tfollowup_participant_history

aid_medicaid_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	medicaid
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {20E5EDB3-04C7-4197-820A-E1A803593064}}
OrdinalPosition:	32
Required:	False
SourceField:	aid_medicaid_flag
SourceTable:	tfollowup_participant_history

aid_housing_asst_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	housing assistance
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {1B7FFC2D-6DD1-4F83-9195-625663787840}}
OrdinalPosition:	33
Required:	False
SourceField:	aid_housing_asst_flag
SourceTable:	tfollowup_participant_history

aid_energy_asst_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	energy assistance
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {64D167B9-A418-4FB6-AE54-CE29C09305D0}}
OrdinalPosition:	34
Required:	False
SourceField:	aid_energy_asst_flag
SourceTable:	tfollowup_participant_history

aid_unemployment_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	unemployment
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {3FC1C59B-9DA4-4597-90DB-5062B6635D0E}}
OrdinalPosition:	35
Required:	False
SourceField:	aid_unemployment_flag
SourceTable:	tfollowup_participant_history

aid_other_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	aid - other
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {2CF404B4-7037-438C-85E3-A6118666462D}}
OrdinalPosition:	36
Required:	False
SourceField:	aid_other_flag
SourceTable:	tfollowup_participant_history

aid_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	aid - other specify
DisplayControl:	Text Box
GUID:	{guid {5AF370E9-3897-4F32-9B38-DA11E9D04EAB}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	37
Required:	False
SourceField:	aid_other_text
SourceTable:	tfollowup_participant_history
UnicodeCompression:	False

aid_unknown_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	aid - unknown
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {33B9DDA4-EC36-4707-A29E-329D0B92AB64}}
OrdinalPosition:	38
Required:	False
SourceField:	aid_unknown_flag
SourceTable:	tfollowup_participant_history

income_contrib_mother_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	mother of child contributing to the household income
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {520B7EF0-4808-435D-958C-73FD9E82084C}}
OrdinalPosition:	39
Required:	False
SourceField:	income_contrib_mother_flag
SourceTable:	tfollowup_participant_history

income_contrib_father_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	father of child contributing to the household income
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {EA63FDB8-4FB2-43C9-B918-30DFEFB90E16}}
OrdinalPosition:	40
Required:	False
SourceField:	income_contrib_father_flag
SourceTable:	tfollowup_participant_history

income_contrib_grandmother_flag Yes/No 1

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	grandmother of child contributing to the household income	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {AB80A841-5380-4B40-ABDD-04160A31F29C}}	
	OrdinalPosition:	41	
	Required:	False	
	SourceField:	income_contrib_grandmother_flag	
	SourceTable:	tfollowup_participant_history	
income_contrib_grandfather_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	grandfather of child contributing to the household income	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {91A86723-795E-4C52-8F7E-4C482B59ADD6}}	
	OrdinalPosition:	42	
	Required:	False	
	SourceField:	income_contrib_grandfather_flag	
	SourceTable:	tfollowup_participant_history	
income_contrib_partner_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	mother's current partner contributing to the household income	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {D5F88E04-A339-4E8D-81A6-20D3AEDD8F73}}	
	OrdinalPosition:	43	
	Required:	False	
	SourceField:	income_contrib_partner_flag	
	SourceTable:	tfollowup_participant_history	
income_contrib_other_flag		Yes/No	1
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	other contributing to the household income	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {7AC9851B-1879-4997-B112-0AA48948FAD0}}	
	OrdinalPosition:	44	
	Required:	False	
	SourceField:	income_contrib_other_flag	
	SourceTable:	tfollowup_participant_history	
income_contrib_other_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	other specify contributing to the household income	
	DisplayControl:	Text Box	
	GUID:	{guid {E9EBEDD4-4D26-439C-9C37-77CCE8C8EE0E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	45	
	Required:	False	
	SourceField:	income_contrib_other_text	
	SourceTable:	tfollowup_participant_history	
	UnicodeCompression:	False	
income_contrib_unknown_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	unknown contributing to the household income	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {926C89C0-9CE1-4134-8941-C91A1C566DFE}}	
	OrdinalPosition:	46	
	Required:	False	
	SourceField:	income_contrib_unknown_flag	
	SourceTable:	tfollowup_participant_history	
housing_type_code		Byte	1

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	1	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	type of housing	
	DisplayControl:	Combo Box	
	GUID:	{guid {F8ED37D7-38D1-4FA1-88A8-AE7AAED2492D}}	
	LimitToList:	False	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	47	
	Required:	False	
	RowSource:	tintake_lkup_housing	
	RowSourceType:	Table/Query	
	SourceField:	housing_type_code	
	SourceTable:	tfollowup_participant_history	
housing_type_other_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	type of housing - other specify	
	DisplayControl:	Text Box	
	GUID:	{guid {46C346F4-5985-4B1E-B5EF-6466946D26D0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	48	
	Required:	False	
	SourceField:	housing_type_other_text	
	SourceTable:	tfollowup_participant_history	
	UnicodeCompression:	False	
site_id		Text	5
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	

Description:	Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {F67BBAD3-E6DE-4BB3-AD69-90E18EBABE84}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	49
Required:	False
SourceField:	site_id
SourceTable:	tfollowup_participant_history
UnicodeCompression:	False

participant_id Text 15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	the participant id for this person, retained for supp system compatibility
DisplayControl:	Text Box
GUID:	{guid {F57CB210-66B4-417E-8880-E6B2D0F7D228}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	50
Required:	False
SourceField:	participant_id
SourceTable:	tfollowup_participant_history
UnicodeCompression:	False

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {1A79162D-ACD5-4396-88EC-2099A1016C36}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	51
Required:	False
SourceField:	created_timestamp
SourceTable:	tfollowup_participant_history

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {0B09EE96-1A7C-418F-AA44-844267DB0C22}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	52
Required:	False
SourceField:	created_user
SourceTable:	tfollowup_participant_history
UnicodeCompression:	True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {8D68A7C6-94EF-411B-9728-78F11FCF0983}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	53
Required:	False
SourceField:	modified_timestamp
SourceTable:	tfollowup_participant_history

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {45CD21B3-19AC-44FE-A2F2-FBA6586CF3E9}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	54
Required:	False
SourceField:	modified_user
SourceTable:	tfollowup_participant_history
UnicodeCompression:	True

reviewed_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {9436646C-2E00-41BA-A4B6-643EE46A464B}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	55
Required:	False
SourceField:	reviewed_timestamp
SourceTable:	tfollowup_participant_history

reviewed_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {EB5C0C3B-C7FF-49A0-83F2-F99FE2C1B1CC}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	56
Required:	False
SourceField:	reviewed_user
SourceTable:	tfollowup_participant_history
UnicodeCompression:	True

Relationships

tpeople_datatfollowup_participant_history



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tfollowup_participant_historytfollowup_partner_history



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tfollowup_participant_historytfollowup_child_history



Attributes: Not Enforced
RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
{4A4A6054-AA24-4F54-A6D3-CF48FFD37B	1
Clustered:	False
DistinctCount:	173
Foreign:	True
IgnoreNulls:	False
Name:	{4A4A6054-AA24-4F54-A6D3-CF48FFD37B36}
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
birth_control_prior_preg_code	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	birth_control_prior_preg_code
Primary:	False
Required:	False
Unique:	False
Fields:	
birth_control_code	Ascending
household_income_level_code	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False

Name: household_income_level_code
Primary: False
Required: False
Unique: False
Fields:
household_income_level_cod Ascending

household_income_source_code 1
Clustered: False
DistinctCount: 6
Foreign: False
IgnoreNulls: False
Name: household_income_source_code
Primary: False
Required: False
Unique: False
Fields:
household_income_source_co Ascending

housing_type_code 1
Clustered: False
DistinctCount: 7
Foreign: False
IgnoreNulls: False
Name: housing_type_code
Primary: False
Required: False
Unique: False
Fields:
housing_type_code Ascending

mother_education_level_code 1
Clustered: False
DistinctCount: 14
Foreign: False
IgnoreNulls: False
Name: mother_education_level_code
Primary: False
Required: False
Unique: False
Fields:
mother_education_level_code Ascending

mother_employment_status_code 1
Clustered: False
DistinctCount: 8
Foreign: False
IgnoreNulls: False
Name: mother_employment_status_code
Primary: False
Required: False
Unique: False
Fields:
mother_employment_status_c Ascending

mother_insurance_provider_code 1
Clustered: False
DistinctCount: 1

	Foreign:	False
	IgnoreNulls:	False
	Name:	mother_insurance_provider_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	mother_insurance_provider_c	Ascending
mother_insurance_type_code		1
	Clustered:	False
	DistinctCount:	8
	Foreign:	False
	IgnoreNulls:	False
	Name:	mother_insurance_type_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	mother_insurance_type_code	Ascending
mother_marital_status_code		1
	Clustered:	False
	DistinctCount:	5
	Foreign:	False
	IgnoreNulls:	False
	Name:	mother_marital_status_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	mother_marital_status_code	Ascending
participant_id		1
	Clustered:	False
	DistinctCount:	68
	Foreign:	False
	IgnoreNulls:	False
	Name:	participant_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	participant_id	Ascending
person_id		1
	Clustered:	False
	DistinctCount:	173
	Foreign:	False
	IgnoreNulls:	False
	Name:	person_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	person_id	Ascending
PrimaryKey		2

	Clustered:	False
	DistinctCount:	260
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	person_id	Ascending
	followup_period_code	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:20 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	152	Updatable:	True

Columns

Name	Type	Size
partner_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique ID for each partner	
DisplayControl:	Text Box	
GUID:	{guid {6B5B1E59-16BF-4494-B593-70864E671655}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	partner_id	
SourceTable:	tfollowup_partner_history	
followup_period_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Time period of follow-up	
DisplayControl:	Text Box	
GUID:	{guid {76150598-4748-4D77-BB28-1F7AB2ACC842}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	followup_period_code	
SourceTable:	tfollowup_partner_history	
partner_involvement_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Father of target child's level of involvement with the target child
DisplayControl:	Text Box
GUID:	{guid {2D9A66D4-BD23-4F3E-9A34-90EBF6CBED7B}}
OrdinalPosition:	2
Required:	False
SourceField:	partner_involvement_code
SourceTable:	tfollowup_partner_history

partner_involvement_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Father of target child's level of involvement with the target child - other
DisplayControl:	Text Box
GUID:	{guid {1D0086BF-67C9-4755-B5FD-CF019CFC3A9C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	False
SourceField:	partner_involvement_other_text
SourceTable:	tfollowup_partner_history
UnicodeCompression:	False

partner_education_level_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Current partner's education level
DisplayControl:	Text Box
GUID:	{guid {3F212E47-E9AA-48EC-902A-079B557E47D6}}
OrdinalPosition:	4
Required:	False
SourceField:	partner_education_level_code
SourceTable:	tfollowup_partner_history

partner_in_school_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	is partner currently in school
DisplayControl:	Text Box
GUID:	{guid {B0AFBC96-333F-482A-9BE3-F9B2636596AC}}
OrdinalPosition:	5
Required:	False
SourceField:	partner_in_school_ynu
SourceTable:	tfollowup_partner_history

partner_employment_status_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Current partner's employment status
DisplayControl:	Text Box
GUID:	{guid {51838C5D-CD47-463D-A5CC-C25D500101D5}}
OrdinalPosition:	6
Required:	False
SourceField:	partner_employment_status_code
SourceTable:	tfollowup_partner_history

partner_employment_status_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Current partner's employment status - other
DisplayControl:	Text Box
GUID:	{guid {CD67034C-D559-4103-92F4-A93AC9C2FEA8}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
SourceField:	partner_employment_status_other_text
SourceTable:	tfollowup_partner_history
UnicodeCompression:	False

site_id Text 5

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length

	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	
	DisplayControl:	Text Box	
	GUID:	{guid {8FA58F59-346E-4E66-B332-8ABFA1AEEE24}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	site_id	
	SourceTable:	tfollowup_partner_history	
	UnicodeCompression:	False	
participant_id		Text	15
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	the participant id for this person, retained for supp system compatibility	
	DisplayControl:	Text Box	
	GUID:	{guid {93D16FB3-246E-438A-BBC1-538CF8BDC820}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	participant_id	
	SourceTable:	tfollowup_partner_history	
	UnicodeCompression:	False	
person_id		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Unique identification code for participant; this is needed for linking with parent form	
	DisplayControl:	Text Box	
	GUID:	{guid {35BF5355-C9A5-4927-A2B5-16521DF31396}}	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	person_id	

	SourceTable:	tfollowup_partner_history	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {11CBE4AD-B7F8-4981-8228-59BACB95D9B2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	tfollowup_partner_history	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {6D733E88-240D-4301-A5CC-58144C703D6C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tfollowup_partner_history	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {71B171D6-9859-4AF3-B390-B5BC657E2F6A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	modified_timestamp	

SourceTable: tfollowup_partner_history

modified_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {C8F64B37-ED4F-482F-A6CC-9E1F6BB1CE0A}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: modified_user
SourceTable: tfollowup_partner_history
UnicodeCompression: True

reviewed_timestamp Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: General Date
GUID: {guid {877F35F3-4F15-4EFD-B4B3-8E1F1C18A94A}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
SourceField: reviewed_timestamp
SourceTable: tfollowup_partner_history

reviewed_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {8E3B59F7-8CD9-4FA7-A7B5-55C13F68FA83}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 16
Required: False
SourceField: reviewed_user

SourceTable: tfollowup_partner_history
UnicodeCompression: True

Relationships

tfollowup_participant_historytfollowup_partner_history



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tpartner_datatfollowup_partner_history



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
{B4F23721-4F96-4631-B498-444AF3A346	2

Clustered: False
DistinctCount: 151
Foreign: True
IgnoreNulls: False
Name: {B4F23721-4F96-4631-B498-444AF3A3466A}
Primary: False
Required: False
Unique: False
Fields:
person_id Ascending
followup_period_code Ascending

{E765F398-717C-4A6E-9BEF-6AD93FDDA1 1

Clustered: False
DistinctCount: 68
Foreign: True
IgnoreNulls: False
Name: {E765F398-717C-4A6E-9BEF-6AD93FDDA18F}
Primary: False
Required: False
Unique: False
Fields:
partner_id Ascending

father_involvement_code 1

	Clustered:	False
	DistinctCount:	7
	Foreign:	False
	IgnoreNulls:	False
	Name:	father_involvement_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	partner_involvement_code	Ascending
participant_id		1
	Clustered:	False
	DistinctCount:	65
	Foreign:	False
	IgnoreNulls:	False
	Name:	participant_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	participant_id	Ascending
partner_education_level_code		1
	Clustered:	False
	DistinctCount:	12
	Foreign:	False
	IgnoreNulls:	False
	Name:	partner_education_level_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	partner_education_level_code	Ascending
partner_employment_status_code		1
	Clustered:	False
	DistinctCount:	7
	Foreign:	False
	IgnoreNulls:	False
	Name:	partner_employment_status_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	partner_employment_status_	Ascending
partner_id		1
	Clustered:	False
	DistinctCount:	68
	Foreign:	False
	IgnoreNulls:	False
	Name:	partner_id
	Primary:	False
	Required:	False
	Unique:	False

	Fields:	
	partner_id	Ascending
person_id		1
	Clustered:	False
	DistinctCount:	67
	Foreign:	False
	IgnoreNulls:	False
	Name:	person_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	person_id	Ascending
PrimaryKey		2
	Clustered:	False
	DistinctCount:	152
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	partner_id	Ascending
	followup_period_code	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:20 AM	DefaultView:	2
GUID:	{guid {2F7553F1-9893-4E22-937E-62A67871F880}}	LastUpdated:	11/20/2015 12:13:49 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	3
Updatable:	True		

Columns

Name	Type	Size
agency_type_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1680
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {4CD4C908-F36B-4F46-B275-72651FB71F5F}}
OrdinalPosition:	0
Required:	False
SourceField:	agency_type_code
SourceTable:	tgeneral_lkup_agency_type

agency_type_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2010
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {8F16EA34-551D-4C18-8660-34E6401CB81F}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	agency_type_desc
SourceTable:	tgeneral_lkup_agency_type
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
agency_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:20 AM	DefaultView:	2
GUID:	{guid {29E2BB01-589B-40D5-80F0-0120E34C55DF}}	LastUpdated:	6/13/2016 12:21:27 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	18
Updatable:	True		

Columns

Name	Type	Size
education_level_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	1980	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {1460145E-A2D8-4A59-9BD6-F1177A55B5D8}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	education_level_code	
SourceTable:	tgeneral_lkup_education	
education_level_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	5055	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {31C4C292-03BE-4926-9001-2E9C110D24EB}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	education_level_desc	
SourceTable:	tgeneral_lkup_education	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	18
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
education_level_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:20 AM	DefaultView:	2
GUID:	{guid {91F3E8B3-2824-44CE-93B4-D81504C344DA}}	LastUpdated:	6/13/2016 12:21:27 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	10
Updatable:	True		

Columns

Name	Type	Size
employment_status_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2235
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {9F71672C-A85F-418F-80FD-CEEB753FDEA9}}
OrdinalPosition:	0
Required:	False
SourceField:	employment_status_code
SourceTable:	tgeneral_lkup_employment

Name	Type	Size
employment_status_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2610
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {FAA80B8B-D4A7-4367-883E-50F1DCD82422}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	employment_status_desc
SourceTable:	tgeneral_lkup_employment
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
employment_status_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:20 AM	DefaultView:	2
GUID:	{guid {22111D12-9178-4477-A5A6-F733A8DE2D90}}	LastUpdated:	6/23/2015 2:21:27 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	3
Updatable:	True		

Columns

Name	Type	Size
ethnicity_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {23497DD4-1163-40A0-8955-23F53CCACA7F}}
OrdinalPosition:	0
Required:	False
SourceField:	ethnicity_code
SourceTable:	tgeneral_lkup_ethnicity

ethnicity_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2415
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {E683173C-A07A-4CCE-BD2F-FC0EFFE99422}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	ethnicity_desc
SourceTable:	tgeneral_lkup_ethnicity
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
ethnicity_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:20 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {D7E4C531-9EB0-40A8-B911-8B3C23A28F19}}
HideNewField:	False	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	3	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
group_code	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size, Auto-Increment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1710
CurrencyLCID:	0
DataUpdatable:	False
Description:	internal code assigned to each group, referenced in PeopleToGroups
GUID:	{guid {F2B92512-EDC7-46C5-9C0F-530FAC364533}}
OrdinalPosition:	0
Required:	False
ResultType:	0
SourceField:	group_code
SourceTable:	tgeneral_lkup_groups
TextAlign:	General

group_name	Text	50

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1740
CurrencyLCID:	0
DataUpdatable:	False
Description:	name of group for participant assignement
DisplayControl:	Text Box
GUID:	{guid {E467100B-18A4-4FF1-A243-9AA1C625D1EE}}
IMEMode:	0

IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
ResultType:	0
SourceField:	group_name
SourceTable:	tgeneral_lkup_groups
TextAlign:	General
UnicodeCompression:	False

group_description Text 255

AggregateType:	-1
AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	description of group
DisplayControl:	Text Box
GUID:	{guid {92082F85-AD39-405F-A5C3-BA48E24FC8BF}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
ResultType:	0
SourceField:	group_description
SourceTable:	tgeneral_lkup_groups
TextAlign:	General
UnicodeCompression:	False

site_id Text 5

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {64667BF3-2AD6-4371-A7DE-C472E5ED5916}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	False
ResultType:	0
SourceField:	site_id
SourceTable:	tgeneral_lkup_groups

	TextAlign:	General	
	UnicodeCompression:	False	
group_code_local		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	for aggregated data sets, group_code used in site's original unaggregated database	
	DisplayControl:	Text Box	
	GUID:	{guid {24F11BED-23BF-4554-8826-02234E8D202B}}	
	OrdinalPosition:	4	
	Required:	False	
	ResultType:	0	
	SourceField:	group_code_local	
	SourceTable:	tgeneral_lkup_groups	
	TextAlign:	General	
created_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2325	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {602D7A36-A2FC-40A0-87E3-2C2EC5F0C732}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	created_timestamp	
	SourceTable:	tgeneral_lkup_groups	
	TextAlign:	General	
modified_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Format:	General Date
GUID:	{guid {D0701071-AC6A-4B70-872C-69E9BDE39EF3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	modified_timestamp
SourceTable:	tgeneral_lkup_groups
TextAlign:	General

created_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	=CurrentUser()
DisplayControl:	Text Box
GUID:	{guid {9B0BA929-F3FC-453C-A87B-8A6AC53588B3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
ResultType:	0
SourceField:	created_user
SourceTable:	tgeneral_lkup_groups
TextAlign:	General
UnicodeCompression:	True

modified_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	=CurrentUser()
DisplayControl:	Text Box
GUID:	{guid {8682227D-CA81-4D6C-A8D3-EA975512ACB5}}

IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	8
Required:	False
ResultType:	0
SourceField:	modified_user
SourceTable:	tgeneral_lkup_groups
TextAlign:	General
UnicodeCompression:	True

Relationships

tgeneral_lkup_groupstPeopleToGroups



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tsite_lkuptgeneral_lkup_groups



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
group_code	Ascending
site_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	site_id
Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending
tsite_lkuptgeneral_lkup_groups		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	True
	IgnoreNulls:	False
	Name:	tsite_lkuptgeneral_lkup_groups
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:20 AM	DefaultView:	2
GUID:	{guid {9FCCDB1A-EEFD-4A48-BF1F-147E5E1DE68E}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	5
Updatable:	True		

Columns

Name	Type	Size
language_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {A60690ED-2496-475C-8083-B06B0E2CC528}}
OrdinalPosition:	0
Required:	False
SourceField:	language_code
SourceTable:	tgeneral_lkup_language

language_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	5130
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {E289D350-9EF9-43BA-BEC0-B8A42ECD29A4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	language_desc
SourceTable:	tgeneral_lkup_language
UnicodeCompression:	False

Relationships

tgeneral_lkup_languagetpartner_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
language_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:21 AM	DefaultView:	2
GUID:	{guid {DD725E70-71FC-4D61-BE3F-E051CB908CD9}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	8
Updatable:	True		

Columns

Name	Type	Size
marital_status_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1800
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {C5BCDB26-6EB6-46D5-9190-D4C0F388939B}}
OrdinalPosition:	0
Required:	False
SourceField:	marital_status_code
SourceTable:	tgeneral_lkup_marital_status

marital_status_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2010
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {23925232-2480-4463-8F93-C57633A37728}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	marital_status_desc
SourceTable:	tgeneral_lkup_marital_status
UnicodeCompression:	False

Relationships

tgeneral_lkup_marital_statustpartner_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
marital_status_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:21 AM	DefaultView:	2
GUID:	{guid {87745CBE-2282-4259-919D-6D4698C3E813}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	8
Updatable:	True		

Columns

Name	Type	Size
race_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {7448252A-F8B9-44C3-B602-D94122090A10}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	race_code	
SourceTable:	tgeneral_lkup_race	
race_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2415	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {1D3B5F55-3572-4A02-92ED-A8DB53DA0F64}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	race_desc	
SourceTable:	tgeneral_lkup_race	
UnicodeCompression:	False	
isDeprecated	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {74D14DC4-DFD0-42E5-BA60-878DF51CE44D}}
OrdinalPosition:	2
Required:	False
SourceField:	isDeprecated
SourceTable:	tgeneral_lkup_race

Relationships

tgeneral_lkup_racetbirth_data



Attributes:	Enforced
RelationshipType:	One-To-Many

tgeneral_lkup_racetpartner_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
race_code	Ascending

User Permissions

066

105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:21 AM	DefaultView:	2
GUID:	{guid {2EE3B9A1-5FCF-4DA9-9174-0D2680938778}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	47
Updatable:	True		

Columns

Name	Type	Size
race_sub_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1560	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {FBF7189F-C6B6-4874-9CB1-F5576A3E904B}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	race_sub_code	
SourceTable:	tgeneral_lkup_race_sub	
race_sub_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2220	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {3A241421-39C1-4278-AD9B-9E721BC0A9FC}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	race_sub_desc	
SourceTable:	tgeneral_lkup_race_sub	
UnicodeCompression:	False	
isHispanic	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {05002EEF-BE79-497E-A6BE-43D6815DBC8B}}
OrdinalPosition:	2
Required:	False
SourceField:	isHispanic
SourceTable:	tgeneral_lkup_race_sub

Relationships

tgeneral_lkup_race_subtbirth_data



Attributes:	Enforced
RelationshipType:	One-To-Many

tgeneral_lkup_race_subtpartner_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	47
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
race_sub_code	Ascending

User Permissions

066

105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	8/23/2018 5:17:39 PM	DefaultView:	2
GUID:	{guid {F042085A-DCDE-4671-9AB0-1A2E93482A73}}	LastUpdated:	8/23/2018 5:18:24 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
Updatable:	True		

Columns

Name	Type	Size
referral_type_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1680
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {031B9486-D4A5-42B7-B1D1-C58044528F2C}}
OrdinalPosition:	0
Required:	False
SourceField:	referral_type_code
SourceTable:	tgeneral_lkup_referral_type

referral_type_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	4030
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {76D30DF1-4FAB-4164-9A85-318C1FDC41F9}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	referral_type_desc
SourceTable:	tgeneral_lkup_referral_type
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
referral_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:21 AM	DefaultView:	2
GUID:	{guid {AA169F49-A1FE-47FC-9650-5C3242C1E65C}}	LastUpdated:	6/13/2016 12:21:24 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
Updatable:	True		

Columns

Name	Type	Size
smoking_status_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	1
ColumnWidth:	2100
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {803E8EC7-EA1F-4984-A288-59947D8E6A70}}
OrdinalPosition:	0
Required:	False
SourceField:	smoking_status_code
SourceTable:	tgeneral_lkup_smoking_status

smoking_status_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	4410
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {B2882AF7-0A6B-4119-BB47-471CCC5A325A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	smoking_status_desc
SourceTable:	tgeneral_lkup_smoking_status
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
smoking_status_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:21 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:21 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

Columns

Name	Type	Size
true_false_unknown_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	true_false_unknown_code	
SourceTable:	tgeneral_lkup_true_false_unknown	
true_false_unknown_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	true_false_unknown_desc	
SourceTable:	tgeneral_lkup_true_false_unknown	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False

	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	true_false_unknown_code	Ascending
true_false_unknown_code		1
	Clustered:	False
	DistinctCount:	3
	Foreign:	False
	IgnoreNulls:	False
	Name:	true_false_unknown_code
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	true_false_unknown_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:21 AM	DefaultView:	2
Description:	for ND MIECHV eval, August 2013 RR	GUID:	{guid {B4623D04-5E1B-4A7E-9934-7F851B639314}}
LastUpdated:	6/13/2016 12:26:08 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

Columns

Name	Type	Size
yes_no_eligible_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2100	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {DF131CCE-E508-4562-BA91-85D3B5FEE700}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	yes_no_eligible_code	
SourceTable:	tgeneral_lkup_yes_no_eligible	
yes_no_eligible_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2085	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {25119247-C02E-464F-A01E-2EAA9A98F5D2}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	yes_no_eligible_desc	
SourceTable:	tgeneral_lkup_yes_no_eligible	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
yes_no_eligible_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:21 AM	DefaultView:	2
Description:	for ND MIECHV eval, August 2013 RR	GUID:	{guid {D85F557C-A662-4B42-9E7C-EC93362974FD}}
LastUpdated:	8/6/2015 6:38:07 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	4	Updatable:	True

Columns

Name	Type	Size
yes_no_refused_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2100
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {208A1DC4-4509-48C9-B5BC-62DEF6851303}}
OrdinalPosition:	0
Required:	False
SourceField:	yes_no_refused_code
SourceTable:	tgeneral_lkup_yes_no_refused

yes_no_refused_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2085
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {A91427E0-E1D8-407E-9544-6A05568F6AEA}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	yes_no_refused_desc
SourceTable:	tgeneral_lkup_yes_no_refused
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
yes_no_refused_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:21 AM	DefaultView:	2
GUID:	{guid {84C0D225-F939-42A2-93A7-5FDD07B8E1BF}}	LastUpdated:	6/23/2015 3:05:26 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	3
Updatable:	True		

Columns

Name	Type	Size
yes_no_unknown_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2100
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {D25211B0-E5D9-49FF-9D78-4AFB3BBD4623}}
OrdinalPosition:	0
Required:	False
SourceField:	yes_no_unknown_code
SourceTable:	tgeneral_lkup_yes_no_unknown

yes_no_unknown_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2085
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {BA73A3F7-C3BE-49D8-94A4-2046B3BC0A0B}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	yes_no_unknown_desc
SourceTable:	tgeneral_lkup_yes_no_unknown
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
yes_no_unknown_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:21 AM	DefaultView:	2
Description:	for ND MIECHV eval, August 2013 RR	GUID:	{guid {AE5E8DF0-DBA4-4E55-9D6A-EE14293E1240}}
LastUpdated:	6/13/2016 12:24:06 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	4	Updatable:	True

Columns

Name	Type	Size
yes_no_refused_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2100	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {E4C4F4A3-A710-4C67-9AAC-C9AB1A8C914F}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	yes_no_refused_code	
SourceTable:	tgeneral_lkup_yes_no_unknown_undecided	
yes_no_refused_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2085	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {E1BF671F-C84C-4AD9-AA00-0686106EDE86}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	yes_no_refused_desc	
SourceTable:	tgeneral_lkup_yes_no_unknown_undecided	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
yes_no_refused_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:21 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {23954532-DE02-4DA8-9D4F-C8F0DA48E318}}
HideNewField:	False	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	1240	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
person_id	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each person
DisplayControl:	Text Box
GUID:	{guid {3F51325F-7578-46FE-8E6F-9FECC791A80B}}
OrdinalPosition:	0
Required:	False
ResultType:	0
SourceField:	person_id
SourceTable:	thome_visit_data
TextAlign:	General

home_visit_date	Date/Time	8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Date of home visit
Format:	Short Date

GUID:	{guid {8425EA36-F41F-4F4D-A0D5-A1E25211A8A0}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	1
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	home_visit_date
SourceTable:	thome_visit_data
TextAlign:	General

next_home_visit_date Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Date of next home visit
Format:	Short Date
GUID:	{guid {0E635F45-3626-4CFE-BAEF-1889821555C0}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	2
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	next_home_visit_date
SourceTable:	thome_visit_data
TextAlign:	General

travel_time_minutes_qty Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {9DD0F64A-4A48-45A3-B33F-E0257C839A32}}
OrdinalPosition:	3
Required:	False
ResultType:	0
SourceField:	travel_time_minutes_qty

	SourceTable:	thome_visit_data	
	TextAlign:	General	
fsw_id		Text	10
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Family Support Worker ID	
	DisplayControl:	Text Box	
	GUID:	{guid {F9E30B2B-1FA1-4EA0-A6A4-40877284942F}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	ResultType:	0	
	SourceField:	fsw_id	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
	UnicodeCompression:	False	
location_code		Byte	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Location of visit	
	DisplayControl:	Text Box	
	GUID:	{guid {3012A9A3-8592-4F75-8621-9F60DAD8CCEF}}	
	OrdinalPosition:	5	
	Required:	False	
	ResultType:	0	
	SourceField:	location_code	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
location_other_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Location of visit - other
DisplayControl:	Text Box
GUID:	{guid {032C4369-1CA4-4857-90C5-EDA113B5CEE6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
ResultType:	0
SourceField:	location_other_text
SourceTable:	thome_visit_data
TextAlign:	General
UnicodeCompression:	False

length_minutes_qty Integer 2

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Length of visit (in minutes)
DisplayControl:	Text Box
GUID:	{guid {B0E248EF-94C8-438F-9D1A-A26AC837EFC4}}
OrdinalPosition:	7
Required:	False
ResultType:	0
SourceField:	length_minutes_qty
SourceTable:	thome_visit_data
TextAlign:	General

present_mother_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Mother present at the visit
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {47F723F5-0D1B-4DD3-8DD6-8586869D7203}}

	OrdinalPosition:	8	
	Required:	False	
	ResultType:	0	
	SourceField:	present_mother_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
present_father_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Father present at the visit	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {0BECF937-6635-4FDE-B1B9-4AD80E4DCC50}}	
	OrdinalPosition:	9	
	Required:	False	
	ResultType:	0	
	SourceField:	present_father_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
present_maternal_grandmother_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Maternal grandmother present at the visit	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {EFF31632-8FB3-4C5A-B3F9-F2C03E4B1020}}	
	OrdinalPosition:	10	
	Required:	False	
	ResultType:	0	
	SourceField:	present_maternal_grandmother_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
present_paternal_grandmother_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	

Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Paternal grandmother present at the visit	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {BD53800E-59A5-4FCC-89A9-38A96B5F2031}}	
OrdinalPosition:	11	
Required:	False	
ResultType:	0	
SourceField:	present_paternal_grandmother_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	
present_target_child_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Target child present at the visit	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {DEA46FB1-03D6-4D60-8257-8B390167EFA9}}	
OrdinalPosition:	12	
Required:	False	
ResultType:	0	
SourceField:	present_target_child_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	
present_other_children_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Other children present at the visit	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {8D1455A3-A938-4227-835C-8913AAA787A8}}	

OrdinalPosition: 13
Required: False
ResultType: 0
SourceField: present_other_children_flag
SourceTable: thome_visit_data
TextAlign: General

present_other_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Other present at the visit
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {84575344-8139-47F8-AC49-E42A5BA28868}}
OrdinalPosition: 14
Required: False
ResultType: 0
SourceField: present_other_flag
SourceTable: thome_visit_data
TextAlign: General

present_other_text Text 255
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Specify other present at the visit
DisplayControl: Text Box
GUID: {guid {D2726E38-390F-4D9A-A5BD-36DEE70C16A6}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
ResultType: 0
SourceField: present_other_text
SourceTable: thome_visit_data
TextAlign: General
UnicodeCompression: False

interaction_3_flag Yes/No 1
AggregateType: -1

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Promote positive parenting skills	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {A2EFFC98-9212-4343-8CB2-74BB5A442E48}}	
	OrdinalPosition:	16	
	Required:	False	
	ResultType:	0	
	SourceField:	interaction_3_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
interaction_4_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Provide information on activities designed to promote bonding & positive parent-child interaction	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {336A5511-A386-4D57-B99E-C6138B3A4AC3}}	
	OrdinalPosition:	17	
	Required:	False	
	ResultType:	0	
	SourceField:	interaction_4_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
interaction_other_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	parent/child interaction - other	

DisplayControl: Text Box
Format: Yes/No
GUID: {guid {F4720A84-88B5-4456-8375-1A683DABAB51}}
OrdinalPosition: 18
Required: False
ResultType: 0
SourceField: interaction_other_flag
SourceTable: thome_visit_data
TextAlign: General

interaction_cheeers_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: PIMS7.3
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {84D3566D-769F-4DFE-872F-A576D289D206}}
OrdinalPosition: 19
Required: False
ResultType: 0
SourceField: interaction_cheeers_flag
SourceTable: thome_visit_data
TextAlign: General

interaction_fun_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: PIMS7.3
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {35F079BD-4621-4077-BE51-BF8E383D897D}}
OrdinalPosition: 20
Required: False
ResultType: 0
SourceField: interaction_fun_flag
SourceTable: thome_visit_data
TextAlign: General

child_development_1_flag Yes/No 1

	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Assess developmental progress	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {8F60C439-5A37-4065-AF60-54A8D79E0C5A}}	
	OrdinalPosition:	21	
	Required:	False	
	ResultType:	0	
	SourceField:	child_development_1_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_development_2_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Provide education/information on child development and age-appropriate behavior	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {133C8313-582D-4577-9090-27A50B78E30A}}	
	OrdinalPosition:	22	
	Required:	False	
	ResultType:	0	
	SourceField:	child_development_2_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_development_3_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	

Description:	Use formalized child development curriculum with the parents	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {455FC7D6-2F27-44E5-A070-4872AF3E9B1F}}	
OrdinalPosition:	23	
Required:	False	
ResultType:	0	
SourceField:	child_development_3_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

child_development_4_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	PIMS 7.3	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {8018F0D9-3D9C-4704-BB4F-313E367E2198}}	
OrdinalPosition:	24	
Required:	False	
ResultType:	0	
SourceField:	child_development_4_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

child_development_emotional_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	PIMS 7.3	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {1A04F802-B942-45F7-9C44-A17BF7532ADC}}	
OrdinalPosition:	25	
Required:	False	
ResultType:	0	
SourceField:	child_development_emotional_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

child_development_teachable_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	PIMS 7.3
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {94A9F1E7-F3BC-4CF5-BB19-D1993B333953}}
OrdinalPosition:	26
Required:	False
ResultType:	0
SourceField:	child_development_teachable_flag
SourceTable:	thome_visit_data
TextAlign:	General

child_development_other_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	child development - other
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {9D91112B-F0DA-44C7-B306-8FFD1C094FB5}}
OrdinalPosition:	27
Required:	False
ResultType:	0
SourceField:	child_development_other_flag
SourceTable:	thome_visit_data
TextAlign:	General

health_care_2_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False

Description:	Provide child health information	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {609C5BE1-0786-4D92-BB48-94DDE5A3F898}}	
OrdinalPosition:	28	
Required:	False	
ResultType:	0	
SourceField:	health_care_2_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

health_care_3_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Provide infant/child feeding information	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {594C308E-2E15-4C56-9DC2-46B59A0B8E15}}	
OrdinalPosition:	29	
Required:	False	
ResultType:	0	
SourceField:	health_care_3_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

health_care_4_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Provide nutrition/food preparation information	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {D6329AFE-8714-49F0-9E9F-12E3F5D3D164}}	
OrdinalPosition:	30	
Required:	False	
ResultType:	0	
SourceField:	health_care_4_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

health_care_5_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Review target child's immunizations
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {0FEC3E03-1E8B-465D-818A-6B4F294FF0D1}}
OrdinalPosition:	31
Required:	False
ResultType:	0
SourceField:	health_care_5_flag
SourceTable:	thome_visit_data
TextAlign:	General

health_care_other_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	health care - other
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {EA1BD498-5044-4459-9DCA-89B1C350BDBC}}
OrdinalPosition:	32
Required:	False
ResultType:	0
SourceField:	health_care_other_flag
SourceTable:	thome_visit_data
TextAlign:	General

health_care_other_text Text 255

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False

	Description:	health care - other specify	
	DisplayControl:	Text Box	
	GUID:	{guid {B48F78B4-F7F7-415F-9A59-F77DDA1806A2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	33	
	Required:	False	
	ResultType:	0	
	SourceField:	health_care_other_text	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
	UnicodeCompression:	False	
safety_1_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Provide training on safe sleeping	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {BD100E05-4F67-454E-A05C-E74C3D07331B}}	
	OrdinalPosition:	34	
	Required:	False	
	ResultType:	0	
	SourceField:	safety_1_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
safety_2_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Provide training on child passenger safety	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {BE4631D3-882D-45C4-A362-733305CD4CAA}}	
	OrdinalPosition:	35	
	Required:	False	
	ResultType:	0	
	SourceField:	safety_2_flag	
	SourceTable:	thome_visit_data	

TextAlign: General

safety_3_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Provide training on Shaken Baby Syndrome or traumatic brain injury
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {4D01EAAF-13B3-4CF0-BDE0-BEE83F6A715C}}
OrdinalPosition: 36
Required: False
ResultType: 0
SourceField: safety_3_flag
SourceTable: thome_visit_data
TextAlign: General

safety_4_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: Provide training on poisonings
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {DCA89B21-5EC8-4700-BEAB-079717CB7134}}
OrdinalPosition: 37
Required: False
ResultType: 0
SourceField: safety_4_flag
SourceTable: thome_visit_data
TextAlign: General

safety_5_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default

CurrencyLCID:	0
DataUpdatable:	False
Description:	Provide training on fire Safety
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {C1F0DD13-A683-4D61-9198-A8E71F3F6B34}}
OrdinalPosition:	38
Required:	False
ResultType:	0
SourceField:	safety_5_flag
SourceTable:	thome_visit_data
TextAlign:	General

safety_6_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Provide training on water safety
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {2874113B-A8AF-4BDB-BE84-1FB071ACC4D6}}
OrdinalPosition:	39
Required:	False
ResultType:	0
SourceField:	safety_6_flag
SourceTable:	thome_visit_data
TextAlign:	General

safety_7_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Provide training on playground safety
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {AFEC5788-36A4-4C86-BB9F-59EE9D2CBD44}}
OrdinalPosition:	40
Required:	False
ResultType:	0
SourceField:	safety_7_flag
SourceTable:	thome_visit_data

TextAlign: General

safety_other_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: safety - other
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {FACE4F0C-6BDC-4E05-81DE-2D97709EA9C4}}
OrdinalPosition: 41
Required: False
ResultType: 0
SourceField: safety_other_flag
SourceTable: thome_visit_data
TextAlign: General

safety_other_text Text 255
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: safety - other specify
DisplayControl: Text Box
GUID: {guid {C2F39A38-2407-41D1-988A-30456116E183}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 42
Required: False
ResultType: 0
SourceField: safety_other_text
SourceTable: thome_visit_data
TextAlign: General
UnicodeCompression: False

health_care_6_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False

	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	PIMS 7.3	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {621DAE4D-10DF-47B7-8D0E-C8C8CE1477F2}}	
	OrdinalPosition:	43	
	Required:	False	
	ResultType:	0	
	SourceField:	health_care_6_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
health_care_7_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	PIMS 7.3	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {9D936051-56A1-4129-A8C7-51F89B32986D}}	
	OrdinalPosition:	44	
	Required:	False	
	ResultType:	0	
	SourceField:	health_care_7_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
health_care_8_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	PIMS 7.3	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {531B0FCC-F2D2-4023-A321-54D5A1F52BE3}}	
	OrdinalPosition:	45	
	Required:	False	
	ResultType:	0	

	SourceField:	health_care_8_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
health_care_prenatal_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	PIMS 7.3	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {53B2EDB8-87E0-45AC-B673-4B8E19C0D728}}	
	OrdinalPosition:	46	
	Required:	False	
	ResultType:	0	
	SourceField:	health_care_prenatal_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
health_care_mental_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	PIMS 7.3	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {D8044A82-5A8A-480C-AA8B-575BE08EED8B}}	
	OrdinalPosition:	47	
	Required:	False	
	ResultType:	0	
	SourceField:	health_care_mental_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
health_care_preg_spacing_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	

ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	PIMS 7.3
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {DBC2BE88-05C1-48F7-B7AF-699E152C0E5D}}
OrdinalPosition:	48
Required:	False
ResultType:	0
SourceField:	health_care_preg_spacing_flag
SourceTable:	thome_visit_data
TextAlign:	General

health_care_dental_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	PIMS 7.3
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {0FE263D9-F857-4A3D-93F5-B66C73C43003}}
OrdinalPosition:	49
Required:	False
ResultType:	0
SourceField:	health_care_dental_flag
SourceTable:	thome_visit_data
TextAlign:	General

health_care_fss_other_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	PIMS 7.3
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {420B7AED-BE55-46BD-8BE5-62B2BB1856B5}}
OrdinalPosition:	50
Required:	False
ResultType:	0

SourceField:	health_care_fss_other_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

environmental_needs_1_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Assess need for housing assistance	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {219B099B-4D50-44E3-A037-C447B00B5981}}	
OrdinalPosition:	51	
Required:	False	
ResultType:	0	
SourceField:	environmental_needs_1_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

environmental_needs_2_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Assess need for food assistance	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {A2412BE1-3FD3-4277-97CD-93B07466EFC9}}	
OrdinalPosition:	52	
Required:	False	
ResultType:	0	
SourceField:	environmental_needs_2_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

environmental_needs_3_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	

ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Assess need for financial/public assistance	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {EE4619AB-C56E-4321-9D23-4339CD12EAF8}}	
OrdinalPosition:	53	
Required:	False	
ResultType:	0	
SourceField:	environmental_needs_3_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	
environmental_needs_4_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Assess need for education	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {97E5261B-91D6-47DB-8F6A-DDF8F87A4924}}	
OrdinalPosition:	54	
Required:	False	
ResultType:	0	
SourceField:	environmental_needs_4_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	
environmental_needs_5_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Assess need for employment/job training	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {862F9251-6262-4091-BA1F-11C5B69F9643}}	
OrdinalPosition:	55	
Required:	False	
ResultType:	0	

SourceField:	environmental_needs_5_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

environmental_needs_6_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Provide transportation	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {875FC2C3-FD5B-41AB-8546-E492B297CC04}}	
OrdinalPosition:	56	
Required:	False	
ResultType:	0	
SourceField:	environmental_needs_6_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

environmental_needs_7_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Provide consultation in legal matters	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {18581197-C615-4506-B5B0-57D4528E4870}}	
OrdinalPosition:	57	
Required:	False	
ResultType:	0	
SourceField:	environmental_needs_7_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

environmental_needs_8_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	

ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Assist in finding child care/day care
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {77741643-9517-4546-ACA8-40695F75AF93}}
OrdinalPosition:	58
Required:	False
ResultType:	0
SourceField:	environmental_needs_8_flag
SourceTable:	thome_visit_data
TextAlign:	General

environmental_needs_other_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	environmental needs - other
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {CE0E4AE9-D079-4C13-9682-21448F7AB7BE}}
OrdinalPosition:	59
Required:	False
ResultType:	0
SourceField:	environmental_needs_other_flag
SourceTable:	thome_visit_data
TextAlign:	General

family_functioning_2_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Discuss domestic violence issues
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {3DCF434A-1645-4637-8C5C-09DE15535472}}
OrdinalPosition:	60
Required:	False
ResultType:	0

	SourceField:	family_functioning_2_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
family_functioning_3_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Discuss substance abuse issues	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {2A8FFEBB-469F-4740-9040-6A8C549E2AE1}}	
	OrdinalPosition:	61	
	Required:	False	
	ResultType:	0	
	SourceField:	family_functioning_3_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
family_functioning_other_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	family functionning - other	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {D7B51C1D-4FAD-4AC1-B98B-0872D1D00958}}	
	OrdinalPosition:	62	
	Required:	False	
	ResultType:	0	
	SourceField:	family_functioning_other_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
family_functioning_assessment_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	

ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	PIMS 7.3
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {C3269CA9-B842-483A-9B4E-20A5FF52E67F}}
OrdinalPosition:	63
Required:	False
ResultType:	0
SourceField:	family_functioning_assessment_flag
SourceTable:	thome_visit_data
TextAlign:	General

family_functioning_mental_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	PIMS 7.3
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {E9D33DDB-8F1C-47AE-ACF0-CBBD1BA723F9}}
OrdinalPosition:	64
Required:	False
ResultType:	0
SourceField:	family_functioning_mental_flag
SourceTable:	thome_visit_data
TextAlign:	General

family_functioning_developmental_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	PIMS 7.3
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {E772AF41-16FF-40F4-AEDD-5F65115A2646}}
OrdinalPosition:	65
Required:	False
ResultType:	0

SourceField:	family_functioning_developmental_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

admin_issues_level_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	PIMS 7.3	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {41F3B539-43D5-4ED6-A79C-47AC18B9E2BE}}	
OrdinalPosition:	66	
Required:	False	
ResultType:	0	
SourceField:	admin_issues_level_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

admin_issues_outcome_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	PIMS 7.3	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {258E49F0-E1B1-4F6F-98C5-791C71B0DDE5}}	
OrdinalPosition:	67	
Required:	False	
ResultType:	0	
SourceField:	admin_issues_outcome_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	

MA_info_code	Byte	1
AggregateType:	-1	
AllowValueListEdits:	False	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	

CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	ND 8/30/13
DisplayControl:	Combo Box
GUID:	{guid {48DFE2D0-4830-42DA-BAE2-76C0677FD111}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	68
Required:	False
ResultType:	0
RowSource:	thome_visit_data_lkup_MA
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	MA_info_code
SourceTable:	thome_visit_data
TextAlign:	General

seek_educaction_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	ND 8/30/13
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {9247D8B4-30F6-49AE-854D-8A3DD9821397}}
OrdinalPosition:	69
Required:	False
ResultType:	0
SourceField:	seek_educaction_flag
SourceTable:	thome_visit_data
TextAlign:	General

seek_employment_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False

ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	ND 8/30/13
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {3CB74B49-6442-4644-A2C5-95D5259348BE}}
OrdinalPosition:	70
Required:	False
ResultType:	0
SourceField:	seek_employment_flag
SourceTable:	thome_visit_data
TextAlign:	General

created_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Format:	General Date
GUID:	{guid {CD92E04C-9AD7-4A90-A82E-740638C2A1E7}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	71
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	created_timestamp
SourceTable:	thome_visit_data
TextAlign:	General

created_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {9D4A5E59-1413-4E78-B50F-927732B6B2C5}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	72
Required:	False

ResultType:	0
SourceField:	created_user
SourceTable:	thome_visit_data
TextAlign:	General
UnicodeCompression:	True

modified_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Format:	General Date
GUID:	{guid {7D614C7D-AB87-4727-A86F-47A3A51D05DF}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	73
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	modified_timestamp
SourceTable:	thome_visit_data
TextAlign:	General

modified_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {E3EC78EE-9E27-4583-8A2C-D1D90DFA4377}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	74
Required:	False
ResultType:	0
SourceField:	modified_user
SourceTable:	thome_visit_data
TextAlign:	General
UnicodeCompression:	True

reviewed_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {8D51B3F2-2C62-4ABA-BBBD-D287B7F61919}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	75	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	reviewed_timestamp	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
reviewed_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {0427CB45-A373-4411-AA05-6A3C8DFC5073}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	76	
	Required:	False	
	ResultType:	0	
	SourceField:	reviewed_user	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
	UnicodeCompression:	True	
site_id		Text	5
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	

Description:	DEFUNCT- Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {026114A4-4BC9-4F87-B467-86B672C3B45A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	77
Required:	False
ResultType:	0
SourceField:	site_id
SourceTable:	thome_visit_data
TextAlign:	General
UnicodeCompression:	False

participant_id Text 15

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- In combination with Site ID provides a unique identifier for the individual participant
DisplayControl:	Text Box
GUID:	{guid {381CCE8A-1BA1-4012-97D3-8D440EC1B277}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	78
Required:	False
ResultType:	0
SourceField:	participant_id
SourceTable:	thome_visit_data
TextAlign:	General
UnicodeCompression:	False

accompanying_anyone_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Was anyone accompanying the home visitor on this visit
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {A1B7240B-4A50-44D8-B378-2D7DA2F42F68}}
OrdinalPosition:	79
Required:	False

	ResultType:	0	
	SourceField:	accompanying_anyone_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
acoompanying_who_why_text		Memo	-
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- If yes, who and why?	
	GUID:	{guid {797BF92E-889A-479E-81C6-44A5F6A7E482}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	80	
	Required:	False	
	ResultType:	0	
	SourceField:	acoompanying_who_why_text	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
	TextFormat:	Plain Text	
	UnicodeCompression:	False	
admin_issues_1_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Schedule a visit	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {3C971212-2061-4F04-B709-7467181DAA3C}}	
	OrdinalPosition:	81	
	Required:	False	
	ResultType:	0	
	SourceField:	admin_issues_1_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
admin_issues_2_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Serve as an advocate/source of referral/linkage to other community providers
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {2EFDA7D3-88B9-4E6B-BCC0-385AE2F8490B}}
OrdinalPosition:	82
Required:	False
ResultType:	0
SourceField:	admin_issues_2_flag
SourceTable:	thome_visit_data
TextAlign:	General

admin_issues_3_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Help with forms
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {13A1CD46-0A54-4EF8-A7E8-DFD9A109DDA7}}
OrdinalPosition:	83
Required:	False
ResultType:	0
SourceField:	admin_issues_3_flag
SourceTable:	thome_visit_data
TextAlign:	General

admin_issues_4_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Complete program evaluation/satisfaction
DisplayControl:	Text Box
Format:	Yes/No

	GUID:	{guid {C74CEC42-4084-42CB-9500-42ECC053E138}}	
	OrdinalPosition:	84	
	Required:	False	
	ResultType:	0	
	SourceField:	admin_issues_4_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
admin_issues_other_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- administrative issues - other	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {426A3753-387F-4816-864A-79215C03645E}}	
	OrdinalPosition:	85	
	Required:	False	
	ResultType:	0	
	SourceField:	admin_issues_other_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
admin_issues_other_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- administrative issues - other specify	
	DisplayControl:	Text Box	
	GUID:	{guid {108EC1E5-8097-4FF5-8B4C-6A3D7F688122}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	86	
	Required:	False	
	ResultType:	0	
	SourceField:	admin_issues_other_text	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
	UnicodeCompression:	False	
child_development_5_flag		Yes/No	1

	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Assess target child for school readiness	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {D330BFCA-7B26-4132-9842-D383CCCCD6FC}}	
	OrdinalPosition:	87	
	Required:	False	
	ResultType:	0	
	SourceField:	child_development_5_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_status_1_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the child during the visit - active	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {ACA00AFC-9782-43CC-9481-D8731361FC08}}	
	OrdinalPosition:	88	
	Required:	False	
	ResultType:	0	
	SourceField:	child_status_1_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_status_2_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the child during the visit - alert	

	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {623FE4E6-779A-42CD-8BC6-B49979EF0B7C}}	
	OrdinalPosition:	89	
	Required:	False	
	ResultType:	0	
	SourceField:	child_status_2_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_status_3_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the child during the visit - appears healthy	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {7B643669-5B9F-46FE-9507-4E16B89BEAB3}}	
	OrdinalPosition:	90	
	Required:	False	
	ResultType:	0	
	SourceField:	child_status_3_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_status_4_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the child during the visit - asleep	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {C493B8A2-64DD-41AB-B327-D4097F17D81C}}	
	OrdinalPosition:	91	
	Required:	False	
	ResultType:	0	
	SourceField:	child_status_4_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_status_5_flag		Yes/No	1

	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the child during the visit - clean	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {F347FF2C-99E0-44F2-ACFA-A722C4C9516B}}	
	OrdinalPosition:	92	
	Required:	False	
	ResultType:	0	
	SourceField:	child_status_5_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_status_6_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the child during the visit - dressed appropriately	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {AD8D7F2C-0DD8-44D1-8DFC-7A7D54B34FB4}}	
	OrdinalPosition:	93	
	Required:	False	
	ResultType:	0	
	SourceField:	child_status_6_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_status_7_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the child during the visit - fussy	

DisplayControl: Text Box
Format: Yes/No
GUID: {guid {B462D52C-88E2-4F4D-A056-B77DC16FEABB}}
OrdinalPosition: 94
Required: False
ResultType: 0
SourceField: child_status_7_flag
SourceTable: thome_visit_data
TextAlign: General

child_status_8_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: DEFUNCT- Status of the child during the visit - inactive
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {24D7801F-F381-48DB-AF9A-F7422AC4D2E0}}
OrdinalPosition: 95
Required: False
ResultType: 0
SourceField: child_status_8_flag
SourceTable: thome_visit_data
TextAlign: General

child_status_9_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: DEFUNCT- Status of the child during the visit - needs bath
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {EC105C34-DA60-4440-AB4F-1200D20A8F55}}
OrdinalPosition: 96
Required: False
ResultType: 0
SourceField: child_status_9_flag
SourceTable: thome_visit_data
TextAlign: General

child_status_10_flag Yes/No 1

AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: DEFUNCT- Status of the child during the visit - playful
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {72D8C69F-806B-4E9A-80B1-B5DAFF1BA857}}
OrdinalPosition: 97
Required: False
ResultType: 0
SourceField: child_status_10_flag
SourceTable: thome_visit_data
TextAlign: General

child_status_11_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: DEFUNCT- Status of the child during the visit - quiet
DisplayControl: Text Box
Format: Yes/No
GUID: {guid {4151BD6E-D318-41F4-92B5-B42CED39C7BB}}
OrdinalPosition: 98
Required: False
ResultType: 0
SourceField: child_status_11_flag
SourceTable: thome_visit_data
TextAlign: General

child_status_12_flag Yes/No 1
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: DEFUNCT- Status of the child during the visit - sick

	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {F759CBCB-6F58-4F18-9211-1493FB51F5AF}}	
	OrdinalPosition:	99	
	Required:	False	
	ResultType:	0	
	SourceField:	child_status_12_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_status_13_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the child during the visit - sleepy	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {7D2DEEB9-571A-4E77-8218-9E21A4E517D2}}	
	OrdinalPosition:	100	
	Required:	False	
	ResultType:	0	
	SourceField:	child_status_13_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_status_14_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the child during the visit - smiley	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {4E7C893F-9035-4B1D-B824-C21285FBDA98}}	
	OrdinalPosition:	101	
	Required:	False	
	ResultType:	0	
	SourceField:	child_status_14_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
child_status_15_flag		Yes/No	1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Status of the child during the visit - unkempt
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {ABA1E2D5-6DF3-4DA8-BCB8-FBD4FF1A80E6}}
OrdinalPosition:	102
Required:	False
ResultType:	0
SourceField:	child_status_15_flag
SourceTable:	thome_visit_data
TextAlign:	General

child_status_other_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Status of the child during the visit - other
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {0B136095-5ED0-4038-A99D-3B1ACB2C0651}}
OrdinalPosition:	103
Required:	False
ResultType:	0
SourceField:	child_status_other_flag
SourceTable:	thome_visit_data
TextAlign:	General

child_status_other_text Text 255

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Status of the child during the visit - other specify

DisplayControl:	Text Box
GUID:	{guid {69342972-1451-420F-8FB2-D840E504042F}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	104
Required:	False
ResultType:	0
SourceField:	child_status_other_text
SourceTable:	thome_visit_data
TextAlign:	General
UnicodeCompression:	False

family_functioning_1_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Teach crisis management and problem solving/decision-making skills
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {CE75D424-9730-409E-A991-64CF8321EACE}}
OrdinalPosition:	105
Required:	False
ResultType:	0
SourceField:	family_functioning_1_flag
SourceTable:	thome_visit_data
TextAlign:	General

family_functioning_4_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Contact Child Protective Services
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {01E28707-3351-4033-8850-D5F619D1F2F6}}
OrdinalPosition:	106
Required:	False
ResultType:	0
SourceField:	family_functioning_4_flag
SourceTable:	thome_visit_data

	TextAlign:	General	
health_care_1_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- INACTIVE FIELD AS OF PIMS V5 Provide general health information	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {29A51BFB-CE0F-4630-A494-3F95567B6282}}	
	OrdinalPosition:	107	
	Required:	False	
	ResultType:	0	
	SourceField:	health_care_1_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
health_care_1a_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Provide general health & safety information	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {E0EA152B-966D-4864-8E7F-78C81B9FF81E}}	
	OrdinalPosition:	108	
	Required:	False	
	ResultType:	0	
	SourceField:	health_care_1a_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
interaction_1_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Provide education/modeling on positive parent-child interaction
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {B0678314-A2B1-4919-98DB-B60CDACC81AA}}
OrdinalPosition:	109
Required:	False
ResultType:	0
SourceField:	interaction_1_flag
SourceTable:	thome_visit_data
TextAlign:	General

interaction_2_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Use formalized parenting curriculum with the parents
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {201E04EB-F603-42CD-8AF2-7CCA7B3FF80A}}
OrdinalPosition:	110
Required:	False
ResultType:	0
SourceField:	interaction_2_flag
SourceTable:	thome_visit_data
TextAlign:	General

interaction_5_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Recommend parent support group or class
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {A8A91766-C625-4C82-955C-DDB4CFF32092}}
OrdinalPosition:	111
Required:	False
ResultType:	0

	SourceField:	interaction_5_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
others_affect_code		Byte	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	DEFUNCT- Effects of others at the visit	
	DisplayControl:	Text Box	
	GUID:	{guid {AB1F24F6-FFC0-4902-A62C-5001DD81E71E}}	
	OrdinalPosition:	112	
	Required:	False	
	ResultType:	0	
	SourceField:	others_affect_code	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
others_affect_other_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Effects of others at the visit - other	
	DisplayControl:	Text Box	
	GUID:	{guid {9CC6E963-2D8E-4173-85F6-7D2C9E58F372}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	113	
	Required:	False	
	ResultType:	0	
	SourceField:	others_affect_other_text	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
	UnicodeCompression:	False	
parent_status_1_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Status of the parent during the visit - alert
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {EACA8631-5E10-4D59-8AB0-BF5570E2AD9E}}
OrdinalPosition:	114
Required:	False
ResultType:	0
SourceField:	parent_status_1_flag
SourceTable:	thome_visit_data
TextAlign:	General

parent_status_2_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Status of the parent during the visit - angry
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {F30C129A-3468-4C8C-994C-2FE032E086D0}}
OrdinalPosition:	115
Required:	False
ResultType:	0
SourceField:	parent_status_2_flag
SourceTable:	thome_visit_data
TextAlign:	General

parent_status_3_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Status of the parent during the visit - appears healthy
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {816C40DD-0113-452B-B8CB-7EFA1E0B3C1B}}
OrdinalPosition:	116

	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_3_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_4_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - appears under the influence of alcohol	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {C65659C2-473D-439E-A39E-9AF128F25466}}	
	OrdinalPosition:	117	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_4_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_5_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - appears under the influence of drugs	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {ED9B64D8-A2E9-47E1-B00C-DE96E05667FB}}	
	OrdinalPosition:	118	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_5_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_6_flag		Yes/No	1
	AggregateType:	-1	

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - clean	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {9AA7396B-2DB9-42EF-A0EA-54EDBB01C43D}}	
	OrdinalPosition:	119	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_6_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_7_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - depressed	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {EEC1A635-071C-4DF3-A1C4-58730CCC7569}}	
	OrdinalPosition:	120	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_7_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_8_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - friendly	
	DisplayControl:	Text Box	

	Format:	Yes/No	
	GUID:	{guid {DCEB1F4C-12A6-490F-BE4A-3DF2A83C9FBD}}	
	OrdinalPosition:	121	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_8_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_9_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - injured/bruised	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {4174542C-18CD-4983-A10F-FB8FF8B44679}}	
	OrdinalPosition:	122	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_9_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_10_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - participatory	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {588FCEEE-7DFA-40FD-8AD9-EE41505F5370}}	
	OrdinalPosition:	123	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_10_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_11_flag		Yes/No	1
	AggregateType:	-1	

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - quiet	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {205D06AA-9161-494B-A73B-D0459995A392}}	
	OrdinalPosition:	124	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_11_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_12_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - sad/tearful	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {6DF37AC7-BB3D-4863-A049-43009694BE4B}}	
	OrdinalPosition:	125	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_12_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_13_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - sick	
	DisplayControl:	Text Box	

	Format:	Yes/No	
	GUID:	{guid {1BE5D49C-2D9D-406F-B819-4C365BC46770}}	
	OrdinalPosition:	126	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_13_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_14_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - sleepy	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {F3611927-9869-4DA5-A591-2B96B825657B}}	
	OrdinalPosition:	127	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_14_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_15_flag		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	DEFUNCT- Status of the parent during the visit - stressed	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {765D9172-7EAB-4406-9FD6-3CBA4D9495E9}}	
	OrdinalPosition:	128	
	Required:	False	
	ResultType:	0	
	SourceField:	parent_status_15_flag	
	SourceTable:	thome_visit_data	
	TextAlign:	General	
parent_status_16_flag		Yes/No	1
	AggregateType:	-1	

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Status of the parent during the visit - talkative
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {B12C66F0-93D1-42BB-A776-9B921393E093}}
OrdinalPosition:	129
Required:	False
ResultType:	0
SourceField:	parent_status_16_flag
SourceTable:	thome_visit_data
TextAlign:	General

parent_status_17_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Status of the parent during the visit - unkempt
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {43D29456-5C29-40DC-8835-73AB0B8340A5}}
OrdinalPosition:	130
Required:	False
ResultType:	0
SourceField:	parent_status_17_flag
SourceTable:	thome_visit_data
TextAlign:	General

parent_status_18_flag Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	DEFUNCT- Status of the parent during the visit - upset
DisplayControl:	Text Box

Format:	Yes/No	
GUID:	{guid {05F9CDAB-AE8A-490F-8AAE-810658DCD31B}}	
OrdinalPosition:	131	
Required:	False	
ResultType:	0	
SourceField:	parent_status_18_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	
parent_status_other_flag	Yes/No	1
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	DEFUNCT- Status of the parent during the visit - other	
DisplayControl:	Text Box	
Format:	Yes/No	
GUID:	{guid {6E59491B-E57C-4DE5-A27C-A4546C09E022}}	
OrdinalPosition:	132	
Required:	False	
ResultType:	0	
SourceField:	parent_status_other_flag	
SourceTable:	thome_visit_data	
TextAlign:	General	
parent_status_other_text	Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	DEFUNCT	
DisplayControl:	Text Box	
GUID:	{guid {1364B65F-5550-481E-BA30-850551051A9A}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	133	
Required:	False	
ResultType:	0	
SourceField:	parent_status_other_text	
SourceTable:	thome_visit_data	
TextAlign:	General	
UnicodeCompression:	False	

Relationships

thome_visit_datathome_visit_notes



Attributes:	Unique, Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-One

tpeople_datathome_visit_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{7A6F4E51-2E01-40B3-9C9D-231DF9D379	1
Clustered:	False
DistinctCount:	60
Foreign:	True
IgnoreNulls:	False
Name:	{7A6F4E51-2E01-40B3-9C9D-231DF9D379DF}
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	1240
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
person_id	Ascending
home_visit_date	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:22 AM	DefaultView:	2
LastUpdated:	6/13/2016 12:22:26 PM	NameMap:	Long binary data
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

Columns

Name	Type	Size
location_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {2BF4FD22-C0A0-4609-8968-62FA27B2B856}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	location_code	
SourceTable:	thome_visit_data_lkup_location	
location_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2595	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {C7B17956-B3ED-40D2-AEB9-0A2BC7B9D3F4}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	location_text	
SourceTable:	thome_visit_data_lkup_location	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	3

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
location_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:22 AM	DefaultView:	2
Description:	for ND MIECHV eval	GUID:	{guid {3541D970-6BF2-470E-9DEB-BCD74671EAC7}}
LastUpdated:	6/28/2016 3:46:51 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
MA_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {A477C459-7173-470F-B2A8-0393787502CD}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	MA_code	
SourceTable:	thome_visit_data_lkup_MA	
MA_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2595	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {D385C458-A125-4E87-9DDD-EABE4784E0C9}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	MA_text	
SourceTable:	thome_visit_data_lkup_MA	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
MA_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:22 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:22 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
others_affect_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2250	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	others_affect_code	
SourceTable:	thome_visit_data_lkup_others_affect	
others_affect__text	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3930	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	others_affect__text	
SourceTable:	thome_visit_data_lkup_others_affect	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
others_affect_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:22 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	1240	Updatable:	True

Columns

Name	Type	Size
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {809F4627-F187-403E-8D1E-1F539489541B}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	person_id	
SourceTable:	thome_visit_notes	
home_visit_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Date of home visit	
Format:	Short Date	
GUID:	{guid {DB3F072C-B1B9-43FA-92E0-B8A65BD45E03}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	99/99/00;0;_	
OrdinalPosition:	1	
Required:	False	
SourceField:	home_visit_date	
SourceTable:	thome_visit_notes	
status_home_notes	Memo	-
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {6228FB66-1B7B-4970-8138-A32353118819}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	status_home_notes
SourceTable:	thome_visit_notes
UnicodeCompression:	True

status_parents_notes Memo -

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {D17E9ADC-EBE2-4FF3-A0C4-E08FE744729A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	False
SourceField:	status_parents_notes
SourceTable:	thome_visit_notes
UnicodeCompression:	True

status_children_notes Memo -

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {33542BDC-2874-44A8-8D1D-539D85B17312}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	4
Required:	False
SourceField:	status_children_notes
SourceTable:	thome_visit_notes
UnicodeCompression:	True

cheeers_cues_notes Memo -

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False

	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	GUID:	{guid {B6A311D4-B973-4747-9B05-85A8E2902182}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	cheeers_cues_notes	
	SourceTable:	thome_visit_notes	
	UnicodeCompression:	True	
cheeers_holding_notes		Memo	-
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	GUID:	{guid {7FF4BEAA-9811-4CB0-B42E-5045D35210E0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	cheeers_holding_notes	
	SourceTable:	thome_visit_notes	
	UnicodeCompression:	True	
cheeers_expression_notes		Memo	-
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	GUID:	{guid {47B1B3C4-8642-4275-B396-F734BE6D9A2E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	cheeers_expression_notes	
	SourceTable:	thome_visit_notes	
	UnicodeCompression:	True	
cheeers_empathy_notes		Memo	-
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

	ColumnWidth:	Default	
	DataUpdatable:	False	
	GUID:	{guid {2B444538-2BA3-4F91-8DBF-F19EB4FE5521}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	cheeers_empathy_notes	
	SourceTable:	thome_visit_notes	
	UnicodeCompression:	True	
cheeers_environment_notes		Memo	-
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	GUID:	{guid {7B229EDA-189F-4B58-808E-180C06DE0A23}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	cheeers_environment_notes	
	SourceTable:	thome_visit_notes	
	UnicodeCompression:	True	
cheeers_rhythmicity_notes		Memo	-
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	GUID:	{guid {57E9C8E0-2785-42DA-B359-AA43F3D385EC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	cheeers_rhythmicity_notes	
	SourceTable:	thome_visit_notes	
	UnicodeCompression:	True	
cheeers_smiles_notes		Memo	-
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

DataUpdatable: False
GUID: {guid {358DCDD0-4B9E-47F7-89D1-A3E6337F9B18}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 11
Required: False
SourceField: cheeers_smiles_notes
SourceTable: thome_visit_notes
UnicodeCompression: True

interaction_3_text Memo -
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS7.3- Promote positive parenting skills
GUID: {guid {93BE691C-002A-437B-888B-57F395DB0252}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
SourceField: interaction_3_text
SourceTable: thome_visit_notes
UnicodeCompression: False

interaction_4_text Memo -
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS7.3- Provide information on activities designed to promote bonding & positive parent-child interaction
GUID: {guid {B9229907-58EC-4114-BCBC-44B6B49513BE}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: interaction_4_text
SourceTable: thome_visit_notes
UnicodeCompression: False

interaction_other_text Memo -
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	parent/child interaction - other specify
GUID:	{guid {E562B59D-1505-41F1-957C-97D371BE4E44}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	14
Required:	False
SourceField:	interaction_other_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

interaction_cheeers_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS7.3
GUID:	{guid {85D181A1-F568-41FC-B24E-0EAA015BA282}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	15
Required:	False
SourceField:	interaction_cheeers_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

interaction_fun_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS7.3
GUID:	{guid {1FFA3644-61C5-48BD-833C-D18DEE6F0E6A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	16
Required:	False
SourceField:	interaction_fun_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

interaction_activities_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS7.3
GUID:	{guid {E850C693-732A-42BF-B31F-73F1335B3C21}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	17
Required:	False
SourceField:	interaction_activities_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

child_development_1_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS7.3
GUID:	{guid {34E98234-ED30-4932-89E3-D8FBCF51FCE8}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	18
Required:	False
SourceField:	child_development_1_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

child_development_2_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS7.3
GUID:	{guid {2C7C5AAF-967F-44D4-9C0E-4E481C61AEFD}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	19
Required:	False
SourceField:	child_development_2_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

child_development_3_text Memo -

AllowZeroLength:	False

AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS7.3
GUID:	{guid {B4145D9C-6033-4076-9EE1-9770A3FD2411}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	20
Required:	False
SourceField:	child_development_3_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

child_development_4_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS7.3
GUID:	{guid {7BF7041D-12F1-4E07-9BBD-1107335E357C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	21
Required:	False
SourceField:	child_development_4_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

child_development_emotional_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS7.3
GUID:	{guid {9263A97C-C9DA-45ED-9FA7-1376526046CA}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	22
Required:	False
SourceField:	child_development_emotional_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

child_development_teachable_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS7.3
GUID:	{guid {A1B55D61-C894-4297-9646-10798373B9DF}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	23
Required:	False
SourceField:	child_development_teachable_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

child_development_other_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	child development - other specify
GUID:	{guid {664DEF69-D711-48F2-AAD6-8411B7ACD202}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	24
Required:	False
SourceField:	child_development_other_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

child_development_activities_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS7.3
GUID:	{guid {BF42B140-39E9-4321-802D-3D9B77B13BAA}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	25
Required:	False
SourceField:	child_development_activities_text
SourceTable:	thome_visit_notes

UnicodeCompression: False

safety_activities_text Memo -
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 7.3
GUID: {guid {14CA87A4-442B-488F-B3DC-71C419517A79}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 26
Required: False
SourceField: safety_activities_text
SourceTable: thome_visit_notes
UnicodeCompression: False

fgp_progress_text Memo -
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 7.3
GUID: {guid {61FA5289-7E91-46E5-9659-4B6E22F498CE}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 27
Required: False
SourceField: fgp_progress_text
SourceTable: thome_visit_notes
UnicodeCompression: False

fgp_narrative_text Memo -
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 7.3
GUID: {guid {FEC341B8-4920-469B-8A5A-45BC54E47F92}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 28
Required: False

SourceField:	fgp_narrative_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

health_care_6_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {ACC065FB-6B2C-49F2-94D7-79CC98ED2159}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	29
Required:	False
SourceField:	health_care_6_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

health_care_7_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {AA987896-6DBB-4730-B499-92BBFDE84335}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	30
Required:	False
SourceField:	health_care_7_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

health_care_8_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {A1ED8C4F-5490-41CA-8E40-0E934A8FDF77}}
IMEMode:	0
IMESentenceMode:	3

OrdinalPosition:	31
Required:	False
SourceField:	health_care_8_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

health_care_prenatal_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {09596374-21BB-4F11-B712-9B94DEDF889C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	32
Required:	False
SourceField:	health_care_prenatal_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

health_care_mental_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {875322B2-A379-4F25-8E6C-7907AC023EC1}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	33
Required:	False
SourceField:	health_care_mental_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

health_care_preg_spacing_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {2856FCFC-43D5-46E3-B867-04344A3B06E9}}

IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 34
Required: False
SourceField: health_care_preg_spacing_text
SourceTable: thome_visit_notes
UnicodeCompression: False

health_care_dental_text Memo -
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 7.3
GUID: {guid {9CCA54CB-B214-40A5-80B1-A68935E86EC8}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 35
Required: False
SourceField: health_care_dental_text
SourceTable: thome_visit_notes
UnicodeCompression: False

health_care_fss_other_text Memo -
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: PIMS 7.3
GUID: {guid {4F4D5571-993B-47A1-BB5F-2E3993AB41F1}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 36
Required: False
SourceField: health_care_fss_other_text
SourceTable: thome_visit_notes
UnicodeCompression: False

health_care_activities_text Memo -
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False

Description:	PIMS 7.3
GUID:	{guid {0B4B9627-4A56-46D4-BD19-0ABD7C13F7DD}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	37
Required:	False
SourceField:	health_care_activities_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

environmental_needs_1_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {0BE05A97-D9DE-4C32-8BEE-BEB254B569D4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	38
Required:	False
SourceField:	environmental_needs_1_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

environmental_needs_2_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {3873091F-C63F-4A95-A09C-05114F79F378}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	39
Required:	False
SourceField:	environmental_needs_2_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

environmental_needs_3_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default

ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {7774A1CA-B1E7-45C4-BDE6-09A2C1414355}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	40
Required:	False
SourceField:	environmental_needs_3_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

environmental_needs_4_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {36457C5D-0D3B-4494-9BC5-CE5442B6E33A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	41
Required:	False
SourceField:	environmental_needs_4_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

environmental_needs_5_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {82CB1FDE-B863-4348-A5B1-356EC3F3B368}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	42
Required:	False
SourceField:	environmental_needs_5_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

environmental_needs_6_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General

	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 7.3	
	GUID:	{guid {E467EFFC-5C27-4FE0-BD73-AE3FFBA4C9D0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	43	
	Required:	False	
	SourceField:	environmental_needs_6_text	
	SourceTable:	thome_visit_notes	
	UnicodeCompression:	False	
environmental_needs_7_text		Memo	-
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 7.3	
	GUID:	{guid {1DB3BBD1-7804-4DCA-A75A-C25A997EBFC1}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	44	
	Required:	False	
	SourceField:	environmental_needs_7_text	
	SourceTable:	thome_visit_notes	
	UnicodeCompression:	False	
environmental_needs_8_text		Memo	-
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 7.3	
	GUID:	{guid {B01CF646-E02D-4F67-B4EE-33BB9A9BBEA3}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	45	
	Required:	False	
	SourceField:	environmental_needs_8_text	
	SourceTable:	thome_visit_notes	
	UnicodeCompression:	False	
environmental_needs_other_text		Memo	-
	AllowZeroLength:	False	
	AppendOnly:	False	

Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	environmental needs - other specify
GUID:	{guid {4A31E5EF-56D8-4ADA-8B51-50638DF89101}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	46
Required:	False
SourceField:	environmental_needs_other_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

family_functioning_2_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {A618BC4D-3269-415A-A26E-8DC84B7CEAB8}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	47
Required:	False
SourceField:	family_functioning_2_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

family_functioning_3_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {7B97ED34-5152-4CB2-8358-5D7CE003EB88}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	48
Required:	False
SourceField:	family_functioning_3_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

family_functioning_other_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	family functionning - other specify
GUID:	{guid {2F01DDC3-4058-4C6E-B522-5712BC959FDF}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	49
Required:	False
SourceField:	family_functioning_other_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

family_functioning_assessment_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {886534F6-A78F-41D7-9B83-8B9FED9144DD}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	50
Required:	False
SourceField:	family_functioning_assessment_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

family_functioning_mental_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {7220E2DF-6734-4BF9-9AD4-73C0439EC63B}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	51
Required:	False
SourceField:	family_functioning_mental_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

family_functioning_developmental_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {72FB904A-DAE0-4A2F-A0BC-DF5992001B68}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	52
Required:	False
SourceField:	family_functioning_developmental_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

admin_issues_level_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {385E6E1D-4FD4-47F8-A847-701D56913B46}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	53
Required:	False
SourceField:	admin_issues_level_text
SourceTable:	thome_visit_notes
UnicodeCompression:	False

admin_issues_outcome_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {D7C103B4-81A2-466A-A646-3327F15B56E5}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	54
Required:	False
SourceField:	admin_issues_outcome_text
SourceTable:	thome_visit_notes

UnicodeCompression:	False

home_visit_plan_text Memo -

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3
GUID:	{guid {22AC18AF-EC88-40A4-82D8-B67E5CDE2E71}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	55
Required:	False
SourceField:	home_visit_plan_text
SourceTable:	thome_visit_notes
UnicodeCompression:	True

home_visit_notes_text Memo -

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 7.3 expanded to memo field
GUID:	{guid {94C11BC8-89C7-4465-842D-00A11452C58C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	56
Required:	False
SourceField:	home_visit_notes_text
SourceTable:	thome_visit_notes
UnicodeCompression:	True

Relationships

thome_visit_datathome_visit_notes



Attributes:	Unique, Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-One

Table Indexes

Name	Number of Fields
{1BC89226-5726-4C81-B0DB-8DFEBFE79C	2
Clustered:	False
DistinctCount:	1240
Foreign:	True
IgnoreNulls:	False
Name:	{1BC89226-5726-4C81-B0DB-8DFEBFE79C44}
Primary:	False
Required:	False
Unique:	True
Fields:	
person_id	Ascending
home_visit_date	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	1240
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
home_visit_date	Ascending
person_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:22 AM	DefaultView:	2
LastUpdated:	7/22/2016 11:07:48 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	0	Updatable:	True

Columns

Name	Type	Size
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {FDBBBF1B-324B-4E31-9A8D-3A812C88F761}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	person_id	
SourceTable:	tIFSP_data	
dateDue	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
GUID:	{guid {144B335C-0ECE-463C-8F48-1E34D2D99609}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
SourceField:	dateDue	
SourceTable:	tIFSP_data	
dateCompleted	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	

	DataUpdatable:	False	
	GUID:	{guid {5C8CAE66-DAF1-4AAB-B717-11AF2FC07074}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	dateCompleted	
	SourceTable:	tIFSP_data	
numGoalsSet		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {FD39960B-A5E4-4095-9AD8-F4CBD3FBC3D2}}	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	numGoalsSet	
	SourceTable:	tIFSP_data	
numGoalsAchievedLast		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {7A5BF397-EE7D-4FB2-90BC-3D7B024BE035}}	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	numGoalsAchievedLast	
	SourceTable:	tIFSP_data	
site_id		Text	5
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {3A4F7547-CDAC-4B24-BED5-6F0B9ED1E0D2}}	
	IMEMode:	0	

IMESentenceMode: 3
OrdinalPosition: 5
Required: False
SourceField: site_id
SourceTable: tIFSP_data
UnicodeCompression: False

participant_id Text 15
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {8955D1E9-9005-4BF4-8857-4FFB4960B0C8}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 6
Required: False
SourceField: participant_id
SourceTable: tIFSP_data
UnicodeCompression: False

created_timestamp Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: General Date
GUID: {guid {EFA4F4BD-3C79-4BD1-869D-0A302B89CC89}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 7
Required: False
SourceField: created_timestamp
SourceTable: tIFSP_data

created_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {26E9BD66-0EFC-43F0-A978-A9651A8B5A6B}}

	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tIFSP_data	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {1B53D3B2-61AF-42EA-9329-33D77F93FFDF}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	tIFSP_data	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {57191E90-21B8-4682-9662-56275222787B}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	tIFSP_data	
	UnicodeCompression:	True	
reviewed_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	

GUID:	{guid {BEA1F882-0CD2-4165-9307-D1556674B64A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
SourceField:	reviewed_timestamp
SourceTable:	tIFSP_data

reviewed_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {651A7180-765F-4CC0-8F18-073B9177BCB6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	12
Required:	False
SourceField:	reviewed_user
SourceTable:	tIFSP_data
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
numGoalsAchievedLast	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	numGoalsAchievedLast
Primary:	False
Required:	False
Unique:	False
Fields:	
numGoalsAchievedLast	Ascending
numGoalsSet	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	numGoalsSet
Primary:	False
Required:	False
Unique:	False
Fields:	
numGoalsSet	Ascending
participant_id	1
Clustered:	False

	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	participant_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	participant_id	Ascending
PrimaryKey		2
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	dateDue	Ascending
	person_id	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:22 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	1502	Updatable:	True

Columns

Name	Type	Size
kid_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {6752A9C3-B361-4985-9F6A-108E62F68BFD}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	kid_id	
SourceTable:	timmunization_data	
immunization_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1710	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Immunization code	
DisplayControl:	Text Box	
GUID:	{guid {3F302E14-BCD6-45BC-861F-FE5F2E27975D}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	immunization_code	
SourceTable:	timmunization_data	
immunization_min_due_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

	ColumnWidth:	2475	
	DataUpdatable:	False	
	Description:	earliest date immunization can occur and still be on schedule	
	Format:	Short Date	
	GUID:	{guid {A5412580-FFDF-49CE-BF63-5F94702812C3}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	immunization_min_due_date	
	SourceTable:	timmunization_data	
immunization_max_due_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2520	
	DataUpdatable:	False	
	Description:	latest date immunization can occur and still be on schedule	
	Format:	Short Date	
	GUID:	{guid {796DC2B4-8910-4588-8B50-A15F23116E63}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	immunization_max_due_date	
	SourceTable:	timmunization_data	
immunization_received_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2505	
	DataUpdatable:	False	
	Description:	date immunization received	
	Format:	Short Date	
	GUID:	{guid {5D1D9984-E422-44E7-938B-F5DED59764F6}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	immunization_received_date	
	SourceTable:	timmunization_data	
medically_advised_due_date		Date/Time	8
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	Short Date	
	GUID:	{guid {06D0403C-68E1-446F-A392-2D8BDA81A7DC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	medically_advised_due_date	
	SourceTable:	timmunization_data	
skipped_on_medical_advice		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {1D657C63-F5BA-4FF7-ABC5-48655932E5E0}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	skipped_on_medical_advice	
	SourceTable:	timmunization_data	
immunization_skipped_reason_code		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {EB7876C1-C2EC-4F89-91B8-A1C5F8B1F10A}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	7	
	Required:	False	

	RowSource:	timmunization_lkup_reason_skipped	
	RowSourceType:	Table/Query	
	SourceField:	immunization_skipped_reason_code	
	SourceTable:	timmunization_data	
immunization_skipped_reason_other_text		Text	50
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {77A83406-7AD0-4C32-BEB2-F114548F281A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	immunization_skipped_reason_other_text	
	SourceTable:	timmunization_data	
	UnicodeCompression:	True	
site_id		Text	5
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	690	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	
	DisplayControl:	Text Box	
	GUID:	{guid {BC02C5BE-0D61-4A52-9D77-911B10530C4E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	site_id	
	SourceTable:	timmunization_data	
	UnicodeCompression:	False	
participant_id		Text	15
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1260	
	DataUpdatable:	False	
	Description:	In combination with Site ID provides a unique identifier for the individual participant	

DisplayControl:	Text Box
GUID:	{guid {56596179-EE6C-4D8E-A81F-784F55DF3FB8}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	10
Required:	False
SourceField:	participant_id
SourceTable:	timmunization_data
UnicodeCompression:	False

pregnancy_id Text 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1425
DataUpdatable:	False
Description:	In combination with participant ID provides a unique identifier of the pregnancy, with A the first, B the second...
DisplayControl:	Text Box
GUID:	{guid {2FB9E2C4-E733-4DD7-8F91-C4AEAB01B158}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
SourceField:	pregnancy_id
SourceTable:	timmunization_data
UnicodeCompression:	False

child_id Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	765
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	In combination with participant and pregnancy IDs provides a unique identifier of the child, with 0 for single birth, 1 for first, 2 for second
DisplayControl:	Text Box
GUID:	{guid {DF455A74-70EB-4A3D-BA25-9550758CCE53}}
OrdinalPosition:	12
Required:	False
SourceField:	child_id
SourceTable:	timmunization_data

isRequiredForThisKid Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	whether this immunization is required for this child (replaces immun. delete function)
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {0C74F544-6C79-42A5-AD01-6D766FC5B6AA}}
OrdinalPosition:	13
Required:	False
SourceField:	isRequiredForThisKid
SourceTable:	timmunization_data

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {578ED393-7DB9-4DE7-B4F5-74ADBFC0B34F}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	14
Required:	False
SourceField:	created_timestamp
SourceTable:	timmunization_data

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {F0BDE8A6-ADC7-444D-8708-F1FBC2EDDEA2}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	15
Required:	False
SourceField:	created_user
SourceTable:	timmunization_data
UnicodeCompression:	True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False

	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {AF02A27B-3C6B-42ED-A596-564528F36678}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	timmunization_data	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {FEBB56C6-A89D-4C87-A771-C8056F7EC43A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	timmunization_data	
	UnicodeCompression:	True	
reviewed_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {AADECBB5-4BA5-443F-9E91-DF42B213A853}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	reviewed_timestamp	
	SourceTable:	timmunization_data	
reviewed_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	

Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {94C662F2-6764-4639-A498-82E449437573}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	19
Required:	False
SourceField:	reviewed_user
SourceTable:	timmunization_data
UnicodeCompression:	True

Relationships

tbirth_datatimmunization_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{0B23CCF7-BA2A-4BEB-BC7D-ADB638FF6	1
Clustered:	False
DistinctCount:	61
Foreign:	True
IgnoreNulls:	False
Name:	{0B23CCF7-BA2A-4BEB-BC7D-ADB638FF6BB2}
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
child_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	child_id
Primary:	False
Required:	False
Unique:	False
Fields:	
child_id	Ascending

immunization_skipped_reason_code 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: immunization_skipped_reason_code
Primary: False
Required: False
Unique: False
Fields:
immunization_skipped_reason Ascending

kid_id 1
Clustered: False
DistinctCount: 61
Foreign: False
IgnoreNulls: False
Name: kid_id
Primary: False
Required: False
Unique: False
Fields:
kid_id Ascending

participant_id 1
Clustered: False
DistinctCount: 56
Foreign: False
IgnoreNulls: False
Name: participant_id
Primary: False
Required: False
Unique: False
Fields:
participant_id Ascending

pregnancy_id 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: pregnancy_id
Primary: False
Required: False
Unique: False
Fields:
pregnancy_id Ascending

PrimaryKey 2
Clustered: False
DistinctCount: 1502
Foreign: False
IgnoreNulls: False
Name: PrimaryKey
Primary: True
Required: True
Unique: True

	Fields:	
	kid_id	Ascending
	immunization_code	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:22 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:22 AM	NameMap:	Long binary data
OrderByOn:	True	Orientation:	Left-to-Right
RecordCount:	34	Updatable:	True

Columns

Name	Type	Size
date_effective	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	Default	
DataUpdatable:	False	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	date_effective	
SourceTable:	timmunization_lkup_immunizations	
immunization_code	Integer	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1710	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	internal code assigned to each immunization	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	immunization_code	
SourceTable:	timmunization_lkup_immunizations	
immunization_name	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1740	
DataUpdatable:	False	
Description:	immunization name	

DisplayControl: Text Box
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 2
Required: False
SourceField: immunization_name
SourceTable: timmunization_lkup_immunizations
UnicodeCompression: False

min_months_qty Double 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: 2
Description: earliest age immunization can occur and still be on schedule in months
DisplayControl: Text Box
Format: Standard
OrdinalPosition: 3
Required: False
SourceField: min_months_qty
SourceTable: timmunization_lkup_immunizations

max_months_qty Double 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: 2
Description: latest age immunization can occur and still be on schedule in months
DisplayControl: Text Box
Format: Standard
OrdinalPosition: 4
Required: False
SourceField: max_months_qty
SourceTable: timmunization_lkup_immunizations

isReported Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: 106

	Format:	Yes/No	
	OrdinalPosition:	5	
	Required:	True	
	SourceField:	isReported	
	SourceTable:	timmunization_lkup_immunizations	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2325	
	DataUpdatable:	False	
	Format:	General Date	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	timmunization_lkup_immunizations	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	timmunization_lkup_immunizations	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	

	SourceField:	modified_timestamp	
	SourceTable:	timmunization_lkup_immunizations	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	timmunization_lkup_immunizations	
	UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	34
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
immunization_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	

Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:22 AM	DefaultView:	2
GUID:	{guid {9740CECE-95AE-41B4-A668-C94A0B0C3CDE}}	LastUpdated:	6/13/2016 12:22:39 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	5
Updatable:	True		

Columns

Name	Type	Size
reason_skipped_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {09213C73-81EA-4BEA-A337-0FFE20F470F1}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	reason_skipped_code	
SourceTable:	timmunization_lkup_reason_skipped	
reason_skipped_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2595	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {EADF8405-4FC6-47D6-AFDD-1B821AD672CA}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	reason_skipped_text	
SourceTable:	timmunization_lkup_reason_skipped	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
reason_skipped_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:22 AM	DefaultView:	2
GUID:	{guid {00229CD0-ED5B-4D66-BB6D-09247F17247E}}	LastUpdated:	12/12/2016 5:22:00 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	25
Updatable:	True		

Columns

Name	Type	Size
standard_instrument_id	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	unique identifier for instrument id
DisplayControl:	Combo Box
GUID:	{guid {12E3A0A6-D690-48B1-8476-17E133C94F1B}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	0
Required:	False
RowSource:	SELECT toutcome_instrument_lkup_defs.standard_instrument_id, toutcome_instrument_lkup_defs.instrument_name_text FROM toutcome_instrument_lkup_defs;
RowSourceType:	Table/Query
SourceField:	standard_instrument_id
SourceTable:	tInstrumentsToCheckpoints

admin_time_point_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

ColumnWidths: 0;2880
DataUpdatable: False
DecimalPlaces: Auto
Description: schedule of administration time point
DisplayControl: Combo Box
GUID: {guid {2F29D70A-FF3B-49DC-BB7B-3E68B433D293}}
LimitToList: True
ListRows: 8
ListWidth: 0twip
OrdinalPosition: 1
Required: False
RowSource: toutcomeinstrumentadmin_lkup_timepoint
RowSourceType: Table/Query
SourceField: admin_time_point_code
SourceTable: tInstrumentsToCheckpoints

minScreensAtThisCheckpoint Long Integer 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
GUID: {guid {0F503769-5EC1-4934-953D-D2CED9EF3B9D}}
OrdinalPosition: 2
Required: True
SourceField: minScreensAtThisCheckpoint
SourceTable: tInstrumentsToCheckpoints
ValidationRule: >0
ValidationText: At least one screen screen must be completed at each checkpoint

created_timestamp Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1695
DataUpdatable: False
Format: General Date
GUID: {guid {8A16EBC0-E3DC-47F6-9440-E379EF5297A1}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
SourceField: created_timestamp
SourceTable: tInstrumentsToCheckpoints

modified_timestamp Date/Time 8
AllowZeroLength: False

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1755
DataUpdatable:	False
Format:	General Date
GUID:	{guid {E21957A3-9E6D-4A89-BA54-4FE84AB07DD6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	4
Required:	False
SourceField:	modified_timestamp
SourceTable:	tInstrumentsToCheckpoints

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	=CurrentUser()
DisplayControl:	Text Box
GUID:	{guid {22975A90-E651-434F-99BE-730D0BEEF060}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
SourceField:	created_user
SourceTable:	tInstrumentsToCheckpoints
UnicodeCompression:	True

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	=CurrentUser()
DisplayControl:	Text Box
GUID:	{guid {1C18FEEC-24BC-4305-8AAA-D79B2A71B4CC}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
SourceField:	modified_user
SourceTable:	tInstrumentsToCheckpoints
UnicodeCompression:	True

Relationships

toutcome_instrument_lkup_defstInstrumentsToCheckpoints



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
admin_time_point_code	1
Clustered:	False
DistinctCount:	11
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_time_point_code	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	25
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
standard_instrument_id	Ascending
admin_time_point_code	Ascending
toutcome_instrument_lkup_defstInstrumen	1
Clustered:	False
DistinctCount:	10
Foreign:	True
IgnoreNulls:	False
Name:	toutcome_instrument_lkup_defstInstrumentsToCheckpoints
Primary:	False
Required:	False
Unique:	False
Fields:	
standard_instrument_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:23 AM	DefaultView:	2
GUID:	{guid {16D0DF72-8763-4431-9F9F-94ED73EEF89E}}	LastUpdated:	5/30/2017 2:53:55 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	78
Updatable:	True		

Columns

Name	Type	Size
standard_instrument_id	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	unique identifier for instrument id
DisplayControl:	Combo Box
GUID:	{guid {24CB2276-8F4F-4642-B196-DC511F7ABC5F}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	0
Required:	False
RowSource:	SELECT toutcome_instrument_lkup_defs.standard_instrument_id, toutcome_instrument_lkup_defs.instrument_name_text FROM toutcome_instrument_lkup_defs;
RowSourceType:	Table/Query
SourceField:	standard_instrument_id
SourceTable:	tInstrumentsToTimepoints

admin_time_point_code	Integer	2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

ColumnWidths: 0;2880
DataUpdatable: False
DecimalPlaces: Auto
Description: schedule of administration time point
DisplayControl: Combo Box
GUID: {guid {6FCBFE94-4438-445E-BDB3-B55276C4C595}}
LimitToList: True
ListRows: 8
ListWidth: 0twip
OrdinalPosition: 1
Required: False
RowSource: toutcomeinstrumentadmin_lkup_timepoint
RowSourceType: Table/Query
SourceField: admin_time_point_code
SourceTable: tInstrumentsToTimepoints

cutoff_score Single 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: for all tools; for ASQ = Communication; for HOME = Responsivity
DisplayControl: Text Box
GUID: {guid {9117F9A5-0B6D-4854-B0DA-3657FBB2BA94}}
OrdinalPosition: 2
Required: False
SourceField: cutoff_score
SourceTable: tInstrumentsToTimepoints

cutoff_score2 Single 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: for ASQ = Gross Motor; for HOME = Acceptance
DisplayControl: Text Box
GUID: {guid {3DEC3EE2-DAD6-47FD-BC59-5D7E29E078D6}}
OrdinalPosition: 3
Required: False
SourceField: cutoff_score2
SourceTable: tInstrumentsToTimepoints

cutoff_score3 Single 4
AllowZeroLength: False
AppendOnly: False

	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	for ASQ = Fine Motor; for HOME = Organization	
	DisplayControl:	Text Box	
	GUID:	{guid {49ED4743-ECF4-490C-BE4E-2684ED35DD1A}}	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	cutoff_score3	
	SourceTable:	tInstrumentsToTimepoints	
cutoff_score4		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	for ASQ = Problem Solving; for HOME = Learning Materials	
	DisplayControl:	Text Box	
	GUID:	{guid {69554FA2-9E01-42DA-AFB8-BE56144CB5FD}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	cutoff_score4	
	SourceTable:	tInstrumentsToTimepoints	
cutoff_score5		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	for ASQ = Personal Social; for HOME = Involvement	
	DisplayControl:	Text Box	
	GUID:	{guid {080A22B2-855F-4504-9156-83BF43A5D156}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	cutoff_score5	
	SourceTable:	tInstrumentsToTimepoints	
cutoff_score6		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	

CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: for ASQ = Communication; for HOME = Variety
DisplayControl: Text Box
GUID: {guid {62B58024-6FC6-43F3-BA9E-469EADF5E4D6}}
OrdinalPosition: 7
Required: False
SourceField: cutoff_score6
SourceTable: tInstrumentsToTimepoints

cutoff_score7 Single 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: for ASQ = Gross Motor
DisplayControl: Text Box
GUID: {guid {613EAB38-1A95-492F-9869-796144D79BB3}}
OrdinalPosition: 8
Required: False
SourceField: cutoff_score7
SourceTable: tInstrumentsToTimepoints

cutoff_score8 Single 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: for ASQ = Fine Motor
DisplayControl: Text Box
GUID: {guid {F8949CB1-F25B-4151-9F68-A26DE14CA61E}}
OrdinalPosition: 9
Required: False
SourceField: cutoff_score8
SourceTable: tInstrumentsToTimepoints

cutoff_score9 Single 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General

ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: for ASQ = Problem Solving
DisplayControl: Text Box
GUID: {guid {BF4E8C3F-C9E1-4647-BA08-6E00A2056B6B}}
OrdinalPosition: 10
Required: False
SourceField: cutoff_score9
SourceTable: tInstrumentsToTimepoints

cutoff_score10 Single 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: for ASQ = Personal Social
DisplayControl: Text Box
GUID: {guid {BEFBCE23-38FA-4802-B08A-2A28309A8250}}
OrdinalPosition: 11
Required: False
SourceField: cutoff_score10
SourceTable: tInstrumentsToTimepoints

created_timestamp Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1695
DataUpdatable: False
Format: General Date
GUID: {guid {1B0F7625-B417-49E6-B04C-7BD2AF1A879B}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 12
Required: False
SourceField: created_timestamp
SourceTable: tInstrumentsToTimepoints

modified_timestamp Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False

	ColumnOrder:	Default	
	ColumnWidth:	1755	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {46CA7578-65F9-46A8-9C44-DAD774E83F14}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	tInstrumentsToTimepoints	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	=CurrentUser()	
	DisplayControl:	Text Box	
	GUID:	{guid {468FB8CB-A926-46DF-98C6-7A6829BD78EA}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tInstrumentsToTimepoints	
	UnicodeCompression:	True	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	=CurrentUser()	
	DisplayControl:	Text Box	
	GUID:	{guid {79CB2A16-9F56-4237-A791-0EF037FF9BB7}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	tInstrumentsToTimepoints	
	UnicodeCompression:	True	

Relationships

toutcome_instrument_lkup_defstInstrumentsToTimepoints



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
admin_time_point_code	1
Clustered:	False
DistinctCount:	24
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_time_point_code	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	78
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
standard_instrument_id	Ascending
admin_time_point_code	Ascending
toutcome_instrument_lkup_defstInstrumen	1
Clustered:	False
DistinctCount:	12
Foreign:	True
IgnoreNulls:	False
Name:	toutcome_instrument_lkup_defstInstrumentsToTimepoints
Primary:	False
Required:	False
Unique:	False
Fields:	
standard_instrument_id	Ascending

User Permissions

066

105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:23 AM	DefaultView:	2
GUID:	{guid {3381A543-CA31-4B6E-A57D-CF75138714EE}}	LastUpdated:	4/13/2018 12:28:57 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	72
Updatable:	True		

Columns

Name	Type	Size
person_id	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each person
DisplayControl:	Text Box
GUID:	{guid {15CF9327-046C-40C8-832D-3F9AB2B3CE3B}}
OrdinalPosition:	0
Required:	True
SourceField:	person_id
SourceTable:	tintake_data

participant_id	Text	15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	In combination with Site ID provides a unique identifier for the individual participant
DisplayControl:	Text Box
GUID:	{guid {FF08AD1C-C10F-4563-A46A-20234320F641}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	True
SourceField:	participant_id
SourceTable:	tintake_data
UnicodeCompression:	False
ValidationText:	participant id is required

intake_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	date "verbally" accepted Healthy Families America (HFA) services; no longer required in PIMS 7
Format:	Short Date
GUID:	{guid {71533713-7E14-4B01-A39E-56BF4E5208CC}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	True
SourceField:	intake_date
SourceTable:	tintake_data

agreement_signed_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	signed participant agreement form
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {96B3653B-ACD1-4849-A76B-0BDAC1B3552E}}
OrdinalPosition:	3
Required:	False
SourceField:	agreement_signed_flag
SourceTable:	tintake_data

agreement_signed_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	date participant agreement form signed
Format:	Short Date
GUID:	{guid {35AA35B8-6D56-4805-BBD0-628307D4DCBC}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	4
Required:	False
SourceField:	agreement_signed_date

SourceTable:	tintake_data		
confidentiality_signed_date		Date/Time	8
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
Description:	date rights & confidentiality form signed		
GUID:	{guid {903A33C1-B3D4-4E4E-819F-225426146D68}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	confidentiality_signed_date		
SourceTable:	tintake_data		
mother_first_time_parent_ynu		Byte	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	is the mother a first time parent		
DisplayControl:	Text Box		
GUID:	{guid {4FE18A9A-0B48-4FE1-9A43-0D43AE3AC3F7}}		
OrdinalPosition:	7		
Required:	False		
SourceField:	mother_first_time_parent_ynu		
SourceTable:	tintake_data		
mother_high_risk_pregnancy_ynu		Byte	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	is this a high risk pregnancy		
DisplayControl:	Text Box		
GUID:	{guid {FC3DC776-793A-480C-AA2E-6724E7450890}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	mother_high_risk_pregnancy_ynu		
SourceTable:	tintake_data		

mother_first_prenatal_care_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	1
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	what is the trimester of first pre-natal care
DisplayControl:	Combo Box
GUID:	{guid {9D89BBB6-17E7-4DE3-9CB9-353D1555C065}}
LimitToList:	False
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	9
Required:	False
RowSource:	tintake_lkup_first_prenatal_care
RowSourceType:	Table/Query
SourceField:	mother_first_prenatal_care_code
SourceTable:	tintake_data

participant_relationship_to_child_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	relationship of participant to target child
DisplayControl:	Text Box
GUID:	{guid {60AC5152-FDB3-44B7-A58E-AB999EDDD542}}
OrdinalPosition:	10
Required:	False
SourceField:	participant_relationship_to_child_code
SourceTable:	tintake_data

mother_father_married_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	is mother married to father of target child

DisplayControl:	Text Box
GUID:	{guid {4E2D346F-7737-4CCC-9B08-21701BFBE6C3}}
OrdinalPosition:	11
Required:	False
SourceField:	mother_father_married_ynu
SourceTable:	tintake_data

mother_father_living_together_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	is mother living with father of target child
DisplayControl:	Text Box
GUID:	{guid {89B16885-40DC-4974-93C9-9366D8C123B6}}
OrdinalPosition:	12
Required:	False
SourceField:	mother_father_living_together_ynu
SourceTable:	tintake_data

mother_partner_living_together_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	if not living with father of target child, is mother living with current partner
DisplayControl:	Text Box
GUID:	{guid {34D96413-0FF5-496D-8A85-3CFF31847AB2}}
OrdinalPosition:	13
Required:	False
SourceField:	mother_partner_living_together_ynu
SourceTable:	tintake_data

adults_in_home_count Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	number of other adults in home

	DisplayControl:	Text Box	
	GUID:	{guid {299331C0-B552-499E-B12A-4E48348B5761}}	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	adults_in_home_count	
	SourceTable:	tintake_data	
relationship_participant_spouse_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	relationship of other adults to participant - spouse	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {75422F10-5BD6-4CD5-8B20-25E586284EBF}}	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	relationship_participant_spouse_flag	
	SourceTable:	tintake_data	
relationship_participant_partner_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	relationship of other adults to participant - current partner	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {16CBBE63-1073-4FA2-9F8B-53D92621A9BF}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	relationship_participant_partner_flag	
	SourceTable:	tintake_data	
relationship_participant_mother_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	relationship of other adults to participant - mother	
	DisplayControl:	Text Box	
	Format:	Yes/No	

	GUID:	{guid {ADDB9E2B-7D03-4AAB-91DA-89A313B44AE2}}	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	relationship_participant_mother_flag	
	SourceTable:	tintake_data	
relationship_participant_father_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	relationship of other adults to participant - father	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {EB06F1C2-71BE-4930-93C2-42E46396EB2C}}	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	relationship_participant_father_flag	
	SourceTable:	tintake_data	
relationship_participant_grandmother_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	relationship of other adults to participant - grandmother	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {50126FF7-239E-4960-84B3-C5625C440068}}	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	relationship_participant_grandmother_flag	
	SourceTable:	tintake_data	
relationship_participant_grandfather_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	relationship of other adults to participant - grandfather	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {22627A33-A407-4A1E-95FE-F6CA995C2E99}}	

OrdinalPosition:	20
Required:	False
SourceField:	relationship_participant_grandfather_flag
SourceTable:	tintake_data

relationship_participant_siblings_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	relationship of other adults to participant - siblings
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {7B02DE7D-22B4-45C2-988F-BAABD90E3B98}}
OrdinalPosition:	21
Required:	False
SourceField:	relationship_participant_siblings_flag
SourceTable:	tintake_data

relationship_participant_other_relatives_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	relationship of other adults to participant - other relatives
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {B80EA198-9F68-4851-B8B9-2CD8475F3A95}}
OrdinalPosition:	22
Required:	False
SourceField:	relationship_participant_other_relatives_flag
SourceTable:	tintake_data

relationship_participant_non_relatives_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	relationship of other adults to participant - other non-relatives
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {1C746D13-95A0-4A6C-890C-DA3E9D74E18A}}
OrdinalPosition:	23

	Required:	False	
	SourceField:	relationship_participant_non_relatives_flag	
	SourceTable:	tintake_data	
relationship_participant_unknown_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	relationship of other adults to participant - unknown	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {407744DB-1CB0-4794-A9A4-C9AD700378BF}}	
	OrdinalPosition:	24	
	Required:	False	
	SourceField:	relationship_participant_unknown_flag	
	SourceTable:	tintake_data	
other_children_in_home_count		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	number of other children in home	
	DisplayControl:	Text Box	
	GUID:	{guid {7E048417-7F0E-4A1B-B284-4A49693791EC}}	
	OrdinalPosition:	25	
	Required:	False	
	SourceField:	other_children_in_home_count	
	SourceTable:	tintake_data	
other_children_out_home_count		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	number of children outside home	
	DisplayControl:	Text Box	
	GUID:	{guid {2FB19A48-35DE-4971-A44D-34556A6435FC}}	
	OrdinalPosition:	26	
	Required:	False	

	SourceField:	other_children_out_home_count	
	SourceTable:	tintake_data	
other_children_out_home_residence_text		Memo	-
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	chidren outside of home memo field	
	GUID:	{guid {C6BC0E56-A048-47C8-96FA-0C49AE2F1C1D}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	27	
	Required:	False	
	SourceField:	other_children_out_home_residence_text	
	SourceTable:	tintake_data	
	UnicodeCompression:	False	
mother_cigarettes_48_hours_qty		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	NC MIECHV indicator	
	DisplayControl:	Text Box	
	GUID:	{guid {54632745-82A5-43F9-96A5-F5CC72898D12}}	
	OrdinalPosition:	28	
	Required:	False	
	SourceField:	mother_cigarettes_48_hours_qty	
	SourceTable:	tintake_data	
site_id		Text	5
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	
	DisplayControl:	Text Box	
	GUID:	{guid {0CA8235D-843B-4DF1-B6C2-BF7097FB5CBD}}	
	IMEMode:	0	
	IMESentenceMode:	3	

	OrdinalPosition:	29	
	Required:	False	
	SourceField:	site_id	
	SourceTable:	tintake_data	
	UnicodeCompression:	False	
assessment_id		Text	15
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Assessment ID	
	DisplayControl:	Text Box	
	GUID:	{guid {D1E8B6F9-3885-46DC-BF8C-3AED4C3BB37C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	30	
	Required:	False	
	SourceField:	assessment_id	
	SourceTable:	tintake_data	
	UnicodeCompression:	False	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {008DC465-71FE-4147-9A08-601CBCCC4ED9}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	31	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	tintake_data	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {9B0DC6E7-02AA-4A02-9D63-556349CAB153}}	

	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	32	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tintake_data	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {0052260B-5C0A-4E23-8ECB-9500C486F7C0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	33	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	tintake_data	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {8F9C77AA-42E3-4951-AEA6-9657FB2ED722}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	34	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	tintake_data	
	UnicodeCompression:	True	
reviewed_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	

GUID:	{guid {87332447-7F08-41F3-B0A7-62152584016D}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	35
Required:	False
SourceField:	reviewed_timestamp
SourceTable:	tintake_data

reviewed_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {0154E2C0-6CB3-42F3-A957-BDC990DE8B05}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	36
Required:	False
SourceField:	reviewed_user
SourceTable:	tintake_data
UnicodeCompression:	True

Relationships

tintake_lkup_relationship_to_childtintake_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

tintake_datatintake_data_other_children



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tintake_lkup_first_prenatal_caretintake_data



Attributes: Enforced, Cascade Updates
RelationshipType: One-To-Many

tpeople_datatintake_data



Attributes: Unique, Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-One

Table Indexes

Name	Number of Fields
{4DF1E070-9D36-4528-861C-5E4EA08504	1
Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	{4DF1E070-9D36-4528-861C-5E4EA08504E1}
Primary:	False
Required:	False
Unique:	False
Fields:	
participant_relationship_to_ch	Ascending
{D4D5F366-18BB-4CE2-BEA1-1C81D80E9	1
Clustered:	False
DistinctCount:	4
Foreign:	True
IgnoreNulls:	False
Name:	{D4D5F366-18BB-4CE2-BEA1-1C81D80E97EF}
Primary:	False
Required:	False
Unique:	False
Fields:	
mother_first_prenatal_care_c	Ascending
{EB8476D2-B758-492E-B0FD-82779C0305	1
Clustered:	False
DistinctCount:	72
Foreign:	True
IgnoreNulls:	False
Name:	{EB8476D2-B758-492E-B0FD-82779C030519}
Primary:	False

	Required:	False
	Unique:	True
	Fields:	
	person_id	Ascending
assessment_id		1
	Clustered:	False
	DistinctCount:	68
	Foreign:	False
	IgnoreNulls:	False
	Name:	assessment_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	assessment_id	Ascending
mother_first_prenatal_care_code		1
	Clustered:	False
	DistinctCount:	4
	Foreign:	False
	IgnoreNulls:	False
	Name:	mother_first_prenatal_care_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	mother_first_prenatal_care_c	Ascending
participant_id		1
	Clustered:	False
	DistinctCount:	72
	Foreign:	False
	IgnoreNulls:	False
	Name:	participant_id
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	participant_id	Ascending
participant_relationship_to_child_code		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	participant_relationship_to_child_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	participant_relationship_to_ch	Ascending
person_id		1
	Clustered:	False
	DistinctCount:	72
	Foreign:	False
	IgnoreNulls:	False

Name:	person_id
Primary:	False
Required:	False
Unique:	True
Fields:	
person_id	Ascending

PrimaryKey 1

Clustered:	False
DistinctCount:	72
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
person_id	Ascending

UniqueParticipantID 2

Clustered:	False
DistinctCount:	72
Foreign:	False
IgnoreNulls:	False
Name:	UniqueParticipantID
Primary:	False
Required:	False
Unique:	True
Fields:	
site_id	Ascending
participant_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:23 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {F19653D2-5986-426B-AD47-1B1C2F651941}}
HideNewField:	False	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	23	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
other_child_id	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size, Auto-Increment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
GUID:	{guid {EE684F05-2DC5-40E5-A3D9-A2F97231CC91}}
OrdinalPosition:	0
Required:	False
ResultType:	0
SourceField:	other_child_id
SourceTable:	tintake_data_other_children
TextAlign:	General

person_id	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each participant
DisplayControl:	Text Box
GUID:	{guid {D26C6D00-F196-4A25-A0D9-B154297009EC}}
OrdinalPosition:	1

	Required:	False	
	ResultType:	0	
	SourceField:	person_id	
	SourceTable:	tintake_data_other_children	
	TextAlign:	General	
other_child_name_last		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {BFE4816F-1C38-4918-BD7E-F638CEB51233}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	ResultType:	0	
	SourceField:	other_child_name_last	
	SourceTable:	tintake_data_other_children	
	TextAlign:	General	
	UnicodeCompression:	False	
other_child_name_first		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {AC7BA191-269D-4025-90AC-F522DA167470}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	ResultType:	0	
	SourceField:	other_child_name_first	
	SourceTable:	tintake_data_other_children	
	TextAlign:	General	
	UnicodeCompression:	False	
other_child_gender_text		Text	10
	AggregateType:	-1	
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {62759B37-7E81-4D58-B232-61B45A9B4FAC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	ResultType:	0	
	SourceField:	other_child_gender_text	
	SourceTable:	tintake_data_other_children	
	TextAlign:	General	
	UnicodeCompression:	False	
	ValidationRule:	In ("male","female")	
other_child_birth_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	Short Date	
	GUID:	{guid {942E639A-9608-4E52-81A6-8CDE497AA410}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	5	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	other_child_birth_date	
	SourceTable:	tintake_data_other_children	
	TextAlign:	General	
other_child_relationship_code		Byte	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	

	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {E06AAEFC-3FAD-4990-A8E2-DF9019E9C69C}}	
	OrdinalPosition:	6	
	Required:	False	
	ResultType:	0	
	SourceField:	other_child_relationship_code	
	SourceTable:	tintake_data_other_children	
	TextAlign:	General	
other_child_relationship_other_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {8B280985-4F59-4518-B19B-E8573391D9A6}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	7	
	Required:	False	
	ResultType:	0	
	SourceField:	other_child_relationship_other_text	
	SourceTable:	tintake_data_other_children	
	TextAlign:	General	
	UnicodeCompression:	False	
site_id		Text	5
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	
	DisplayControl:	Text Box	
	GUID:	{guid {4CC265A0-764A-416F-A5AC-F51F719E7324}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	True	
	ResultType:	0	
	SourceField:	site_id	

SourceTable:	tintake_data_other_children
TextAlign:	General
UnicodeCompression:	False

participant_id Text 15

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {3E09E409-F889-4451-AED0-A8D26C973102}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	True
ResultType:	0
SourceField:	participant_id
SourceTable:	tintake_data_other_children
TextAlign:	General
UnicodeCompression:	False

Relationships

tintake_lkup_other_children_relationshiptintake_data_other_children



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

tintake_datatintake_data_other_children



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields

{5DD8DCE3-6D6F-45E6-B76F-565E77FCE 1
Clustered: False
DistinctCount: 5
Foreign: True
IgnoreNulls: False
Name: {5DD8DCE3-6D6F-45E6-B76F-565E77FCED0C}
Primary: False
Required: False
Unique: False
Fields:
other_child_relationship_code Ascending
{76DA898C-93BA-4CC6-9FCA-DCB47FE8B 2
Clustered: False
DistinctCount: 15
Foreign: True
IgnoreNulls: False
Name: {76DA898C-93BA-4CC6-9FCA-DCB47FE8BFB5}
Primary: False
Required: False
Unique: False
Fields:
site_id Ascending
participant_id Ascending
other_child_relationship_code 1
Clustered: False
DistinctCount: 5
Foreign: False
IgnoreNulls: False
Name: other_child_relationship_code
Primary: False
Required: False
Unique: False
Fields:
other_child_relationship_code Ascending
participant_id 1
Clustered: False
DistinctCount: 15
Foreign: False
IgnoreNulls: False
Name: participant_id
Primary: False
Required: False
Unique: False
Fields:
participant_id Ascending
person_id 1
Clustered: False
DistinctCount: 15
Foreign: False
IgnoreNulls: False
Name: person_id
Primary: False
Required: False

	Unique:	False
	Fields:	
	person_id	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	23
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	other_child_id	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:23 AM	DefaultView:	2
GUID:	{guid {5C452505-C326-4825-8EFA-82FDA91B7549}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
Updatable:	True		

Columns

Name	Type	Size
first_prenatal_care_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2220
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {79542DE2-C61D-4046-BD63-5B438AB00781}}
OrdinalPosition:	0
Required:	False
SourceField:	first_prenatal_care_code
SourceTable:	tintake_lkup_first_prenatal_care

first_prenatal_care_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2340
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {0A595F47-347D-41F8-964D-6CAFC3FFA8FE}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	first_prenatal_care_desc
SourceTable:	tintake_lkup_first_prenatal_care
UnicodeCompression:	False

Relationships

tintake_lkup_first_prenatal_caretintake_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
first_prenatal_care_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:23 AM	DefaultView:	2
GUID:	{guid {6446CBE8-808F-4690-A086-41E37D91F102}}	LastUpdated:	6/13/2016 12:21:27 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	12
Updatable:	True		

Columns

Name	Type	Size
housing_type_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {7F41D47D-1A65-465F-975E-DCAA0E9335C7}}
OrdinalPosition:	0
Required:	False
SourceField:	housing_type_code
SourceTable:	tintake_lkup_housing

housing_type_text	Text	255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	4395
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {7ECB1CB9-62BC-4664-A435-923543B64310}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	housing_type_text
SourceTable:	tintake_lkup_housing
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
housing_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:23 AM	DefaultView:	2
GUID:	{guid {629D2419-1DF7-4BC7-92B0-FDF2FD1B50F6}}	LastUpdated:	6/13/2016 12:21:27 PM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	16
Updatable:	True		

Columns

Name	Type	Size
income_level_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	1
ColumnWidth:	2205
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {27B3C14B-99B6-4B19-8CFF-4CAD5FD38523}}
OrdinalPosition:	0
Required:	False
SourceField:	income_level_code
SourceTable:	tintake_lkup_income

income_level_desc	Text	255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	5145
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {77B3E007-19A4-484E-89B3-2E0AF71EF932}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	income_level_desc
SourceTable:	tintake_lkup_income
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	16
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
income_level_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:23 AM	DefaultView:	2
GUID:	{guid {4690963A-D144-4C3C-A69F-AC57EE25E33B}}	LastUpdated:	6/13/2016 12:21:27 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	5
Updatable:	True		

Columns

Name	Type	Size
income_source_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1905	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {D071121E-A686-41A0-83F3-35C4EB931469}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	income_source_code	
SourceTable:	tintake_lkup_income_source	
income_source_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1995	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {E04B86EE-7132-47DF-8E1E-43999A34196C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	income_source_desc	
SourceTable:	tintake_lkup_income_source	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
income_source_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:23 AM	DefaultView:	2
GUID:	{guid {2A81DD1C-2602-434A-883D-8EAE9C7BBC4F}}	LastUpdated:	6/13/2016 12:21:27 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	8
Updatable:	True		

Columns

Name	Type	Size
insurance_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {41FFBAD0-3CD7-4583-9070-56CAAD034B2E}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	insurance_code	
SourceTable:	tintake_lkup_insurance	
insurance_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3960	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {D7EF3FE6-222F-49AE-8108-DA589970A804}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	insurance_desc	
SourceTable:	tintake_lkup_insurance	
UnicodeCompression:	False	
isForChild	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {3F467243-4DDF-458B-8726-EAF93739D5D4}}
OrdinalPosition:	2
Required:	False
SourceField:	isForChild
SourceTable:	tintake_lkup_insurance

isForAdult Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {EE620E42-C2B1-4AB8-983C-3777411EEBFB}}
OrdinalPosition:	3
Required:	False
SourceField:	isForAdult
SourceTable:	tintake_lkup_insurance

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
insurance_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Pims Admin

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:23 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:23 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	0	Updatable:	True

Columns

Name	Type	Size
provider_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	provider_code	
SourceTable:	tintake_lkup_insurance_provider	
provider_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3960	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	provider_desc	
SourceTable:	tintake_lkup_insurance_provider	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
provider_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:24 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:24 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	8	Updatable:	True

Columns

Name	Type	Size
involvement_level_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	involvement_level_code	
SourceTable:	tintake_lkup_involvement_level	
involvement_level_code_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3375	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	involvement_level_code_desc	
SourceTable:	tintake_lkup_involvement_level	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
involvement_level_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:24 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	13	Updatable:	True

Columns

Name	Type	Size
other_child_relationship_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2655	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	other_child_relationship_code	
SourceTable:	tintake_lkup_other_children_relationship	
other_child_relationship_text	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2550	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	other_child_relationship_text	
SourceTable:	tintake_lkup_other_children_relationship	
UnicodeCompression:	False	

Relationships

tintake_lkup_other_children_relationshiptintake_data_other_children



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
other_child_relationship_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:24 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	9	Updatable:	True

Columns

Name	Type	Size
relationship_to_child_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2385	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	relationship_to_child_code	
SourceTable:	tintake_lkup_relationship_to_child	
relationship_to_child_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4365	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	relationship_to_child_desc	
SourceTable:	tintake_lkup_relationship_to_child	
UnicodeCompression:	False	

Relationships

tintake_lkup_relationship_to_childtintake_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
relationship_to_child_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:24 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	13	Updatable:	True

Columns

Name	Type	Size
relationship_to_participant_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2880	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	relationship_to_participant_code	
SourceTable:	tintake_lkup_relationship_to_participant	
relationship_to_participant_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4365	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	relationship_to_participant_desc	
SourceTable:	tintake_lkup_relationship_to_participant	
UnicodeCompression:	False	

Relationships

tintake_lkup_relationship_to_participanttparticipant_history



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
relationship_to_participant_co	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:24 AM	DefaultView:	2
LastUpdated:	6/13/2016 12:23:48 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	15	Updatable:	True

Columns

Name	Type	Size
education_level_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {22BEEDB6-FA11-4E84-A680-C5F6A6E09A49}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	education_level_code	
SourceTable:	tlkup_education	
education_level_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4635	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {EF38E3E2-F5AC-4CE0-981D-2A57F6CE9C02}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	education_level_desc	
SourceTable:	tlkup_education	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	15

Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
education_level_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:24 AM	DefaultView:	2
GUID:	{guid {42E172BD-CD34-4DF0-9015-8FD1171DB667}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	113
Updatable:	True		

Columns

Name	Type	Size
medical_visit_code	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	medical visit counter	
GUID:	{guid {30C11B5E-8199-41B8-AB1C-D5649BC6F860}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	medical_visit_code	
SourceTable:	tmedical_visit_data	
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {55DC2DA5-CFDE-41A6-B2C6-F90B50A15B1A}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	person_id	
SourceTable:	tmedical_visit_data	
child_name_last_text	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
Description:	child's last name
DisplayControl:	Text Box
GUID:	{guid {C51E7341-5E15-4406-9FC2-8E21EA0FF28C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
SourceField:	child_name_last_text
SourceTable:	tmedical_visit_data
UnicodeCompression:	False

child_name_first_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	child's first name
DisplayControl:	Text Box
GUID:	{guid {349C9D1A-3916-4987-875D-D681C7A16EA8}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	3
Required:	False
SourceField:	child_name_first_text
SourceTable:	tmedical_visit_data
UnicodeCompression:	False

medical_visit_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1680
DataUpdatable:	False
Description:	date of visit
Format:	Short Date
GUID:	{guid {D7E89F9E-52F5-4E10-A6D4-6F27D16DD4DD}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	4
Required:	False
SourceField:	medical_visit_date
SourceTable:	tmedical_visit_data

visit_target_code Byte 1

AllowZeroLength:	False

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1575	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	whose medical visit information is this	
	DisplayControl:	Text Box	
	GUID:	{guid {61495E0D-11C2-4525-9687-82CE68F3E49D}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	visit_target_code	
	SourceTable:	tmedical_visit_data	
visit_type_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	type of visit	
	DisplayControl:	Text Box	
	GUID:	{guid {E98D60C3-A1E5-4703-A89B-87F06E8CFF00}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	visit_type_code	
	SourceTable:	tmedical_visit_data	
visit_type_other_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	type of visit - other specify	
	DisplayControl:	Text Box	
	GUID:	{guid {0D1DBA20-22F9-43B7-8402-D1DDB1F271E7}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	visit_type_other_text	
	SourceTable:	tmedical_visit_data	
	UnicodeCompression:	False	
visit_reason_text		Memo	-

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	reason for visit
GUID:	{guid {5AC63311-333D-48A0-92A9-BCBFE659B28A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	8
Required:	False
SourceField:	visit_reason_text
SourceTable:	tmedical_visit_data
UnicodeCompression:	False

nights_hospitalized_count Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	if hospitalized, number of nights spent in the hospital
DisplayControl:	Text Box
GUID:	{guid {7D09C254-62B5-4F5A-A304-C46A7594B5DE}}
OrdinalPosition:	9
Required:	False
SourceField:	nights_hospitalized_count
SourceTable:	tmedical_visit_data

satisfy_well_baby_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	does this visit satisfy a well baby/child visit?
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {2224781F-742E-4859-B3BF-A9FA9123190E}}
OrdinalPosition:	10
Required:	False
SourceField:	satisfy_well_baby_flag
SourceTable:	tmedical_visit_data

satisfy_well_woman_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	does this visit satisfy a well woman visit?
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {5F29BFE2-B247-4DD3-BB9F-2A67028D7B52}}
OrdinalPosition:	11
Required:	False
SourceField:	satisfy_well_woman_flag
SourceTable:	tmedical_visit_data

satisfy_postpartum_checkup_flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	does this visit satisfy a postpartum checkup?
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {F18C70E8-F014-4C5D-A8C7-76B460489E52}}
OrdinalPosition:	12
Required:	False
SourceField:	satisfy_postpartum_checkup_flag
SourceTable:	tmedical_visit_data

child_injury_treatment_ynu Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Did this visit result in medical treatment for a child injury?
DisplayControl:	Combo Box
GUID:	{guid {864228EE-2D04-48A2-B99F-C78F9B777184}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip

	OrdinalPosition:	13	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	child_injury_treatment_ynu	
	SourceTable:	tmedical_visit_data	
site_id		Text	5
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	
	DisplayControl:	Text Box	
	GUID:	{guid {51F9AFD3-65E0-4ABC-85EC-55E27D8E1FC3}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	site_id	
	SourceTable:	tmedical_visit_data	
	UnicodeCompression:	False	
participant_id		Text	15
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	In combination with Site ID provides a unique identifier for the individual participant	
	DisplayControl:	Text Box	
	GUID:	{guid {F6472DF2-A055-4E02-8123-A080DD956382}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	participant_id	
	SourceTable:	tmedical_visit_data	
	UnicodeCompression:	False	
kid_id		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	

	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Unique identification code for child if that is the medical visit target	
	DisplayControl:	Text Box	
	GUID:	{guid {2AED2B43-7250-4463-94F6-ADB99E70BFB6}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	kid_id	
	SourceTable:	tmedical_visit_data	
pregnancy_id		Text	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	In combination with participant ID provides a unique identifier of the pregnancy, with A the first, B the second...	
	DisplayControl:	Text Box	
	GUID:	{guid {E122AFA7-E4B7-4F13-ABB2-17BFC8FD1C86}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	pregnancy_id	
	SourceTable:	tmedical_visit_data	
	UnicodeCompression:	False	
child_id		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	In combination with participant and pregnancy IDs provides a unique identifier of the child, with 0 for single birth, 1 for first, 2 for second	
	DisplayControl:	Text Box	
	GUID:	{guid {D0A00B5E-D5E5-498C-A8E8-FBCA6B9F2143}}	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	child_id	
	SourceTable:	tmedical_visit_data	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {FB51B1AA-BF0D-4673-B151-625BA2C5F524}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	tmedical_visit_data	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {B77CC6FA-A659-4CC6-88DE-7A180D58FE10}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tmedical_visit_data	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {CCCBE9B7-4BFF-4ABB-89D3-68805D3D6354}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	21	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	tmedical_visit_data	
modified_user		Text	20
	AllowZeroLength:	False	

AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {FFFB2FAD-CEA1-42A2-9819-4C236BE0606A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	22
Required:	False
SourceField:	modified_user
SourceTable:	tmedical_visit_data
UnicodeCompression:	True

reviewed_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {2858CA57-D49F-4505-9233-C6D0B81CD574}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	23
Required:	False
SourceField:	reviewed_timestamp
SourceTable:	tmedical_visit_data

reviewed_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {2A45B786-AB18-4004-A4EA-078143EEF04C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	24
Required:	False
SourceField:	reviewed_user
SourceTable:	tmedical_visit_data
UnicodeCompression:	True

Relationships

tpeople_datatmedical_visit_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{88F0DA83-22E3-4554-A518-FB889F0546	1
Clustered:	False
DistinctCount:	21
Foreign:	True
IgnoreNulls:	False
Name:	{88F0DA83-22E3-4554-A518-FB889F054699}
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
child_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	child_id
Primary:	False
Required:	False
Unique:	False
Fields:	
child_id	Ascending
kid_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	kid_id
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
participant_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	participant_id

Primary: False
Required: False
Unique: False
Fields:
participant_id Ascending
person_id 1
Clustered: False
DistinctCount: 21
Foreign: False
IgnoreNulls: False
Name: person_id
Primary: False
Required: False
Unique: False
Fields:
person_id Ascending
pregnancy_id 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: pregnancy_id
Primary: False
Required: False
Unique: False
Fields:
pregnancy_id Ascending
PrimaryKey 1
Clustered: False
DistinctCount: 113
Foreign: False
IgnoreNulls: False
Name: PrimaryKey
Primary: True
Required: True
Unique: True
Fields:
medical_visit_code Ascending
site_id 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: site_id
Primary: False
Required: False
Unique: False
Fields:
site_id Ascending
visit_target_code 1
Clustered: False
DistinctCount: 2
Foreign: False

	IgnoreNulls:	False
	Name:	visit_target_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	visit_target_code	Ascending
visit_type_code		1
	Clustered:	False
	DistinctCount:	6
	Foreign:	False
	IgnoreNulls:	False
	Name:	visit_type_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	visit_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:24 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:24 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
visit_target_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1575	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	visit_target_code	
SourceTable:	tmedical_visit_lkup_target	
visit_target_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1470	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	visit_target_text	
SourceTable:	tmedical_visit_lkup_target	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
visit_target_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:24 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:24 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
visit_type_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	visit_type_code	
SourceTable:	tmedical_visit_lkup_type	
visit_type_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1590	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	visit_type_text	
SourceTable:	tmedical_visit_lkup_type	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
visit_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:25 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	947	Updatable:	True

Columns

Name	Type	Size
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {29399F43-6E35-432B-BFC2-6A74A3824407}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	person_id	
SourceTable:	tmonthly_contact_data	
year_qty	Integer	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Year	
DisplayControl:	Text Box	
Format:	0000	
GUID:	{guid {DB54BF5D-F7EE-45B4-8E93-F8D88C40C7B6}}	
InputMask:	0000	
OrdinalPosition:	1	
Required:	False	
SourceField:	year_qty	
SourceTable:	tmonthly_contact_data	
month_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Month
DisplayControl:	Text Box
GUID:	{guid {E37795F8-FAC6-4084-B1E4-55CCFE3FBE78}}
OrdinalPosition:	2
Required:	False
SourceField:	month_code
SourceTable:	tmonthly_contact_data
ValidationRule:	Between 1 And 12 Or Is Null
ValidationText:	Month must be between 1 and 12

no_visit_start_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	No visit/contact between start date
Format:	Short Date
GUID:	{guid {D066925B-92F2-4490-8444-B44CD7DFEB6C}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	3
Required:	False
SourceField:	no_visit_start_date
SourceTable:	tmonthly_contact_data

no_visit_end_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	No visit/contact between end date
Format:	Short Date
GUID:	{guid {E1F4157B-2DBA-4763-A02E-977AFDAF2ADD}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	4
Required:	False
SourceField:	no_visit_end_date
SourceTable:	tmonthly_contact_data

no_visit_reason_text		Memo	-
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Reason for no visit/contact	
	GUID:	{guid {2C66AE47-F746-4B5E-B832-2E92CFF327C0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	no_visit_reason_text	
	SourceTable:	tmonthly_contact_data	
	UnicodeCompression:	False	
sheduled_home_visits_count		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Number of scheduled home visits	
	DisplayControl:	Text Box	
	GUID:	{guid {E40467D1-53DF-4AE9-9581-19CC0D2FFC17}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	sheduled_home_visits_count	
	SourceTable:	tmonthly_contact_data	
unsheduled_home_visits_count		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Number of unscheduled home visits	
	DisplayControl:	Text Box	
	GUID:	{guid {9ED81FDC-F819-4551-8CAB-A43A617ED038}}	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	unsheduled_home_visits_count	
	SourceTable:	tmonthly_contact_data	

attempted_sheduled_home_visits_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of attempted scheduled home visits
DisplayControl:	Text Box
GUID:	{guid {5AD266BF-2532-4BBA-A429-6CEF0EBF8BBE}}
OrdinalPosition:	8
Required:	False
SourceField:	attempted_sheduled_home_visits_count
SourceTable:	tmonthly_contact_data

attempted_unscheduled_home_visits_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of attempted unscheduled home visits
DisplayControl:	Text Box
GUID:	{guid {374F33C8-E9D0-49F0-A550-CB1B0420A78A}}
OrdinalPosition:	9
Required:	False
SourceField:	attempted_unscheduled_home_visits_count
SourceTable:	tmonthly_contact_data

canceled_by_fsw_home_visits_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of home visits cancelled by fsw
DisplayControl:	Text Box
GUID:	{guid {A23B8327-8D03-4520-808A-24D701EB577A}}
OrdinalPosition:	10
Required:	False
SourceField:	canceled_by_fsw_home_visits_count
SourceTable:	tmonthly_contact_data

canceled_by_participant_home_visits_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of home visits cancelled by participant
DisplayControl:	Text Box
GUID:	{guid {A8E240D4-3577-435C-B6B2-4B51EA6EA8FF}}
OrdinalPosition:	11
Required:	False
SourceField:	canceled_by_participant_home_visits_count
SourceTable:	tmonthly_contact_data

phone_calls_parent_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of phone calls with parent
DisplayControl:	Text Box
GUID:	{guid {C51CBE19-B957-4EF6-AC1C-D1FD831C2410}}
OrdinalPosition:	12
Required:	False
SourceField:	phone_calls_parent_count
SourceTable:	tmonthly_contact_data

attempted_phone_calls_parent_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of attempted phone calls with parent
DisplayControl:	Text Box
GUID:	{guid {65B9A1F5-5AFD-4C1B-8DA9-EA8DF8D46ED2}}
OrdinalPosition:	13
Required:	False
SourceField:	attempted_phone_calls_parent_count
SourceTable:	tmonthly_contact_data

episodes_of_tranport_count Byte 1

AllowZeroLength:	False

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of episodes of transportation
DisplayControl:	Text Box
GUID:	{guid {CF53104D-8C07-48E1-B219-06A445C97126}}
OrdinalPosition:	14
Required:	False
SourceField:	episodes_of_tranport_count
SourceTable:	tmonthly_contact_data

attempted_episodes_of_tranport_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of attempted episodes of transportation
DisplayControl:	Text Box
GUID:	{guid {25D04EF9-C883-4066-83A8-AF7EC8C48EDE}}
OrdinalPosition:	15
Required:	False
SourceField:	attempted_episodes_of_tranport_count
SourceTable:	tmonthly_contact_data

parent_education_group_meetings_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of parent education group meetings
DisplayControl:	Text Box
GUID:	{guid {3829133E-45F6-446D-B7EF-B90B40FB3406}}
OrdinalPosition:	16
Required:	False
SourceField:	parent_education_group_meetings_count
SourceTable:	tmonthly_contact_data

parent_support_group_meetings_count Byte 1

AllowZeroLength:	False
AppendOnly:	False

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of parent support group meetings
DisplayControl:	Text Box
GUID:	{guid {4981E088-2EAA-4EE2-AC3C-DE9104B47888}}
OrdinalPosition:	17
Required:	False
SourceField:	parent_support_group_meetings_count
SourceTable:	tmonthly_contact_data

collateral_contracts_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of collateral contacts
DisplayControl:	Text Box
GUID:	{guid {2A426AB1-CA85-42CF-8461-261F3927A3E2}}
OrdinalPosition:	18
Required:	False
SourceField:	collateral_contracts_count
SourceTable:	tmonthly_contact_data

crisis_visits_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	INACTIVE FIELD AS OF PIMS v5 Number of crisis visits
DisplayControl:	Text Box
GUID:	{guid {7ABDEDE5-EB73-4C90-831A-F1E8E4981F3C}}
OrdinalPosition:	19
Required:	False
SourceField:	crisis_visits_count
SourceTable:	tmonthly_contact_data

crisis_visits_home_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size

CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Number of crisis visits in the home		
DisplayControl:	Text Box		
GUID:	{guid {C5D7D66E-CDBA-4812-8D49-2C6A1AEC3388}}		
OrdinalPosition:	20		
Required:	False		
SourceField:	crisis_visits_home_count		
SourceTable:	tmonthly_contact_data		
crisis_visits_not_home_count		Byte	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Number of crisis visits outside the home		
DisplayControl:	Text Box		
GUID:	{guid {18D8EADF-1F4F-48EE-8128-33E72674FCD3}}		
OrdinalPosition:	21		
Required:	False		
SourceField:	crisis_visits_not_home_count		
SourceTable:	tmonthly_contact_data		
medical_visits_count		Byte	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	Number of medical visits		
DisplayControl:	Text Box		
GUID:	{guid {572764C3-2914-4576-99D5-78F5B4F07E62}}		
OrdinalPosition:	22		
Required:	False		
SourceField:	medical_visits_count		
SourceTable:	tmonthly_contact_data		
socializations_count		Byte	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of socializations outside the home
DisplayControl:	Text Box
GUID:	{guid {F547F514-A7A2-4110-B08A-7F584D306506}}
OrdinalPosition:	23
Required:	False
SourceField:	socializations_count
SourceTable:	tmonthly_contact_data

letters_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number of letters
DisplayControl:	Text Box
GUID:	{guid {4CD2453E-6B94-4C11-B63A-FA18919C7C10}}
OrdinalPosition:	24
Required:	False
SourceField:	letters_count
SourceTable:	tmonthly_contact_data

electronic_comm_count Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Number ofelectronic communication-days- count 1 each for email, text, or social networking each day
DisplayControl:	Text Box
GUID:	{guid {2D7FFDCD-AEDD-4B56-B2BB-3A6C3CF16532}}
OrdinalPosition:	25
Required:	False
SourceField:	electronic_comm_count
SourceTable:	tmonthly_contact_data

notes Text 255

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General

	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	freeform notes field	
	DisplayControl:	Text Box	
	GUID:	{guid {B9892368-CDFF-46DC-BFBD-E08765308F22}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	26	
	Required:	False	
	SourceField:	notes	
	SourceTable:	tmonthly_contact_data	
	UnicodeCompression:	True	
site_id		Text	5
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	
	DisplayControl:	Text Box	
	GUID:	{guid {8795E215-9170-4569-BC43-8F9F41004D0A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	27	
	Required:	False	
	SourceField:	site_id	
	SourceTable:	tmonthly_contact_data	
	UnicodeCompression:	False	
participant_id		Text	15
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	In combination with Site ID provides a unique identifier for the individual participant	
	DisplayControl:	Text Box	
	GUID:	{guid {D9254AD7-3C71-4B0D-B248-33D7D1CEC427}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	28	
	Required:	False	
	SourceField:	participant_id	
	SourceTable:	tmonthly_contact_data	
	UnicodeCompression:	False	

	ValidationText:	participant id is required	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {87631D7F-F853-45C9-88CA-CFEF76A8D8F4}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	29	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	tmonthly_contact_data	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {44ACE42F-9A99-4738-AE2C-7D3EF190D1DA}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	30	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tmonthly_contact_data	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {5F5B4EDD-9DE0-4720-8A41-308B973838B2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	31	
	Required:	False	
	SourceField:	modified_timestamp	

SourceTable: tmonthly_contact_data

modified_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {402EFFB2-B7BB-41BC-AB34-95ACF414EAB1}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 32
Required: False
SourceField: modified_user
SourceTable: tmonthly_contact_data
UnicodeCompression: True

reviewed_timestamp Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: General Date
GUID: {guid {387B38D1-1C6C-49FD-9677-723600AA2BF6}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 33
Required: False
SourceField: reviewed_timestamp
SourceTable: tmonthly_contact_data

reviewed_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {0ADBB85F-108E-4698-BD40-EAAFCB49E88F}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 34
Required: False
SourceField: reviewed_user

SourceTable: tmonthly_contact_data
UnicodeCompression: True

Relationships

tpeople_datatmonthly_contact_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
{F2ECB22C-FE1D-42DE-94EE-C856D69DE	1

Clustered: False
DistinctCount: 66
Foreign: True
IgnoreNulls: False
Name: {F2ECB22C-FE1D-42DE-94EE-C856D69DE233}
Primary: False
Required: False
Unique: False
Fields:
person_id Ascending

participant_id 1

Clustered: False
DistinctCount: 65
Foreign: False
IgnoreNulls: False
Name: participant_id
Primary: False
Required: False
Unique: False
Fields:
participant_id Ascending

person_id 1

Clustered: False
DistinctCount: 66
Foreign: False
IgnoreNulls: False
Name: person_id
Primary: False
Required: False
Unique: False
Fields:
person_id Ascending

PrimaryKey 3

Clustered: False

	DistinctCount:	947
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	person_id	Ascending
	year_qty	Ascending
	month_code	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:25 AM	DefaultView:	2
Description:	for ND MIECHV eval	FrozenColumns:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

Columns

Name	Type	Size
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1440	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {6B558479-8E13-4487-840D-F80D4E6CB07E}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	person_id	
SourceTable:	tND_assessment_data	
nd_assessment_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	date of ND supplemental assessment	
Format:	Short Date	
GUID:	{guid {88519DF8-682A-43F7-BE61-2215A4646FCB}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	99/99/00;0;_	
OrdinalPosition:	1	
Required:	False	
SourceField:	nd_assessment_date	
SourceTable:	tND_assessment_data	
ValidationRule:	<=Date() Or Is Null	
ValidationText:	Date must be prior to or equal to todays date	
nd_assessment_staff_id	Text	10
AllowZeroLength:	False	
AppendOnly:	False	

	Attributes:	Variable Length	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	Description:	staff person who made this measurement	
	DisplayControl:	Combo Box	
	GUID:	{guid {311A02F5-A0C5-480D-9E95-431F72EAC6F3}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	2	
	Required:	False	
	RowSource:	StaffInfo	
	RowSourceType:	Table/Query	
	SourceField:	nd_assessment_staff_id	
	SourceTable:	tND_assessment_data	
	UnicodeCompression:	False	
paperwork_submitted_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	Short Date	
	GUID:	{guid {8DA886F3-2ACB-4154-8CD8-7EFA8E0D4BEB}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	paperwork_submitted_date	
	SourceTable:	tND_assessment_data	
	ValidationRule:	<=Date()	
	ValidationText:	Date must be prior to or equal to todays date	
paperwork_reviewed_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

DataUpdatable:	False	
Format:	Short Date	
GUID:	{guid {F8809E72-D33F-49B5-BE45-8C30D3BEAC6E}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	99/99/00;0;_	
OrdinalPosition:	4	
Required:	False	
SourceField:	paperwork_reviewed_date	
SourceTable:	tND_assessment_data	
ValidationRule:	<=Date()	
ValidationText:	Date must be prior to or equal to todays date	
prams_preg_feeling_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	2	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
ColumnWidths:	0;2880	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Combo Box	
GUID:	{guid {0643CC52-387E-4E07-8D81-CE0EA1CF033E}}	
LimitToList:	True	
ListRows:	8	
ListWidth:	0twip	
OrdinalPosition:	5	
Required:	False	
RowSource:	tND_assessment_lkup_preg_feeling	
RowSourceType:	Table/Query	
SourceField:	prams_preg_feeling_code	
SourceTable:	tND_assessment_data	
prams_preg_intention_ynu	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	2	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
ColumnWidths:	0;2880	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	were you trying to get pregnant	
DisplayControl:	Combo Box	

	GUID:	{guid {1F20947B-A86C-49A3-BEFA-77A605D4B7AE}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	6	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	prams_preg_intention_ynu	
	SourceTable:	tND_assessment_data	
prams_preg_prevention_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	were you trying to avoid getting pregnant	
	DisplayControl:	Combo Box	
	GUID:	{guid {71368FA6-AED6-4533-9194-FF463C18F8AA}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	7	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	prams_preg_prevention_ynu	
	SourceTable:	tND_assessment_data	
prams_preg_partner_rsn_dontmind		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DisplayControl:	Combo Box	
	Format:	Yes/No	
	GUID:	{guid {FBCE362A-6FF9-4CDA-930E-E4CAEE2E0CA8}}	
	LimitToList:	True	

ListRows:	8
ListWidth:	0twip
OrdinalPosition:	8
Required:	False
RowSource:	tND_assessment_lkup_preg_partner_reason
RowSourceType:	Table/Query
SourceField:	prams_preg_partner_rsn_dontmind
SourceTable:	tND_assessment_data

prams_preg_partner_rsn_thoughtcouldnt Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DisplayControl:	Combo Box
Format:	Yes/No
GUID:	{guid {A6E8298A-A161-40E8-AD6D-53213DEF6454}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	9
Required:	False
RowSource:	tND_assessment_lkup_preg_partner_reason
RowSourceType:	Table/Query
SourceField:	prams_preg_partner_rsn_thoughtcouldnt
SourceTable:	tND_assessment_data

prams_preg_partner_rsn_bc_sideeffects Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DisplayControl:	Combo Box
Format:	Yes/No
GUID:	{guid {D36141CE-EFF3-45E1-A4DE-9B9414DECC92}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	10

	Required:	False	
	RowSource:	tND_assessment_lkup_preg_partner_reason	
	RowSourceType:	Table/Query	
	SourceField:	prams_preg_partner_rsn_bc_sideeffects	
	SourceTable:	tND_assessment_data	
prams_preg_partner_rsn_bc_acquire		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DisplayControl:	Combo Box	
	Format:	Yes/No	
	GUID:	{guid {1AD6E6F7-F360-4AA4-99F8-156FB584D40D}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	11	
	Required:	False	
	RowSource:	tND_assessment_lkup_preg_partner_reason	
	RowSourceType:	Table/Query	
	SourceField:	prams_preg_partner_rsn_bc_acquire	
	SourceTable:	tND_assessment_data	
prams_preg_partner_rsn_thoughtsterile		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DisplayControl:	Combo Box	
	Format:	Yes/No	
	GUID:	{guid {93A4C597-D7C2-41EF-AA7A-CDBDF64FAE18}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	12	
	Required:	False	
	RowSource:	tND_assessment_lkup_preg_partner_reason	
	RowSourceType:	Table/Query	

	SourceField:	prams_preg_partner_rsn_thoughtsterile	
	SourceTable:	tND_assessment_data	
prams_preg_partner_rsn_didntwant		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DisplayControl:	Combo Box	
	Format:	Yes/No	
	GUID:	{guid {1187CDEA-19E6-4C19-96F8-4720EDA3BD4B}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	13	
	Required:	False	
	RowSource:	tND_assessment_lkup_preg_partner_reason	
	RowSourceType:	Table/Query	
	SourceField:	prams_preg_partner_rsn_didntwant	
	SourceTable:	tND_assessment_data	
prams_preg_partner_rsn_other		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DisplayControl:	Combo Box	
	Format:	Yes/No	
	GUID:	{guid {2B963F13-837C-49FD-97D5-2D323D45F8EC}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	14	
	Required:	False	
	RowSource:	tND_assessment_lkup_preg_partner_reason	
	RowSourceType:	Table/Query	
	SourceField:	prams_preg_partner_rsn_other	
	SourceTable:	tND_assessment_data	

prams_preg_partner_rsn_other_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {EC53664D-3309-4DC5-87AE-B49273B83781}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
SourceField: prams_preg_partner_rsn_other_text
SourceTable: tND_assessment_data
UnicodeCompression: False

miechv_e_tobacco_participant_ynu Byte 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 2
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
ColumnWidths: 0;2880
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Combo Box
GUID: {guid {6277B88F-E56C-4189-A227-06498A356141}}
LimitToList: True
ListRows: 8
ListWidth: 0twip
OrdinalPosition: 16
Required: False
RowSource: tgeneral_lkup_yes_no_unknown
RowSourceType: Table/Query
SourceField: miechv_e_tobacco_participant_ynu
SourceTable: tND_assessment_data

miechv_e_tobacco_other_ynu Byte 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 2
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default

ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {863E99F1-5D90-401A-9E99-3DB564211A8D}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	17
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	miechv_e_tobacco_other_ynu
SourceTable:	tND_assessment_data

miechv_e_low_student_participant_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {383931A7-24F3-41E0-B540-3B2F283061C0}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	18
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	miechv_e_low_student_participant_ynu
SourceTable:	tND_assessment_data

miechv_e_low_student_child_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False

DecimalPlaces:	Auto	
DisplayControl:	Combo Box	
GUID:	{guid {5A0B4D20-27FD-4513-8E7E-8C62BBC0DEB4}}	
LimitToList:	True	
ListRows:	8	
ListWidth:	0twip	
OrdinalPosition:	19	
Required:	False	
RowSource:	tgeneral_lkup_yes_no_unknown	
RowSourceType:	Table/Query	
SourceField:	miechv_e_low_student_child_ynu	
SourceTable:	tND_assessment_data	
miechv_e_dev_delay_ynu	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	2	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
ColumnWidths:	0;2880	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Combo Box	
GUID:	{guid {E3489042-B60E-47AC-A5FA-8CC697E02478}}	
LimitToList:	True	
ListRows:	8	
ListWidth:	0twip	
OrdinalPosition:	20	
Required:	False	
RowSource:	tgeneral_lkup_yes_no_unknown	
RowSourceType:	Table/Query	
SourceField:	miechv_e_dev_delay_ynu	
SourceTable:	tND_assessment_data	
miechv_e_military_participant_ynu	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	2	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
ColumnWidths:	0;2880	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Combo Box	
GUID:	{guid {0D61CB64-9317-42F4-A24E-44EB39FCE81D}}	

	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	21	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	miechv_e_military_participant_ynu	
	SourceTable:	tND_assessment_data	
miechv_e_military_other_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {72CAC826-C259-46AF-92A2-01D9DA7E75FA}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	22	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	miechv_e_military_other_ynu	
	SourceTable:	tND_assessment_data	
participant_condition_alcohol_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {B1D81B4A-C0B2-4F2B-BE37-0659C19127FA}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	

	OrdinalPosition:	23	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	participant_condition_alcohol_ynu	
	SourceTable:	tND_assessment_data	
participant_condition_substance_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {74A62AD2-3845-43A1-9DC8-A10F4DB13B98}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	24	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	participant_condition_substance_ynu	
	SourceTable:	tND_assessment_data	
participant_condition_financial_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {07A37C35-7415-4C29-9748-9B0AF63D6BB3}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	25	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	

	RowSourceType:	Table/Query	
	SourceField:	participant_condition_financial_ynu	
	SourceTable:	tND_assessment_data	
participant_condition_social_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {F6D8365A-9923-43F2-B34E-6AB3BCEAC8D8}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	26	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	participant_condition_social_ynu	
	SourceTable:	tND_assessment_data	
participant_condition_mental_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {9DEFF3FA-1232-47C1-B18F-7C662038597C}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	27	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	participant_condition_mental_ynu	
	SourceTable:	tND_assessment_data	

participant_condition_dev_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {8BB8EDB0-47D6-43F9-9294-C14C97EDF160}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	28
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	participant_condition_dev_ynu
SourceTable:	tND_assessment_data

participant_condition_physical_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {87931F01-D569-4DF0-BFEF-5611C6BA833C}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	29
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	participant_condition_physical_ynu
SourceTable:	tND_assessment_data

participant_condition_criminal_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False

	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {BBA28919-82DB-4746-A876-F8F9F1EEF7B3}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	30	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	participant_condition_criminal_ynu	
	SourceTable:	tND_assessment_data	
participant_condition_abuse_phys_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {9F9F55CC-0CA8-434B-B443-056955DA13D6}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	31	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	participant_condition_abuse_phys_ynu	
	SourceTable:	tND_assessment_data	
participant_condition_abuse_sex_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	

ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {41F7E76D-0FF9-435B-B76E-E398E5CEF1BE}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	32
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	participant_condition_abuse_sex_ynu
SourceTable:	tND_assessment_data

participant_condition_unrealistic_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {0263A052-7C1A-4DBC-8AD2-5DD4FF943B0C}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	33
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	participant_condition_unrealistic_ynu
SourceTable:	tND_assessment_data

participant_condition_violence_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False

ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {6CDC1DA3-AC44-4B18-A0A3-D4B80B5C2E0D}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	34
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	participant_condition_violence_ynu
SourceTable:	tND_assessment_data

relationship_to_child_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	2
CollatingOrder:	General
ColumnCount:	1
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	relationship to target child
DisplayControl:	Combo Box
GUID:	{guid {E8BF38EA-77F4-4545-B347-6CB357499176}}
LimitToList:	False
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	35
Required:	False
RowSource:	tassessment_lkup_relationship_to_child
RowSourceType:	Table/Query
SourceField:	relationship_to_child_code
SourceTable:	tND_assessment_data

relationship_to_child_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	relationship to target child - other
DisplayControl:	Text Box

	GUID:	{guid {2DAE3ED5-21D1-4B84-9E9B-A89983A5845A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	36	
	Required:	False	
	SourceField:	relationship_to_child_other_text	
	SourceTable:	tND_assessment_data	
	UnicodeCompression:	False	
relation_condition_alcohol_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {069952FA-B958-49CB-8098-378A008CBF87}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	37	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	relation_condition_alcohol_ynu	
	SourceTable:	tND_assessment_data	
relation_condition_substance_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {ED06E715-1282-4B53-8801-F98AB83EE251}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	38	

	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	relation_condition_substance_ynu	
	SourceTable:	tND_assessment_data	
relation_condition_financial_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {F6F28DB1-6AED-40FF-A395-EC7D9059E6B1}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	39	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	relation_condition_financial_ynu	
	SourceTable:	tND_assessment_data	
relation_condition_social_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {7B92487C-F37D-44BE-B897-C08A46D0781A}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	40	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	

	SourceField:	relation_condition_social_ynu	
	SourceTable:	tND_assessment_data	
relation_condition_mental_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {3FEE683E-8D72-4FB4-BE17-5428C33602B2}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	41	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	relation_condition_mental_ynu	
	SourceTable:	tND_assessment_data	
relation_condition_dev_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {12381F74-1DE8-4168-8491-587B26002559}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	42	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	relation_condition_dev_ynu	
	SourceTable:	tND_assessment_data	

relation_condition_physical_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {B7D272BA-AEDF-4A7B-B62C-58B8A877744E}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	43
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	relation_condition_physical_ynu
SourceTable:	tND_assessment_data

relation_condition_criminal_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {89274C1A-2FB4-45D1-8FF7-86D2D5B7756D}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	44
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	relation_condition_criminal_ynu
SourceTable:	tND_assessment_data

relation_condition_abuse_phys_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False

Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {C72C21E3-D68F-4B30-9463-E964D936695D}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	45
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	relation_condition_abuse_phys_ynu
SourceTable:	tND_assessment_data

relation_condition_abuse_sex_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {773F3628-31BD-4F13-8DAE-BE0F718A403E}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	46
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	relation_condition_abuse_sex_ynu
SourceTable:	tND_assessment_data

relation_condition_unrealistic_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General

ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {D8914903-7680-430A-A427-2E1BBF7A64A0}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	47
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	relation_condition_unrealistic_ynu
SourceTable:	tND_assessment_data

relation_condition_violence_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {EF32F4BF-8591-440A-B7EC-985112ED0C8A}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	48
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	relation_condition_violence_ynu
SourceTable:	tND_assessment_data

nd12w_gest_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False

Format:	Short Date
GUID:	{guid {54F77490-02AE-42F9-9D74-F6257FC53E54}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	49
Required:	False
SourceField:	nd12w_gest_date
SourceTable:	tND_assessment_data
ValidationRule:	<=Date()
ValidationText:	Date must be prior to or equal to todays date

nd12w_gest_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
Description:	staff person who made this measurement
DisplayControl:	Combo Box
GUID:	{guid {1686A1FF-517C-4F35-8633-C7121142CF98}}
IMEMode:	0
IMESentenceMode:	3
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	50
Required:	False
RowSource:	StaffInfo
RowSourceType:	Table/Query
SourceField:	nd12w_gest_staff_id
SourceTable:	tND_assessment_data
UnicodeCompression:	False

nd12w_gest_smoke_cigarettes_status_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto

	DisplayControl:	Combo Box	
	GUID:	{guid {F1833D32-CA8B-4239-8EAB-7624031F5332}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	51	
	Required:	False	
	RowSource:	tgeneral_lkup_smoking_status	
	RowSourceType:	Table/Query	
	SourceField:	nd12w_gest_smoke_cigarettes_status_code	
	SourceTable:	tND_assessment_data	
nd12w_gest_cigarette_quit_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	Short Date	
	GUID:	{guid {A2E6A7B0-11D3-4D94-86EC-9831C03F09E5}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	52	
	Required:	False	
	SourceField:	nd12w_gest_cigarette_quit_date	
	SourceTable:	tND_assessment_data	
	ValidationRule:	<=Date()	
	ValidationText:	Date must be prior to or equal to todays date	
nd12w_gest_cigarettes_per_day		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {18BBCC8E-3E74-43C0-B09B-8B16A178FE1F}}	
	OrdinalPosition:	53	
	Required:	False	
	SourceField:	nd12w_gest_cigarettes_per_day	
	SourceTable:	tND_assessment_data	
nd26w_gest_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {7E170A3F-3F89-4C66-BE68-76BCD380A35A}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	54
Required:	False
SourceField:	nd26w_gest_date
SourceTable:	tND_assessment_data
ValidationRule:	<=Date()
ValidationText:	Date must be prior to or equal to todays date

nd26w_gest_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
Description:	staff person who made this measurement
DisplayControl:	Combo Box
GUID:	{guid {C8D93646-B4F6-4FA6-93F8-E1F21290644E}}
IMEMode:	0
IMESentenceMode:	3
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	55
Required:	False
RowSource:	StaffInfo
RowSourceType:	Table/Query
SourceField:	nd26w_gest_staff_id
SourceTable:	tND_assessment_data
UnicodeCompression:	False

nd26w_gest_smoke_cigarettes_status_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default

	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {E164000B-6F84-4CC2-9C1C-5405757CF9C3}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	56	
	Required:	False	
	RowSource:	tgeneral_lkup_smoking_status	
	RowSourceType:	Table/Query	
	SourceField:	nd26w_gest_smoke_cigarettes_status_code	
	SourceTable:	tND_assessment_data	
nd26w_gest_cigarette_quit_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	Short Date	
	GUID:	{guid {499596D0-E597-4D2F-82A6-C7430B48F67B}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	57	
	Required:	False	
	SourceField:	nd26w_gest_cigarette_quit_date	
	SourceTable:	tND_assessment_data	
	ValidationRule:	<=Date()	
	ValidationText:	Date must be prior to or equal to todays date	
nd26w_gest_cigarettes_per_day		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {84320CF3-E021-48E0-960E-9080B008252D}}	
	OrdinalPosition:	58	
	Required:	False	
	SourceField:	nd26w_gest_cigarettes_per_day	
	SourceTable:	tND_assessment_data	
nd36w_gest_date		Date/Time	8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {C3A15E17-F130-4806-AB2B-9E58A8E6F530}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	59
Required:	False
SourceField:	nd36w_gest_date
SourceTable:	tND_assessment_data
ValidationRule:	<=Date()
ValidationText:	Date must be prior to or equal to todays date

nd36w_gest_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
Description:	staff person who made this measurement
DisplayControl:	Combo Box
GUID:	{guid {CFE5DAA1-0A7E-4E2E-A19F-78F636E36ABB}}
IMEMode:	0
IMESentenceMode:	3
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	60
Required:	False
RowSource:	StaffInfo
RowSourceType:	Table/Query
SourceField:	nd36w_gest_staff_id
SourceTable:	tND_assessment_data
UnicodeCompression:	False

nd36w_gest_smoke_cigarettes_status_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General

ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {3222F561-A61E-4530-AE78-9E1D1343B4CC}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	61
Required:	False
RowSource:	tgeneral_lkup_smoking_status
RowSourceType:	Table/Query
SourceField:	nd36w_gest_smoke_cigarettes_status_code
SourceTable:	tND_assessment_data

nd36w_gest_cigarette_quit_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {61582753-9AC3-49F8-B911-7A55218C533B}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	62
Required:	False
SourceField:	nd36w_gest_cigarette_quit_date
SourceTable:	tND_assessment_data
ValidationRule:	<=Date()
ValidationText:	Date must be prior to or equal to todays date

nd36w_gest_cigarettes_per_day Single 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {E29AED53-CE92-417B-9FE3-57E3438DF390}}
OrdinalPosition:	63
Required:	False

	SourceField:	nd36w_gest_cigarettes_per_day	
	SourceTable:	tND_assessment_data	
nd36w_gest_birth_control_intent_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {102A04EB-CA85-4BD0-825D-E1964BBC8CFC}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	64	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown_undecided	
	RowSourceType:	Table/Query	
	SourceField:	nd36w_gest_birth_control_intent_ynu	
	SourceTable:	tND_assessment_data	
nd36w_gest_breastfeed_intent_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {673E91FE-0765-4199-B77C-9C54A09C2346}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	65	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown_undecided	
	RowSourceType:	Table/Query	
	SourceField:	nd36w_gest_breastfeed_intent_ynu	
	SourceTable:	tND_assessment_data	

nd2w_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {E9EEC675-CDA6-44F0-AC85-6E0658A7EACE}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	66
Required:	False
SourceField:	nd2w_date
SourceTable:	tND_assessment_data
ValidationRule:	<=Date()
ValidationText:	Date must be prior to or equal to todays date

nd2w_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
Description:	staff person who made this measurement
DisplayControl:	Combo Box
GUID:	{guid {D913BC2A-9850-4D01-A9D3-27DFA7C84AD6}}
IMEMode:	0
IMESentenceMode:	3
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	67
Required:	False
RowSource:	StaffInfo
RowSourceType:	Table/Query
SourceField:	nd2w_staff_id
SourceTable:	tND_assessment_data
UnicodeCompression:	False

nd2w_birth_control_intent_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1

	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {F4F39B06-B8AC-41EA-87EA-CDFC1EA8233A}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	68	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown_undecided	
	RowSourceType:	Table/Query	
	SourceField:	nd2w_birth_control_intent_ynu	
	SourceTable:	tND_assessment_data	
nd2w_postpartum_checkup_intent_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {4223DE0C-17DB-44D8-8FD7-D8A96EAFB28A}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	69	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	nd2w_postpartum_checkup_intent_ynu	
	SourceTable:	tND_assessment_data	
nd2w_currently_breastfed_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {078ED743-4537-42EC-8D6C-E6DB419F90DB}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	70
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	nd2w_currently_breastfed_ynu
SourceTable:	tND_assessment_data

nd2w_breastfeed_quit_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {5E5E077F-9BD3-4428-9113-7E188584C3EA}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	71
Required:	False
SourceField:	nd2w_breastfeed_quit_date
SourceTable:	tND_assessment_data
ValidationRule:	<=Date()
ValidationText:	Date must be prior to or equal to todays date

nd1mo_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	Short Date
GUID:	{guid {452AE2EA-02CA-4628-AA7B-5356576C6008}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	72
Required:	False

SourceField:	nd1mo_date
SourceTable:	tND_assessment_data
ValidationRule:	<=Date()
ValidationText:	Date must be prior to or equal to todays date

nd1mo_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
Description:	staff person who made this measurement
DisplayControl:	Combo Box
GUID:	{guid {C8B5556E-E1B9-46E0-96A3-C44BB52C57F2}}
IMEMode:	0
IMESentenceMode:	3
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	73
Required:	False
RowSource:	StaffInfo
RowSourceType:	Table/Query
SourceField:	nd1mo_staff_id
SourceTable:	tND_assessment_data
UnicodeCompression:	False

nd1mo_smoke_cigarettes_status_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {8159EDCC-3837-4E0E-8532-EBF78BF012D4}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	74
Required:	False

	RowSource:	tgeneral_lkup_smoking_status	
	RowSourceType:	Table/Query	
	SourceField:	nd1mo_smoke_cigarettes_status_code	
	SourceTable:	tND_assessment_data	
nd1mo_cigarette_quit_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	Short Date	
	GUID:	{guid {95A4A333-6F02-4CE6-A980-1E576E1B0539}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	75	
	Required:	False	
	SourceField:	nd1mo_cigarette_quit_date	
	SourceTable:	tND_assessment_data	
	ValidationRule:	<=Date()	
	ValidationText:	Date must be prior to or equal to todays date	
nd1mo_cigarettes_per_day		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {1CB98612-2BE0-4496-BFFF-5C606CD5B146}}	
	OrdinalPosition:	76	
	Required:	False	
	SourceField:	nd1mo_cigarettes_per_day	
	SourceTable:	tND_assessment_data	
nd4mo_birth_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	Short Date	
	GUID:	{guid {0C1B055F-B657-4F69-9B84-803C61A2A1C6}}	
	IMEMode:	0	

IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	77
Required:	False
SourceField:	nd4mo_birth_date
SourceTable:	tND_assessment_data
ValidationRule:	<=Date()
ValidationText:	Date must be prior to or equal to todays date

nd4mo_birth_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
Description:	staff person who made this measurement
DisplayControl:	Combo Box
GUID:	{guid {084E9A2C-57A6-4D82-952D-6C29C0BE6809}}
IMEMode:	0
IMESentenceMode:	3
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	78
Required:	False
RowSource:	StaffInfo
RowSourceType:	Table/Query
SourceField:	nd4mo_birth_staff_id
SourceTable:	tND_assessment_data
UnicodeCompression:	False

nd4mo_child_insurance_type_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {74281E10-9EE4-44EE-BBDF-A11A76D08A63}}
LimitToList:	True

ListRows:	8
ListWidth:	0twip
OrdinalPosition:	79
Required:	False
RowSource:	tintake_lkup_insurance
RowSourceType:	Table/Query
SourceField:	nd4mo_child_insurance_type_code
SourceTable:	tND_assessment_data

nd4mo_child_insurance_type_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {64B5760C-AD95-479A-A7DD-C57A72F2FD97}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	80
Required:	False
SourceField:	nd4mo_child_insurance_type_other_text
SourceTable:	tND_assessment_data
UnicodeCompression:	False

nd4mo_asst_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	DEFUNCT
Format:	Short Date
GUID:	{guid {B9AA2D08-E880-45F6-9AE2-7CE671CADC2C}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	81
Required:	False
SourceField:	nd4mo_asst_date
SourceTable:	tND_assessment_data
ValidationRule:	<=Date()
ValidationText:	Date must be prior to or equal to todays date

nd4mo_asst_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
BoundColumn:	1

CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
Description:	DEFUNCT
DisplayControl:	Combo Box
GUID:	{guid {13B844DA-32CA-4F47-A29D-D81A0D136A03}}
IMEMode:	0
IMESentenceMode:	3
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	82
Required:	False
RowSource:	StaffInfo
RowSourceType:	Table/Query
SourceField:	nd4mo_asst_staff_id
SourceTable:	tND_assessment_data
UnicodeCompression:	False

nd4mo_participant_insurance_type_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {FB255A93-F976-4FD8-9055-D8EF739EDC26}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	83
Required:	False
RowSource:	tintake_lkup_insurance
RowSourceType:	Table/Query
SourceField:	nd4mo_participant_insurance_type_code
SourceTable:	tND_assessment_data

nd4mo_participant_insurance_type_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {E1A5B980-F1FF-4015-BEFE-77074D56B20F}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	84
Required:	False
SourceField:	nd4mo_participant_insurance_type_other_text
SourceTable:	tND_assessment_data
UnicodeCompression:	False

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {3A29451A-B8C2-4C4C-AD36-A71274D353F8}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	85
Required:	False
SourceField:	created_timestamp
SourceTable:	tND_assessment_data

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {A78FF581-716A-4B5F-ADB6-C75CAE02BCA0}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	86
Required:	False
SourceField:	created_user
SourceTable:	tND_assessment_data
UnicodeCompression:	True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {E3ADBC4B-8C94-4DFA-8A24-CD3A414FB5E3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	87
Required:	False
SourceField:	modified_timestamp
SourceTable:	tND_assessment_data

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {12DF414B-0A63-4C8A-9F1E-020DC6318A3A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	88
Required:	False
SourceField:	modified_user
SourceTable:	tND_assessment_data
UnicodeCompression:	True

Relationships

tpeople_datatND_assessment_data



Attributes:	Unique, Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-One

tND_assessment_lkup_preg_feelingtND_assessment_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{7102BB8E-B745-4B18-BA37-C2B5984041	1
Clustered:	False
DistinctCount:	3
Foreign:	True
IgnoreNulls:	False
Name:	{7102BB8E-B745-4B18-BA37-C2B598404120}
Primary:	False
Required:	False
Unique:	True
Fields:	
person_id	Ascending
{CB2DDE57-AF35-4690-B548-887902990F	1
Clustered:	False
DistinctCount:	2
Foreign:	True
IgnoreNulls:	False
Name:	{CB2DDE57-AF35-4690-B548-887902990F3F}
Primary:	False
Required:	False
Unique:	False
Fields:	
prams_preg_feeling_code	Ascending
4mo_participant_insurance_type_code	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	4mo_participant_insurance_type_code
Primary:	False
Required:	False
Unique:	False
Fields:	
nd4mo_child_insurance_type	Ascending
child_insurance_type_code	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	child_insurance_type_code
Primary:	False
Required:	False
Unique:	False
Fields:	
nd4mo_participant_insurance	Ascending
faw_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	faw_id

Primary: False
Required: False
Unique: False
Fields:
nd_assessment_staff_id Ascending

nd12w_gest_smoke_cigarettes_status_cod 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: nd12w_gest_smoke_cigarettes_status_code
Primary: False
Required: False
Unique: False
Fields:
nd12w_gest_smoke_cigarette Ascending

nd12w_gest_staff_id 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: nd12w_gest_staff_id
Primary: False
Required: False
Unique: False
Fields:
nd12w_gest_staff_id Ascending

nd1mo_smoke_cigarettes_status_code 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: nd1mo_smoke_cigarettes_status_code
Primary: False
Required: False
Unique: False
Fields:
nd1mo_smoke_cigarettes_sta Ascending

nd1mo_staff_id 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: nd1mo_staff_id
Primary: False
Required: False
Unique: False
Fields:
nd1mo_staff_id Ascending

nd26w_gest_smoke_cigarettes_status_cod 1
Clustered: False
DistinctCount: 2
Foreign: False

IgnoreNulls: False
Name: nd26w_gest_smoke_cigarettes_status_code
Primary: False
Required: False
Unique: False
Fields:
nd26w_gest_smoke_cigarette Ascending

nd26w_gest_staff_id 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: nd26w_gest_staff_id
Primary: False
Required: False
Unique: False
Fields:
nd26w_gest_staff_id Ascending

nd2w_staff_id 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: nd2w_staff_id
Primary: False
Required: False
Unique: False
Fields:
nd2w_staff_id Ascending

nd36w_gest_smoke_cigarettes_status_cod 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: nd36w_gest_smoke_cigarettes_status_code
Primary: False
Required: False
Unique: False
Fields:
nd36w_gest_smoke_cigarette Ascending

nd36w_gest_staff_id 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: nd36w_gest_staff_id
Primary: False
Required: False
Unique: False
Fields:
nd36w_gest_staff_id Ascending

nd4mo_asst_staff_id 1
Clustered: False

DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: nd4mo_asst_staff_id
Primary: False
Required: False
Unique: False
Fields:
nd4mo_asst_staff_id Ascending

nd4mo_birth_staff_id 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: nd4mo_birth_staff_id
Primary: False
Required: False
Unique: False
Fields:
nd4mo_birth_staff_id Ascending

person_id 1
Clustered: False
DistinctCount: 3
Foreign: False
IgnoreNulls: False
Name: person_id
Primary: False
Required: False
Unique: False
Fields:
person_id Ascending

prams_preg_feeling_code 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: prams_preg_feeling_code
Primary: False
Required: False
Unique: False
Fields:
prams_preg_feeling_code Ascending

PrimaryKey 1
Clustered: False
DistinctCount: 3
Foreign: False
IgnoreNulls: False
Name: PrimaryKey
Primary: True
Required: True
Unique: True
Fields:
person_id Ascending

relationship_to_child_code1	1	
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	relationship_to_child_code1
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	relationship_to_child_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:25 AM	DefaultView:	2
Description:	for ND MIECHV eval	GUID:	{guid {10D23957-05C0-4855-AA37-7EEC6DF28B39}}
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	4	Updatable:	True

Columns

Name	Type	Size
preg_feeling_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {12882DD8-9CD3-47EA-B82A-6D26E79B70ED}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	preg_feeling_code	
SourceTable:	tND_assessment_lkup_preg_feeling	
preg_feeling_text	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	5460	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {A59C2186-6A6C-4AA5-BD61-EFD67C8D698C}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	preg_feeling_text	
SourceTable:	tND_assessment_lkup_preg_feeling	
UnicodeCompression:	False	

Relationships

tND_assessment_lkup_preg_feelingtND_assessment_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
preg_feeling_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:25 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	207	Updatable:	True

Columns

Name	Type	Size
kid_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {6DAC4E54-A5D8-4F07-93BA-09D4CC7A746F}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	kid_id	
SourceTable:	toutcome_ASQ	
admin_time_point_code	Integer	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	schedule of administration time point	
DisplayControl:	Text Box	
GUID:	{guid {DED60372-AA4B-49AB-913D-8C52A86B6D7D}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	admin_time_point_code	
SourceTable:	toutcome_ASQ	
isRepeatAdmin	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
Description:	whether this tool's administration was repeated
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {A1E3678D-35D1-42C5-A95C-031BC64709DE}}
OrdinalPosition:	2
Required:	False
SourceField:	isRepeatAdmin
SourceTable:	toutcome_ASQ

admin_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	date administered
GUID:	{guid {3B5D1BAE-8517-45B2-98EC-5F48807239E1}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	3
Required:	True
SourceField:	admin_date
SourceTable:	toutcome_ASQ

participant_discuss_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	date results were discussed with participant
GUID:	{guid {AFCB3F5C-6404-4BE0-81AE-D6ADCC9EA59B}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	4
Required:	False
SourceField:	participant_discuss_date
SourceTable:	toutcome_ASQ

admin_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Staff Worker ID who administered the tool
DisplayControl:	Text Box
GUID:	{guid {7EB6C469-C80A-4AE8-8EF9-F92E26EBAC92}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
SourceField:	admin_staff_id
SourceTable:	toutcome_ASQ
UnicodeCompression:	False

score_commun Single 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {D879AB55-6F4E-4F81-887D-08143E0C7896}}
OrdinalPosition:	6
Required:	False
SourceField:	score_commun
SourceTable:	toutcome_ASQ

score_grossmotor Single 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {57A6F46C-CB7F-4A47-A69C-D8C6F4BEA940}}
OrdinalPosition:	7
Required:	False
SourceField:	score_grossmotor
SourceTable:	toutcome_ASQ

score_finemotor Single 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default

	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {5A9842C3-9491-44C8-8D68-A279A11E28E6}}	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	score_finemotor	
	SourceTable:	toutcome_ASQ	
score_probsolv		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {41EDAE59-CC84-4740-94D9-F12131EBB69F}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	score_probsolv	
	SourceTable:	toutcome_ASQ	
score_social		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {BF1AB365-460D-4760-985A-8873E379A518}}	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	score_social	
	SourceTable:	toutcome_ASQ	
cutoff_cat_commun		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {C78D7790-0283-429A-BF45-7DB38BC280B6}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	11
Required:	False
RowSource:	toutcome_ASQ_lkup_cutoff_category
RowSourceType:	Table/Query
SourceField:	cutoff_cat_commun
SourceTable:	toutcome_ASQ

cutoff_cat_grossmotor Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {8FA3C996-D23B-476B-90CE-AC3F683D1CE9}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	12
Required:	False
RowSource:	toutcome_ASQ_lkup_cutoff_category
RowSourceType:	Table/Query
SourceField:	cutoff_cat_grossmotor
SourceTable:	toutcome_ASQ

cutoff_cat_finemotor Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto

	DisplayControl:	Combo Box	
	GUID:	{guid {B59C44C1-3EB1-4278-B051-2CC333BDDAE8}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	13	
	Required:	False	
	RowSource:	toutcome_ASQ_lkup_cutoff_category	
	RowSourceType:	Table/Query	
	SourceField:	cutoff_cat_finemotor	
	SourceTable:	toutcome_ASQ	
cutoff_cat_probsolv		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {238E4DFB-BB89-422A-910D-BAEF11E0C27D}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	14	
	Required:	False	
	RowSource:	toutcome_ASQ_lkup_cutoff_category	
	RowSourceType:	Table/Query	
	SourceField:	cutoff_cat_probsolv	
	SourceTable:	toutcome_ASQ	
cutoff_cat_social		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {61A57DA1-D5B0-477A-BB22-CA1A676393CE}}	
	LimitToList:	True	

	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	15	
	Required:	False	
	RowSource:	toutcome_ASQ_lkup_cutoff_category	
	RowSourceType:	Table/Query	
	SourceField:	cutoff_cat_social	
	SourceTable:	toutcome_ASQ	
related_referral_id		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	link to a referral directed from this assessment	
	DisplayControl:	Text Box	
	GUID:	{guid {D4393BE4-B354-450F-A088-449371BF0F31}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	related_referral_id	
	SourceTable:	toutcome_ASQ	
isReferralMade_pims6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 6- obsolete	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {9BAA5C14-6BFA-426F-A769-1A831942EE6A}}	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	isReferralMade_pims6	
	SourceTable:	toutcome_ASQ	
isDelaySuspected_commun		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	

Format:	Yes/No		
GUID:	{guid {4EC9ABC9-DC5B-4D70-8EF2-980A0BECC9C9}}		
OrdinalPosition:	18		
Required:	False		
SourceField:	isDelaySuspected_commun		
SourceTable:	toutcome_ASQ		
isDelaySuspected_grossmotor		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {8660F5A8-2D17-4D2B-A43E-0D34D6F854F5}}		
OrdinalPosition:	19		
Required:	False		
SourceField:	isDelaySuspected_grossmotor		
SourceTable:	toutcome_ASQ		
isDelaySuspected_finemotor		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {59BB33B3-AC69-4E44-A417-F3605284F198}}		
OrdinalPosition:	20		
Required:	False		
SourceField:	isDelaySuspected_finemotor		
SourceTable:	toutcome_ASQ		
isDelaySuspected_probsolv		Yes/No	1
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DisplayControl:	106		
Format:	Yes/No		
GUID:	{guid {C8E107B4-AB94-44FF-89F9-C3CADE8DF4D5}}		
OrdinalPosition:	21		
Required:	False		

	SourceField:	isDelaySuspected_probsolv	
	SourceTable:	toutcome_ASQ	
isDelaySuspected_social		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {4993F2E9-F39F-46D2-A510-34170BB2DC44}}	
	OrdinalPosition:	22	
	Required:	False	
	SourceField:	isDelaySuspected_social	
	SourceTable:	toutcome_ASQ	
isDelaySuspected_pims6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 6- obsolete	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {842876FB-0436-4FAF-AA4D-152767D262AA}}	
	OrdinalPosition:	23	
	Required:	False	
	SourceField:	isDelaySuspected_pims6	
	SourceTable:	toutcome_ASQ	
reason_no_referral_code		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {E5141ACE-4E23-45D3-86D8-A994429A6A9D}}	
	LimitToList:	True	

	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	24	
	Required:	False	
	RowSource:	toutcome_ASQ_lkup_no_referral_reason	
	RowSourceType:	Table/Query	
	SourceField:	reason_no_referral_code	
	SourceTable:	toutcome_ASQ	
reason_no_referral_other_text		Text	50
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {4C6EB034-2E9D-43E2-B6DE-D0BF2158ABCA}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	25	
	Required:	False	
	SourceField:	reason_no_referral_other_text	
	SourceTable:	toutcome_ASQ	
	UnicodeCompression:	True	
isDelayConfirmed		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {C537FB9F-1572-4AD4-801C-7F2E18FEF337}}	
	OrdinalPosition:	26	
	Required:	False	
	SourceField:	isDelayConfirmed	
	SourceTable:	toutcome_ASQ	
notes_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	notes	

	DisplayControl:	Text Box	
	GUID:	{guid {EA3E7BE2-4B4C-459D-986D-0C88F203A348}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	27	
	Required:	False	
	SourceField:	notes_text	
	SourceTable:	toutcome_ASQ	
	UnicodeCompression:	False	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {9B722E01-3729-44BD-BBE3-8D2BCCB592DB}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	28	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	toutcome_ASQ	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {97DCD955-81ED-482C-B49A-05665B7BD069}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	29	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	toutcome_ASQ	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

DataUpdatable:	False
Format:	General Date
GUID:	{guid {18A688CD-862F-4740-829C-259A5E2B92E1}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	30
Required:	False
SourceField:	modified_timestamp
SourceTable:	toutcome_ASQ

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {80566F70-DEC2-4E94-A4FA-275A69BB82E9}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	31
Required:	False
SourceField:	modified_user
SourceTable:	toutcome_ASQ
UnicodeCompression:	True

Relationships

tbirth_datatoutcome_ASQ



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{621354D9-F47F-4F58-A3A1-CF15E4DADC	1

Clustered:	False
DistinctCount:	42
Foreign:	True
IgnoreNulls:	False
Name:	{621354D9-F47F-4F58-A3A1-CF15E4DADC33}
Primary:	False
Required:	False
Unique:	False

	Fields:	
	kid_id	Ascending
admin_fsw_id		1
	Clustered:	False
	DistinctCount:	7
	Foreign:	False
	IgnoreNulls:	False
	Name:	admin_fsw_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	admin_staff_id	Ascending
admin_time_point_code		1
	Clustered:	False
	DistinctCount:	17
	Foreign:	False
	IgnoreNulls:	False
	Name:	admin_time_point_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	admin_time_point_code	Ascending
kid_id		1
	Clustered:	False
	DistinctCount:	42
	Foreign:	False
	IgnoreNulls:	False
	Name:	kid_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	kid_id	Ascending
PrimaryKey		3
	Clustered:	False
	DistinctCount:	207
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	kid_id	Ascending
	admin_time_point_code	Ascending
	isRepeatAdmin	Ascending
reason_no_referral_code		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False

	Name:	reason_no_referral_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	reason_no_referral_code	Ascending
related_referral_id		1
	Clustered:	False
	DistinctCount:	8
	Foreign:	False
	IgnoreNulls:	False
	Name:	related_referral_id
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	related_referral_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:25 AM	DefaultView:	2
GUID:	{guid {66F44B6C-4469-4898-BA67-97F53619D506}}	LastUpdated:	6/13/2016 12:24:22 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	3
Updatable:	True		

Columns

Name	Type	Size
cutoff_category_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {56258382-699D-446D-B675-871A296192BE}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	cutoff_category_code	
SourceTable:	toutcome_ASQ_lkup_cutoff_category	
cutoff_category_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4470	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {65868129-08A7-4BDD-A9FC-D804628780AA}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	cutoff_category_desc	
SourceTable:	toutcome_ASQ_lkup_cutoff_category	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
cutoff_category_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:25 AM	DefaultView:	2
GUID:	{guid {E8C6A199-C977-4AAB-90E0-814D250CFBBF}}	LastUpdated:	6/23/2015 3:05:10 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
Updatable:	True		

Columns

Name	Type	Size
no_referral_reason_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	1
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {F285ADEA-766D-454D-BF0E-12927C0D2492}}
OrdinalPosition:	0
Required:	False
SourceField:	no_referral_reason_code
SourceTable:	toutcome_ASQ_lkup_no_referral_reason

no_referral_reason_text	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	4470
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {19B39DDB-56A6-4B25-8612-8949D02C0DFB}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	no_referral_reason_text
SourceTable:	toutcome_ASQ_lkup_no_referral_reason
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
no_referral_reason_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:25 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	20	Updatable:	True

Columns

Name	Type	Size
kid_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {239F9435-DB7D-4EC8-9ECF-EA3C2FADC24D}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	kid_id	
SourceTable:	toutcome_ASQ_SE	
admin_time_point_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	schedule of administration time point	
DisplayControl:	Text Box	
GUID:	{guid {C9034FA9-0C52-47A3-BAAE-0931727EA315}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	admin_time_point_code	
SourceTable:	toutcome_ASQ_SE	
isRepeatAdmin	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
Description:	whether this tool's administration was repeated
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {8D47951B-1EC8-4372-9ACD-1C70C3A8D505}}
OrdinalPosition:	2
Required:	False
SourceField:	isRepeatAdmin
SourceTable:	toutcome_ASQ_SE

admin_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	date administered
GUID:	{guid {9CE513DF-7B55-47B9-8384-3E1DAAEA21D9}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	3
Required:	True
SourceField:	admin_date
SourceTable:	toutcome_ASQ_SE

participant_discuss_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	date results were discussed with participant
GUID:	{guid {13C15B89-695E-4DA6-A533-437780676240}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	4
Required:	False
SourceField:	participant_discuss_date
SourceTable:	toutcome_ASQ_SE

admin_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False

	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Staff Worker ID who administered the tool	
	DisplayControl:	Text Box	
	GUID:	{guid {4C4A6D98-8170-44D3-95FC-C7AE40E238EB}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	admin_staff_id	
	SourceTable:	toutcome_ASQ_SE	
	UnicodeCompression:	False	
score		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {B6EDFD49-4FBB-4B91-8AC6-28A2C0F022D4}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	score	
	SourceTable:	toutcome_ASQ_SE	
related_referral_id		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	link to a referral directed from this assessment	
	DisplayControl:	Text Box	
	GUID:	{guid {A2EC1E1E-24EB-4227-B8E0-3CC6C0ADC887}}	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	related_referral_id	
	SourceTable:	toutcome_ASQ_SE	
isReferralMade_pims6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	

	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 6- obsolete	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {294818DC-10CD-4487-B076-18EB5243FFF6}}	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	isReferralMade_pims6	
	SourceTable:	toutcome_ASQ_SE	
isDelaySuspected		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {8E4F3F43-26CE-4414-886F-AB7D77E44B45}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	isDelaySuspected	
	SourceTable:	toutcome_ASQ_SE	
reason_no_referral_code		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {41F2ABD3-5CF6-4BFA-B4FC-62F0DC9EF7B8}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	10	
	Required:	False	
	RowSource:	toutcome_ASQ_lkup_no_referral_reason	
	RowSourceType:	Table/Query	
	SourceField:	reason_no_referral_code	
	SourceTable:	toutcome_ASQ_SE	

reason_no_referral_other_text Text 50

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {A9B34546-0930-4486-9665-2758A3B13219}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
SourceField:	reason_no_referral_other_text
SourceTable:	toutcome_ASQ_SE
UnicodeCompression:	True

isDelayConfirmed Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {C8AE30D1-C8FC-49F1-960A-5EC784D71539}}
OrdinalPosition:	12
Required:	False
SourceField:	isDelayConfirmed
SourceTable:	toutcome_ASQ_SE

notes_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	notes
DisplayControl:	Text Box
GUID:	{guid {22D839BA-E4E3-42C3-B3BD-FFE477B17C26}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	13
Required:	False
SourceField:	notes_text
SourceTable:	toutcome_ASQ_SE
UnicodeCompression:	False

created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {33645B26-7298-40A4-B5BF-FF430241D857}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	toutcome_ASQ_SE	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {B20C0D90-63AC-4A14-AC05-8FAA404B617A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	toutcome_ASQ_SE	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {230CBA09-616B-4DA0-880B-0305AF6EBB53}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	toutcome_ASQ_SE	

modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {C18D690B-ED2D-4C96-A26D-40E22F14A6E2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	toutcome_ASQ_SE	
	UnicodeCompression:	True	

Relationships

tbirth_datatoutcome_ASQ_SE



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{016FB416-4D63-4787-A76D-670CADF20E	1
Clustered:	False
DistinctCount:	10
Foreign:	True
IgnoreNulls:	False
Name:	{016FB416-4D63-4787-A76D-670CADF20E6C}
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
admin_staff_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	admin_staff_id
Primary:	False
Required:	False

	Unique:	False
	Fields:	
	admin_staff_id	Ascending
admin_time_point_code		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	admin_time_point_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	admin_time_point_code	Ascending
kid_id		1
	Clustered:	False
	DistinctCount:	10
	Foreign:	False
	IgnoreNulls:	False
	Name:	kid_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	kid_id	Ascending
PrimaryKey		3
	Clustered:	False
	DistinctCount:	20
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	kid_id	Ascending
	admin_time_point_code	Ascending
	isRepeatAdmin	Ascending
reason_no_referral_code		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	reason_no_referral_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	reason_no_referral_code	Ascending
related_referral_id		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False

IgnoreNulls:	False
Name:	related_referral_id
Primary:	False
Required:	False
Unique:	True
Fields:	
related_referral_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	11/16/2017 10:22:19 AM	DefaultView:	2
LastUpdated:	11/16/2017 10:22:19 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	3	Updatable:	True

Columns

Name	Type	Size
kid_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	True	
SourceField:	kid_id	
SourceTable:	tOutcome_ASQ_SE_2	
admin_time_point_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	schedule of administration time point	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	admin_time_point_code	
SourceTable:	tOutcome_ASQ_SE_2	
isRepeatAdmin	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

	Description:	whether this tool's administration was repeated	
	DisplayControl:	106	
	Format:	Yes/No	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	isRepeatAdmin	
	SourceTable:	tOutcome_ASQ_SE_2	
admin_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date administered	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	admin_date	
	SourceTable:	tOutcome_ASQ_SE_2	
participant_discuss_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date results were discussed with participant	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	participant_discuss_date	
	SourceTable:	tOutcome_ASQ_SE_2	
admin_staff_id		Text	10
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Staff Worker ID who administered the tool	
	DisplayControl:	Text Box	

	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	admin_staff_id	
	SourceTable:	tOutcome_ASQ_SE_2	
	UnicodeCompression:	False	
score		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	score	
	SourceTable:	tOutcome_ASQ_SE_2	
related_referral_id		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	link to a referral directed from this assessment	
	DisplayControl:	Text Box	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	related_referral_id	
	SourceTable:	tOutcome_ASQ_SE_2	
isReferralMade_pims6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 6- obsolete	
	DisplayControl:	106	
	Format:	Yes/No	
	OrdinalPosition:	8	
	Required:	False	

	SourceField:	isReferralMade_pims6	
	SourceTable:	tOutcome_ASQ_SE_2	
isDelaySuspected		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	isDelaySuspected	
	SourceTable:	tOutcome_ASQ_SE_2	
reason_no_referral_code		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	10	
	Required:	False	
	RowSource:	toutcome_ASQ_lkup_no_referral_reason	
	RowSourceType:	Table/Query	
	SourceField:	reason_no_referral_code	
	SourceTable:	tOutcome_ASQ_SE_2	
reason_no_referral_other_text		Text	50
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	

IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
SourceField:	reason_no_referral_other_text
SourceTable:	tOutcome_ASQ_SE_2
UnicodeCompression:	True

isDelayConfirmed — Yes/No — 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	106
Format:	Yes/No
OrdinalPosition:	12
Required:	False
SourceField:	isDelayConfirmed
SourceTable:	tOutcome_ASQ_SE_2

notes_text — Text — 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	notes
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	13
Required:	False
SourceField:	notes_text
SourceTable:	tOutcome_ASQ_SE_2
UnicodeCompression:	False

created_timestamp — Date/Time — 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	14

	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	tOutcome_ASQ_SE_2	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tOutcome_ASQ_SE_2	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	tOutcome_ASQ_SE_2	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	tOutcome_ASQ_SE_2	

UnicodeCompression: True

Table Indexes

Name	Number of Fields
admin_staff_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	admin_staff_id
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_staff_id	Ascending
admin_time_point_code	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_time_point_code	Ascending
kid_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	kid_id
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
PrimaryKey	3
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
kid_id	Ascending
admin_time_point_code	Ascending
isRepeatAdmin	Ascending
reason_no_referral_code	1
Clustered:	False

	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	reason_no_referral_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	reason_no_referral_code	Ascending
related_referral_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	related_referral_id
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	related_referral_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	12/6/2017 6:03:13 PM	DefaultView:	2
GUID:	{guid {B01FEE01-0C96-4022-B884-EDB1E4F10CB6}}	LastUpdated:	8/23/2018 5:39:29 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1
Updatable:	True		

Columns

Name	Type	Size
admin_time_point_code	Integer	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	2	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
ColumnWidths:	0;2880	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	schedule of administration time point	
DisplayControl:	Combo Box	
GUID:	{guid {A74A16EC-1A18-46FB-9D10-EC724FAA51F8}}	
LimitToList:	True	
ListRows:	8	
ListWidth:	0twip	
OrdinalPosition:	0	
Required:	False	
RowSource:	toutcomeinstrumentadmin_lkup_timepoint	
RowSourceType:	Table/Query	
SourceField:	admin_time_point_code	
SourceTable:	toutcome_CCI	
isRepeatAdmin	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	whether this tool's administration was repeated	
DisplayControl:	106	
Format:	Yes/No	
GUID:	{guid {706CD008-F678-4A41-9565-52CFCA554983}}	
OrdinalPosition:	1	

	Required:	False	
	SourceField:	isRepeatAdmin	
	SourceTable:	toutcome_CCI	
kid_id		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Unique identification code for each participant	
	DisplayControl:	Text Box	
	OrdinalPosition:	2	
	Required:	True	
	SourceField:	kid_id	
	SourceTable:	toutcome_CCI	
admin_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date administered	
	GUID:	{guid {5107080F-7B14-4237-8054-2E96196D5481}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	admin_date	
	SourceTable:	toutcome_CCI	
admin_staff_id		Text	10
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Staff Worker ID who administered the tool	
	DisplayControl:	Text Box	
	GUID:	{guid {AA16EB30-ED21-41D4-866F-CBD0C7DE5A62}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	

	Required:	False	
	SourceField:	admin_staff_id	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	False	
score_c1		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {1000C799-D921-4FCE-80D3-DEEEA2B67EB6}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	score_c1	
	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	
score_c2		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {EC7610BE-BC80-4FDA-9D2F-FA235312E709}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	score_c2	
	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	
score_ht1		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {B6673799-26F2-4DCC-A1F8-AFAC0A9F054F}}	
	OrdinalPosition:	7	
	Required:	False	

	SourceField:	score_ht1	
	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	
score_ht2		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {8FCD9DB1-347E-4862-A65B-9EA004525DF8}}	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	score_ht2	
	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	
score_ht3		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {CD5FA5FE-22A2-4B67-AE63-4B3E5392978D}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	score_ht3	
	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	
score_ex1		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {C1054F87-DC55-484C-B5C4-1E4923BF9503}}	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	score_ex1	

	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	
score_ex2		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {1EF8CE63-33B4-43F6-B112-A38404BF32FF}}	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	score_ex2	
	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	
score_ex3		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {57E5DC14-B0A3-4498-A1B6-5CA7CC8E0856}}	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	score_ex3	
	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	
score_em1		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {864482CB-AAD0-4F51-A792-412655EE909C}}	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	score_em1	
	SourceTable:	toutcome_CCI	

	ValidationRule:	Between 1 And 7	
score_em2		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {E1D2CC57-B575-405D-84F9-E764424A3488}}	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	score_em2	
	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	
score_em3		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {105A37A9-7A88-4AF6-907F-86F325CD55EF}}	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	score_em3	
	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	
score_rr1		Integer	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {EBBBF79D-5D42-473D-8263-B3DA25155405}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	score_rr1	
	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	

score_rr2 Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	2
DisplayControl:	Text Box
GUID:	{guid {DE99138A-16D7-4064-AC14-340BE470892C}}
OrdinalPosition:	17
Required:	False
SourceField:	score_rr2
SourceTable:	toutcome_CCI
ValidationRule:	Between 1 And 7

score_s1 Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	2
DisplayControl:	Text Box
GUID:	{guid {AC17E418-FE00-4D09-B332-2843FB5A09C3}}
OrdinalPosition:	18
Required:	False
SourceField:	score_s1
SourceTable:	toutcome_CCI
ValidationRule:	Between 1 And 7

score_s2 Integer 2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	2
DisplayControl:	Text Box
GUID:	{guid {1A5E09F6-519A-4A87-9935-46A460966C0D}}
OrdinalPosition:	19
Required:	False
SourceField:	score_s2
SourceTable:	toutcome_CCI
ValidationRule:	Between 1 And 7

score_s3 Integer 2

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	2	
	DisplayControl:	Text Box	
	GUID:	{guid {6CCED812-15A6-4E7E-95DB-A8560BD807D2}}	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	score_s3	
	SourceTable:	toutcome_CCI	
	ValidationRule:	Between 1 And 7	
isSkip_ht2		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	OrdinalPosition:	21	
	Required:	False	
	SourceField:	isSkip_ht2	
	SourceTable:	toutcome_CCI	
isSkip_ex3		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	OrdinalPosition:	22	
	Required:	False	
	SourceField:	isSkip_ex3	
	SourceTable:	toutcome_CCI	
comments_c1		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	

	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {76D0C29A-AFB5-4FCB-800D-54BF9110D742}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	23	
	Required:	False	
	SourceField:	comments_c1	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	True	
comments_c2		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {A976D155-3D8A-4618-9811-BFE92EFD38D9}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	24	
	Required:	False	
	SourceField:	comments_c2	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	True	
comments_ht1		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {0CF90AED-8905-4DCB-BE15-0C5600DA1BD4}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	25	
	Required:	False	
	SourceField:	comments_ht1	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	True	
comments_ht2		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	

	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {80777013-06A3-458A-953D-41B2E79AFB27}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	26	
	Required:	False	
	SourceField:	comments_ht2	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	True	
comments_ht3		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {7AA5F997-5D4B-4027-A92E-4BBBC48A5C14}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	27	
	Required:	False	
	SourceField:	comments_ht3	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	True	
comments_ex1		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {0E833993-A134-4F03-BD81-8D17D1CB64B6}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	28	
	Required:	False	
	SourceField:	comments_ex1	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	True	
comments_ex2		Text	255
	AllowZeroLength:	True	

AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {B283DBFF-EB40-40BB-BD54-8AF8955A56F0}}
IMEMode:	0
IMESentenceMode:	0
OrdinalPosition:	29
Required:	False
SourceField:	comments_ex2
SourceTable:	toutcome_CCI
UnicodeCompression:	True

comments_ex3 Text 255

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {DA7D6BCB-831F-4A25-A735-E789532E1805}}
IMEMode:	0
IMESentenceMode:	0
OrdinalPosition:	30
Required:	False
SourceField:	comments_ex3
SourceTable:	toutcome_CCI
UnicodeCompression:	True

comments_em1 Text 255

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {AC57F5C9-E84D-4725-9E7D-7B3F2359B564}}
IMEMode:	0
IMESentenceMode:	0
OrdinalPosition:	31
Required:	False
SourceField:	comments_em1
SourceTable:	toutcome_CCI
UnicodeCompression:	True

comments_em2 Text 255

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {9DC93D63-6E7E-469E-A294-B7F81E0D0147}}
IMEMode:	0
IMESentenceMode:	0
OrdinalPosition:	32
Required:	False
SourceField:	comments_em2
SourceTable:	toutcome_CCI
UnicodeCompression:	True

comments_em3 Text 255

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {5262A9FA-BBC7-4BE8-9118-C7372D0F81A7}}
IMEMode:	0
IMESentenceMode:	0
OrdinalPosition:	33
Required:	False
SourceField:	comments_em3
SourceTable:	toutcome_CCI
UnicodeCompression:	True

comments_rr1 Text 255

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {64D87F93-3687-4F3F-946E-A5F090B687D2}}
IMEMode:	0
IMESentenceMode:	0
OrdinalPosition:	34
Required:	False
SourceField:	comments_rr1
SourceTable:	toutcome_CCI

	UnicodeCompression:	True	
comments_rr2		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {E77D31D3-415E-4C78-AB35-7552BF5B8006}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	35	
	Required:	False	
	SourceField:	comments_rr2	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	True	
comments_s1		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {2A09EAF9-26AB-4D31-AF44-55228C67763B}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	36	
	Required:	False	
	SourceField:	comments_s1	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	True	
comments_s2		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {6BEA282F-045B-492C-81CF-E5BEEB5EE07A}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	37	
	Required:	False	

	SourceField:	comments_s2	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	True	
comments_s3		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {82F1C534-6965-42EF-B82C-A97BC2552DAC}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	38	
	Required:	False	
	SourceField:	comments_s3	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	True	
notes_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	notes	
	DisplayControl:	Text Box	
	GUID:	{guid {A487F342-ADAB-4CC8-B665-EA1CE0B15466}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	39	
	Required:	False	
	SourceField:	notes_text	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	False	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {C543BCF2-93C1-441A-86AD-A2509332E9DC}}	
	IMEMode:	0	

	IMESentenceMode:	3	
	OrdinalPosition:	40	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	toutcome_CCI	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {BB537566-6EBB-48C8-847C-4EB85D346414}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	41	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	toutcome_CCI	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {8C2C672D-065A-4FE3-8383-398DEECD9080}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	42	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	toutcome_CCI	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {006A6CA2-17FB-4D8E-949C-60459E66BFFE}}	
	IMEMode:	0	

IMESentenceMode:	3
OrdinalPosition:	43
Required:	False
SourceField:	modified_user
SourceTable:	toutcome_CCI
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
admin_staff_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	admin_staff_id
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_staff_id	Ascending
admin_time_point_code	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_time_point_code	Ascending
person_id1	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	person_id1
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
PrimaryKey	3
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True

Fields:	
admin_time_point_code	Ascending
isRepeatAdmin	Ascending
kid_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:26 AM	DefaultView:	2
GUID:	{guid {D6A37082-9ADE-4B51-A4DE-B77015DE2314}}	LastUpdated:	4/18/2017 4:40:33 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

Columns

Name	Type	Size
person_id	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each participant
DisplayControl:	Text Box
GUID:	{guid {7A53E14F-79DD-4CF6-85D8-DBED076ED8EC}}
OrdinalPosition:	0
Required:	True
SourceField:	person_id
SourceTable:	toutcome_CESD

admin_time_point_code	Integer	2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	schedule of administration time point
DisplayControl:	Combo Box
GUID:	{guid {F62DA692-386D-4792-AB8D-E4D2878806E6}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	1
Required:	False
RowSource:	toutcomeinstrumentadmin_lkup_timepoint

	RowSourceType:	Table/Query	
	SourceField:	admin_time_point_code	
	SourceTable:	toutcome_CESD	
isRepeatAdmin		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	whether this tool's administration was repeated	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {ACD2303C-45CA-4634-88EC-C444AE4E7CE7}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	isRepeatAdmin	
	SourceTable:	toutcome_CESD	
pregnancy_id		Text	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	In combination with participant ID provides a unique identifier of the pregnancy, with A the first, B the second...	
	DisplayControl:	Text Box	
	GUID:	{guid {B9A09E25-22B4-4D87-98C9-F4F6F5F5672C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	pregnancy_id	
	SourceTable:	toutcome_CESD	
	UnicodeCompression:	False	
	ValidationRule:	In ("A","B","C","D","E","F","G","H","I","J","K","L","M","N","P","O","Q","R","S","T","V","W","Y","X","Z")	
	ValidationText:	The Pregnancy ID must be a letter	
admin_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
Description:	date administered
GUID:	{guid {19D40864-FE56-45E0-A16B-A1967A2C05E4}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	4
Required:	True
SourceField:	admin_date
SourceTable:	toutcome_CESD

admin_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Staff Worker ID who administered the tool
DisplayControl:	Text Box
GUID:	{guid {ABA8D6B2-F7A1-46F6-B92E-CBC0593B7932}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
SourceField:	admin_staff_id
SourceTable:	toutcome_CESD
UnicodeCompression:	False

score Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {F758C513-6DCB-4ABD-87E6-DDE4145D8326}}
OrdinalPosition:	6
Required:	False
SourceField:	score
SourceTable:	toutcome_CESD

isItem23Flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	if item 10 is answered "sometimes" or "often", a referral should be made
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {D4F2C8B7-0BD0-486C-A464-4506299FF5EA}}
OrdinalPosition:	7
Required:	False
SourceField:	isItem23Flag
SourceTable:	toutcome_CESD

depression_referral_id — Long Integer — 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	link to a depression referral directed from this assessment
DisplayControl:	Text Box
GUID:	{guid {CBBACB90-0E61-43EF-BF51-443FE50C0FB4}}
OrdinalPosition:	8
Required:	False
SourceField:	depression_referral_id
SourceTable:	toutcome_CESD

depression_followup_date — Date/Time — 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {9FCE7AC5-36A2-4BFA-9599-DF918FE10F99}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	9
Required:	False
SourceField:	depression_followup_date
SourceTable:	toutcome_CESD

reason_no_depression_referral_code — Long Integer — 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General

ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {2DA55533-920B-450E-867D-4CE3F3370973}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	10
Required:	False
RowSource:	toutcome_ASQ_lkup_no_referral_reason
RowSourceType:	Table/Query
SourceField:	reason_no_depression_referral_code
SourceTable:	toutcome_CESD

reason_no_depression_referral_other_text Text 50

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {8FB111C1-193A-4547-98EA-7B0C1D4A9289}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
SourceField:	reason_no_depression_referral_other_text
SourceTable:	toutcome_CESD
UnicodeCompression:	True

suicide_referral_id Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	link to a suicide referral directed from this assessment
DisplayControl:	Text Box
GUID:	{guid {9468DCE9-ED6B-4E48-8111-2A8F3D567A5C}}
OrdinalPosition:	12
Required:	False
SourceField:	suicide_referral_id

SourceTable: toutcome_CESD

suicide_followup_date Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
GUID: {guid {218336DB-42EE-4A4D-8FE5-A5BA1A792C1C}}
IMEMode: 0
IMESentenceMode: 3
InputMask: 99/99/00;0;_
OrdinalPosition: 13
Required: False
SourceField: suicide_followup_date
SourceTable: toutcome_CESD

reason_no_suicide_referral_text Text 255
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {E3BC06AB-8FCB-4213-903B-23C6140AD9C6}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: reason_no_suicide_referral_text
SourceTable: toutcome_CESD
UnicodeCompression: True

notes_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: notes
DisplayControl: Text Box
GUID: {guid {85E0B52B-C5BE-4D67-8507-545F275B2A86}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False

	SourceField:	notes_text	
	SourceTable:	toutcome_CESD	
	UnicodeCompression:	False	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {1B65DAB1-97CA-4B57-B1F2-49CEBD23CA70}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	toutcome_CESD	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {01D23307-185C-451B-A668-53C8A0E9E714}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	toutcome_CESD	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {516202B0-DEB5-4CC4-864F-5173FC99B681}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	19	

Required:	False
SourceField:	modified_timestamp
SourceTable:	toutcome_CESD

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {4443A62A-1944-4290-BFA0-C18069B3D776}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	20
Required:	False
SourceField:	modified_user
SourceTable:	toutcome_CESD
UnicodeCompression:	True

Relationships

tpeople_datatoutcome_CESD



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{D8CF8BF7-D525-416C-A88B-0097373458	1

Clustered:	False
DistinctCount:	0
Foreign:	True
IgnoreNulls:	False
Name:	{D8CF8BF7-D525-416C-A88B-0097373458E2}
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending

admin_staff_id 1

Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False

Name:	admin_staff_id
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_staff_id	Ascending

admin_time_point_code 1

Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_time_point_code	Ascending

depression_referral_id 1

Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	depression_referral_id
Primary:	False
Required:	False
Unique:	True
Fields:	
suicide_referral_id	Ascending

person_id 1

Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending

PrimaryKey 4

Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
person_id	Ascending
admin_time_point_code	Ascending
isRepeatAdmin	Ascending
pregnancy_id	Ascending

reason_no_depression_referral_code	1	
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	reason_no_depression_referral_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	reason_no_depression_referr	Ascending
related_referral_id	1	
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	related_referral_id
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	depression_referral_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:26 AM	DefaultView:	2
GUID:	{guid {F951B116-0CFB-4B8B-9D32-67DCEBC0CF6E}}	LastUpdated:	4/18/2017 4:40:43 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	15
Updatable:	True		

Columns

Name	Type	Size
person_id	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each participant
DisplayControl:	Text Box
GUID:	{guid {462064D8-618C-4B56-9267-122D260472B9}}
OrdinalPosition:	0
Required:	True
SourceField:	person_id
SourceTable:	toutcome_Edinburgh

admin_time_point_code	Integer	2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	schedule of administration time point
DisplayControl:	Combo Box
GUID:	{guid {CE63809E-8436-46DD-B96D-3EC483F4259B}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	1
Required:	False
RowSource:	toutcomeinstrumentadmin_lkup_timepoint

	RowSourceType:	Table/Query	
	SourceField:	admin_time_point_code	
	SourceTable:	toutcome_Edinburgh	
isRepeatAdmin		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	whether this tool's administration was repeated	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {A13C175D-8A04-474E-9B2B-22DA08E6DB33}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	isRepeatAdmin	
	SourceTable:	toutcome_Edinburgh	
pregnancy_id		Text	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	In combination with participant ID provides a unique identifier of the pregnancy, with A the first, B the second...	
	DisplayControl:	Text Box	
	GUID:	{guid {26BE69B8-EADA-46E9-9807-4E8E222822D6}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	pregnancy_id	
	SourceTable:	toutcome_Edinburgh	
	UnicodeCompression:	False	
	ValidationRule:	In ("A","B","C","D","E","F","G","H","I","J","K","L","M","N","P","O","Q","R","S","T","V","W","Y","X","Z")	
	ValidationText:	The Pregnancy ID must be a letter	
admin_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
Description:	date administered
GUID:	{guid {D1147DBC-DCC9-4D1D-895A-6D53E8A6007A}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	4
Required:	True
SourceField:	admin_date
SourceTable:	toutcome_Edinburgh

admin_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Staff Worker ID who administered the tool
DisplayControl:	Text Box
GUID:	{guid {908EAD0F-1795-497C-B21D-396A9D0086A1}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
SourceField:	admin_staff_id
SourceTable:	toutcome_Edinburgh
UnicodeCompression:	False

score Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {C0301173-4677-4149-AFDF-8B5DEF55E070}}
OrdinalPosition:	6
Required:	False
SourceField:	score
SourceTable:	toutcome_Edinburgh

isItem10Flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	if item 10 is answered "sometimes" or "often", a referral should be made
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {DB96120D-F2BE-4EAA-99F0-211BFF717CFA}}
OrdinalPosition:	7
Required:	False
SourceField:	isItem10Flag
SourceTable:	toutcome_Edinburgh

depression_referral_id — Long Integer — 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	link to a depression referral directed from this assessment
DisplayControl:	Text Box
GUID:	{guid {A69854C2-7FB6-4367-9EA5-9852F340D08A}}
OrdinalPosition:	8
Required:	False
SourceField:	depression_referral_id
SourceTable:	toutcome_Edinburgh

depression_followup_date — Date/Time — 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {363BE8FD-4007-407C-9455-28C973A97301}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	9
Required:	False
SourceField:	depression_followup_date
SourceTable:	toutcome_Edinburgh

reason_no_depression_referral_code — Long Integer — 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General

ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {4DAF9AFF-A279-4FC5-B96A-E8305BF9880F}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	10
Required:	False
RowSource:	toutcome_ASQ_lkup_no_referral_reason
RowSourceType:	Table/Query
SourceField:	reason_no_depression_referral_code
SourceTable:	toutcome_Edinburgh

reason_no_depression_referral_other_text Text 50

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {A5246370-098E-4967-975B-918870DA1A04}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
SourceField:	reason_no_depression_referral_other_text
SourceTable:	toutcome_Edinburgh
UnicodeCompression:	True

suicide_referral_id Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	link to a suicide referral directed from this assessment
DisplayControl:	Text Box
GUID:	{guid {19565B2B-3422-4006-8A90-23FD6902AB4A}}
OrdinalPosition:	12
Required:	False
SourceField:	suicide_referral_id

	SourceTable:	toutcome_Edinburgh	
suicide_followup_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	GUID:	{guid {6476E7C8-95FD-448C-B0B2-CAD17BF3DD79}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	suicide_followup_date	
	SourceTable:	toutcome_Edinburgh	
reason_no_suicide_referral_text		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {ABE64947-2944-4101-98F9-764CA3B38642}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	reason_no_suicide_referral_text	
	SourceTable:	toutcome_Edinburgh	
	UnicodeCompression:	True	
notes_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	notes	
	DisplayControl:	Text Box	
	GUID:	{guid {3632D394-BC15-4BB7-A747-6455BEB58D35}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	15	
	Required:	False	

	SourceField:	notes_text	
	SourceTable:	toutcome_Edinburgh	
	UnicodeCompression:	False	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {39544426-05B3-42DD-9A98-A1D61FA116F4}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	toutcome_Edinburgh	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {146D1C02-8925-4109-925E-A134F59E7BB2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	toutcome_Edinburgh	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {1C19D55A-0338-4DCE-B0D6-585915A1C9AD}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	19	

	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	toutcome_Edinburgh	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {09C83062-20E7-4E27-B722-D7851D9A7ACF}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	toutcome_Edinburgh	
	UnicodeCompression:	True	

Relationships

tpeople_datatoutcome_Edinburgh



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{6A337964-D8DF-450A-8AFE-F26A673B0A	1
Clustered:	False
DistinctCount:	9
Foreign:	True
IgnoreNulls:	False
Name:	{6A337964-D8DF-450A-8AFE-F26A673B0A2E}
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
admin_staff_id	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False

Name:	admin_staff_id
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_staff_id	Ascending

admin_time_point_code 1

Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_time_point_code	Ascending

depression_referral_id 1

Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	depression_referral_id
Primary:	False
Required:	False
Unique:	True
Fields:	
suicide_referral_id	Ascending

person_id 1

Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending

PrimaryKey 4

Clustered:	False
DistinctCount:	15
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
person_id	Ascending
admin_time_point_code	Ascending
isRepeatAdmin	Ascending
pregnancy_id	Ascending

reason_no_depression_referral_code	1	
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	reason_no_depression_referral_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	reason_no_depression_referr	Ascending
related_referral_id	1	
	Clustered:	False
	DistinctCount:	4
	Foreign:	False
	IgnoreNulls:	False
	Name:	related_referral_id
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	depression_referral_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:26 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:26 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	4	Updatable:	True

Columns

Name	Type	Size
no_referral_reason_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	no_referral_reason_code	
SourceTable:	toutcome_Edinburgh_lkup_no_referral_reason	
no_referral_reason_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3840	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	no_referral_reason_text	
SourceTable:	toutcome_Edinburgh_lkup_no_referral_reason	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
no_referral_reason_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:26 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	30	Updatable:	True

Columns

Name	Type	Size
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each participant	
DisplayControl:	Text Box	
GUID:	{guid {E296376D-9B53-46F4-949E-1878DF117811}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	person_id	
SourceTable:	toutcome_HFPI	
admin_time_point_code	Integer	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
BoundColumn:	1	
CollatingOrder:	General	
ColumnCount:	2	
ColumnHeads:	False	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
ColumnWidths:	0;2880	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	schedule of administration time point	
DisplayControl:	Combo Box	
GUID:	{guid {F17794EE-3239-40E7-AD59-2D9ACEB7FAA3}}	
LimitToList:	True	
ListRows:	8	
ListWidth:	0twip	
OrdinalPosition:	1	
Required:	False	
RowSource:	toutcomeinstrumentadmin_lkup_timepoint	
RowSourceType:	Table/Query	
SourceField:	admin_time_point_code	

SourceTable: toutcome_HFPI

isRepeatAdmin Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: whether this tool's administration was repeated
DisplayControl: 106
Format: Yes/No
GUID: {guid {4B8026F7-191C-4989-BFE2-51F069780CD1}}
OrdinalPosition: 2
Required: False
SourceField: isRepeatAdmin
SourceTable: toutcome_HFPI

admin_date Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: date administered
GUID: {guid {3E37E39C-43AC-4CE8-922C-EB4D6182A819}}
IMEMode: 0
IMESentenceMode: 3
InputMask: 99/99/00;0;_
OrdinalPosition: 3
Required: True
SourceField: admin_date
SourceTable: toutcome_HFPI

admin_staff_id Text 10
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Staff Worker ID who administered the tool
DisplayControl: Text Box
GUID: {guid {5979678C-1262-4372-8DA5-0F23989AEA97}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False

SourceField:	admin_staff_id
SourceTable:	toutcome_HFPI
UnicodeCompression:	False

score_social_support Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {0241DAA9-FF0E-45ED-B0C9-2DA393ACEBFE}}
OrdinalPosition:	5
Required:	False
SourceField:	score_social_support
SourceTable:	toutcome_HFPI

score_problem_solving Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {6371BD3D-49FC-426D-902E-122AF9E94B89}}
OrdinalPosition:	6
Required:	False
SourceField:	score_problem_solving
SourceTable:	toutcome_HFPI

score_depression Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {80C1D20E-9395-44A4-B397-C88C3F28CA77}}
OrdinalPosition:	7
Required:	False
SourceField:	score_depression
SourceTable:	toutcome_HFPI

score_personal_care Long Integer 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
GUID: {guid {DC88DDAF-CBEA-4A72-A1F1-E9894C7C83AF}}
OrdinalPosition: 8
Required: False
SourceField: score_personal_care
SourceTable: toutcome_HFPI

score_mobilizing_resources Long Integer 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
GUID: {guid {A5736471-B628-48F6-BABE-41256405A6B3}}
OrdinalPosition: 9
Required: False
SourceField: score_mobilizing_resources
SourceTable: toutcome_HFPI

score_role_satisfaction Long Integer 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
GUID: {guid {D66B2564-9167-4DBA-B9ED-A2D943A17182}}
OrdinalPosition: 10
Required: False
SourceField: score_role_satisfaction
SourceTable: toutcome_HFPI

score_parent_child_interact Long Integer 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size

	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {4BD9AD25-7AD6-4A90-BD86-6DF43EC2B5C9}}	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	score_parent_child_interact	
	SourceTable:	toutcome_HFPI	
score_home_enviro		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {06E79B98-26F2-4000-8B23-7032F96C0293}}	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	score_home_enviro	
	SourceTable:	toutcome_HFPI	
score_parenting_efficacy		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {FDAF0678-AA34-4415-AD9F-09F27AAFE468}}	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	score_parenting_efficacy	
	SourceTable:	toutcome_HFPI	
isRedFlag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

	DataUpdatable:	False	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {EEEF842A-A880-4A72-B061-727F91D7D700}}	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	isRedFlag	
	SourceTable:	toutcome_HFPI	
participant_discuss_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date results were discussed with participant	
	GUID:	{guid {DAD118D1-91A8-43E9-95D3-40B0AB2022A7}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	participant_discuss_date	
	SourceTable:	toutcome_HFPI	
supervisor_discuss_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	GUID:	{guid {04284872-5B6D-48F3-AF03-0E680B902C9D}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	supervisor_discuss_date	
	SourceTable:	toutcome_HFPI	
isSeriousDistress		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	106	

Format:	Yes/No
GUID:	{guid {C8653100-7C0E-445D-97E6-E67471362D3C}}
OrdinalPosition:	17
Required:	False
SourceField:	isSeriousDistress
SourceTable:	toutcome_HFPI

referral_type_code — Byte — 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {8055E13A-A589-46C7-B04F-A6C27FA850E6}}
OrdinalPosition:	18
Required:	False
SourceField:	referral_type_code
SourceTable:	toutcome_HFPI

referral_type_other_text — Text — 255

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {9BEB915A-E188-4305-AC9F-628ADF2C0EF1}}
IMEMode:	0
IMESentenceMode:	0
OrdinalPosition:	19
Required:	False
SourceField:	referral_type_other_text
SourceTable:	toutcome_HFPI
UnicodeCompression:	True

hfpi_referral_id — Long Integer — 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	link to a referral directed from this assessment
DisplayControl:	Text Box

	GUID:	{guid {55F959E9-EB9E-4E30-B6A8-1EF727C9C5A4}}	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	hfpi_referral_id	
	SourceTable:	toutcome_HFPI	
notes_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	notes	
	DisplayControl:	Text Box	
	GUID:	{guid {17F99E9A-0236-45B3-80F7-D98ED03A6D4E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	21	
	Required:	False	
	SourceField:	notes_text	
	SourceTable:	toutcome_HFPI	
	UnicodeCompression:	False	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {8C841119-C8FD-46A4-8AF2-530E658E08B9}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	22	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	toutcome_HFPI	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {8A5C861A-AE59-4687-B0A3-E1BAD991ACFC}}	

	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	23	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	toutcome_HFPI	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {64F5DF01-4CB9-4C45-A89D-934E4A6D4AB3}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	24	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	toutcome_HFPI	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {2B558AA9-04D7-4D59-8BFA-A53EBB79C40B}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	25	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	toutcome_HFPI	
	UnicodeCompression:	True	

Relationships

tpeople_datatoutcome_HFPI



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{B341300D-4E92-487B-B4FD-F1A2191599	1
Clustered:	False
DistinctCount:	10
Foreign:	True
IgnoreNulls:	False
Name:	{B341300D-4E92-487B-B4FD-F1A219159964}
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
admin_staff_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	admin_staff_id
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_staff_id	Ascending
admin_time_point_code	1
Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_time_point_code	Ascending
person_id	1
Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False

Required:	False
Unique:	False
Fields:	
person_id	Ascending

PrimaryKey 3

Clustered:	False
DistinctCount:	30
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
person_id	Ascending
admin_time_point_code	Ascending
isRepeatAdmin	Ascending

referral_type_code 1

Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	referral_type_code
Primary:	False
Required:	False
Unique:	False
Fields:	
referral_type_code	Ascending

related_referral_id 1

Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	related_referral_id
Primary:	False
Required:	False
Unique:	True
Fields:	
hfpi_referral_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:26 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:26 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
referral_type_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	referral_type_code	
SourceTable:	toutcome_HFPI_lkup_referral_type	
referral_type_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4200	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	referral_type_text	
SourceTable:	toutcome_HFPI_lkup_referral_type	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
referral_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:26 AM	DefaultView:	2
GUID:	{guid {CEE178BF-DA33-4F5E-88FF-3266145C51B1}}	LastUpdated:	4/2/2017 1:21:19 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1
Updatable:	True		

Columns

Name	Type	Size
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {2F99C596-A196-4513-950F-69E6003F2A62}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	person_id	
SourceTable:	toutcome_HOME	
admin_time_point_code	Integer	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	schedule of administration time point	
DisplayControl:	Text Box	
GUID:	{guid {C2D730D5-3488-4B2A-8F7C-FAAFB1D31E70}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	admin_time_point_code	
SourceTable:	toutcome_HOME	
isRepeatAdmin	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	whether this tool's administration was repeated	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {1FA98704-F695-44C1-AC1B-8F4880E32EFF}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	isRepeatAdmin	
	SourceTable:	toutcome_HOME	
admin_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date administered	
	GUID:	{guid {4BBFEAF6-6270-4775-BA7D-E83D6C614FAC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	admin_date	
	SourceTable:	toutcome_HOME	
admin_staff_id		Text	10
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Staff Worker ID who administered the tool	
	DisplayControl:	Text Box	
	GUID:	{guid {9AEF3757-1E24-4301-9E44-11F5DA26C638}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	admin_staff_id	
	SourceTable:	toutcome_HOME	
	UnicodeCompression:	False	
score_responsitivity		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	

Attributes:	Fixed Size
Caption:	Responsivity
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {7CE9D628-04F8-429C-A88A-AEAA3AEE2E81}}
OrdinalPosition:	5
Required:	False
SourceField:	score_responsitivity
SourceTable:	toutcome_HOME
ValidationRule:	Between 0 And 11 Or Is Null
ValidationText:	Please enter a value between 0 and 11 or leave blank

score_acceptance Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Acceptance
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {0215377B-D8B7-437D-B7DA-AFEBF77DDC8B}}
OrdinalPosition:	6
Required:	False
SourceField:	score_acceptance
SourceTable:	toutcome_HOME
ValidationRule:	Between 0 And 8 Or Is Null
ValidationText:	Please enter a value between 0 and 8 or leave blank

score_organization Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Organization
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {476E0D78-47F7-47B9-9BC3-7EDC0F507F01}}
OrdinalPosition:	7
Required:	False
SourceField:	score_organization
SourceTable:	toutcome_HOME
ValidationRule:	Between 0 And 6 Or Is Null

	ValidationText:	Please enter a value between 0 and 6 or leave blank	
score_learning_materials		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Learning Materials	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {34A7AB95-FA4C-4B6D-9F02-979631DE0E58}}	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	score_learning_materials	
	SourceTable:	toutcome_HOME	
	ValidationRule:	Between 0 And 9 Or Is Null	
	ValidationText:	Please enter a value between 0 and 9 or leave blank	
score_involvement		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Involvement	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {CCF7CF57-B31B-4F8C-84CB-B4F0E1220D4D}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	score_involvement	
	SourceTable:	toutcome_HOME	
	ValidationRule:	Between 0 And 6 Or Is Null	
	ValidationText:	Please enter a value between 0 and 6 or leave blank	
score_variety		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Variety	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {7911AD1E-B9AB-4747-8E82-1CA3B1137B7B}}	

	OrdinalPosition:	10	
	Required:	False	
	SourceField:	score_variety	
	SourceTable:	toutcome_HOME	
	ValidationRule:	Between 0 And 5 Or Is Null	
	ValidationText:	Please enter a value between 0 and 5 or leave blank	
not_completed_reason_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	1	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {361C12B1-1BBA-4E48-991B-073D76D32CEB}}	
	LimitToList:	False	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	11	
	Required:	False	
	RowSource:	toutcome_HOME_lkup_not_completed_reason	
	RowSourceType:	Table/Query	
	SourceField:	not_completed_reason_code	
	SourceTable:	toutcome_HOME	
notes_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	notes	
	DisplayControl:	Text Box	
	GUID:	{guid {26B85A0E-97C4-4CA2-A410-F20FF82AE291}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	notes_text	
	SourceTable:	toutcome_HOME	
	UnicodeCompression:	False	
isReferralMade_pims6		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	

	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	PIMS 6- obsolete	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {DC01CD3B-EB7F-4E54-94D3-C7EC613E87FE}}	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	isReferralMade_pims6	
	SourceTable:	toutcome_HOME	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {8684FD7E-35E6-43C4-8B17-B802B5BA94F7}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	toutcome_HOME	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {4A76FC65-D543-47E9-86F1-1E19E96F2CA0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	toutcome_HOME	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {AB35036D-D932-4C01-8394-CECAD63F118A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	16
Required:	False
SourceField:	modified_timestamp
SourceTable:	toutcome_HOME

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {48DF4320-921B-4476-ABB2-D751C4CB7EF3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	17
Required:	False
SourceField:	modified_user
SourceTable:	toutcome_HOME
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
admin_staff_id	1

Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	admin_staff_id
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_staff_id	Ascending

admin_time_point_code 1

Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code

	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	admin_time_point_code	Ascending
person_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	person_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	person_id	Ascending
PrimaryKey		3
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	person_id	Ascending
	admin_time_point_code	Ascending
	isRepeatAdmin	Ascending
refused_services_reason_code		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	refused_services_reason_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	not_completed_reason_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:26 AM	DefaultView:	2
GUID:	{guid {314A408C-E5BC-4E6F-B89A-4952714E890C}}	LastUpdated:	4/2/2017 1:20:47 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1
Updatable:	True		

Columns

Name	Type	Size
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {12E31796-BD36-4203-BCFA-6A2B4C249446}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	person_id	
SourceTable:	toutcome_HOME_EC	
admin_time_point_code	Integer	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	schedule of administration time point	
DisplayControl:	Text Box	
GUID:	{guid {6CD29AE4-3F17-4DA0-BDA9-A81E8448B0D2}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	admin_time_point_code	
SourceTable:	toutcome_HOME_EC	
isRepeatAdmin	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	whether this tool's administration was repeated
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {E8D39F6A-9DDD-45A4-A459-F3364466EB79}}
OrdinalPosition:	2
Required:	False
SourceField:	isRepeatAdmin
SourceTable:	toutcome_HOME_EC

admin_date — Date/Time — 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	date administered
GUID:	{guid {819921FC-D350-4202-A122-8E6FD854B8B4}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	3
Required:	True
SourceField:	admin_date
SourceTable:	toutcome_HOME_EC

admin_staff_id — Text — 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Staff Worker ID who administered the tool
DisplayControl:	Text Box
GUID:	{guid {255FFAB5-4A05-41C3-985A-FD0D51DB0699}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	4
Required:	False
SourceField:	admin_staff_id
SourceTable:	toutcome_HOME_EC
UnicodeCompression:	False

score_learning_materials — Long Integer — 4

AllowZeroLength:	False
AppendOnly:	False

Attributes:	Fixed Size
Caption:	Learning Materials
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {4D08AF47-8500-47B9-AC76-7056A20919AF}}
OrdinalPosition:	5
Required:	False
SourceField:	score_learning_materials
SourceTable:	toutcome_HOME_EC
ValidationRule:	Between 0 And 11 Or Is Null
ValidationText:	Please enter a value between 0 and 11 or leave blank

score_language Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Language Stimulation
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {E457C079-7BD1-48C9-9918-16598EAAAF4F}}
OrdinalPosition:	6
Required:	False
SourceField:	score_language
SourceTable:	toutcome_HOME_EC
ValidationRule:	Between 0 And 7 Or Is Null
ValidationText:	Please enter a value between 0 and 7 or leave blank

score_environment Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
Caption:	Physical Environment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {600FF625-E991-4243-838E-29DD0DA01431}}
OrdinalPosition:	7
Required:	False
SourceField:	score_environment
SourceTable:	toutcome_HOME_EC
ValidationRule:	Between 0 And 7 Or Is Null

ValidationText:	Please enter a value between 0 and 7 or leave blank		
score_responsitivity		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
Caption:	Responsivity		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {16A723A7-54BA-4EDA-B000-658A4F90BA82}}		
OrdinalPosition:	8		
Required:	False		
SourceField:	score_responsitivity		
SourceTable:	toutcome_HOME_EC		
ValidationRule:	Between 0 And 7 Or Is Null		
ValidationText:	Please enter a value between 0 and 7 or leave blank		
score_academic		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
Caption:	Academic Stimulation		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {1CCE9AB8-A06B-47E7-B2A6-0E85A7AF7B06}}		
OrdinalPosition:	9		
Required:	False		
SourceField:	score_academic		
SourceTable:	toutcome_HOME_EC		
ValidationRule:	Between 0 And 5 Or Is Null		
ValidationText:	Please enter a value between 0 and 5 or leave blank		
score_modeling		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
Caption:	Modeling		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {CF069F67-88AC-4A9D-8C11-B15637CE3E86}}		

	OrdinalPosition:	10	
	Required:	False	
	SourceField:	score_modeling	
	SourceTable:	toutcome_HOME_EC	
	ValidationRule:	Between 0 And 5 Or Is Null	
	ValidationText:	Please enter a value between 0 and 5 or leave blank	
score_variety		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Variety	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {8785FB4C-D447-401D-B0C1-19A3329C9627}}	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	score_variety	
	SourceTable:	toutcome_HOME_EC	
	ValidationRule:	Between 0 And 9 Or Is Null	
	ValidationText:	Please enter a value between 0 and 9 or leave blank	
score_acceptance		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	Caption:	Acceptance	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {5B8B34D7-5704-47A8-A611-1BF95AED19C4}}	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	score_acceptance	
	SourceTable:	toutcome_HOME_EC	
	ValidationRule:	Between 0 And 4 Or Is Null	
	ValidationText:	Please enter a value between 0 and 4 or leave blank	
not_completed_reason_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	1	
	ColumnHeads:	False	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {A5AB7FF5-76A9-49A9-8291-54D8B8F2B497}}
LimitToList:	False
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	13
Required:	False
RowSource:	toutcome_HOME_lkup_not_completed_reason
RowSourceType:	Table/Query
SourceField:	not_completed_reason_code
SourceTable:	toutcome_HOME_EC

notes_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	notes
DisplayControl:	Text Box
GUID:	{guid {95FFC969-F0C1-46B6-872E-D2C2FC7E4CB6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	14
Required:	False
SourceField:	notes_text
SourceTable:	toutcome_HOME_EC
UnicodeCompression:	False

isReferralMade_pims6 Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	PIMS 6- obsolete
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {6C46DDB5-EC28-49D6-AA95-5C67DCF535AA}}
OrdinalPosition:	15
Required:	False
SourceField:	isReferralMade_pims6
SourceTable:	toutcome_HOME_EC

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {AC4B5A61-5BE7-4E8D-ACC7-836133636C66}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	16
Required:	False
SourceField:	created_timestamp
SourceTable:	toutcome_HOME_EC

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {676525C6-289A-4806-9614-D7479D9A711C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	17
Required:	False
SourceField:	created_user
SourceTable:	toutcome_HOME_EC
UnicodeCompression:	True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {5A004B78-D165-4998-9795-F021FB18F2E4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	18
Required:	False
SourceField:	modified_timestamp
SourceTable:	toutcome_HOME_EC

modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {B526BB6C-2C8B-4B7C-BA82-57CFF54C9AA5}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	toutcome_HOME_EC	
	UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
admin_staff_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	admin_staff_id
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_staff_id	Ascending
admin_time_point_code	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_time_point_code	Ascending
person_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False
Required:	False
Unique:	False

	Fields:	
	person_id	Ascending
PrimaryKey		3
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	person_id	Ascending
	admin_time_point_code	Ascending
	isRepeatAdmin	Ascending
refused_services_reason_code		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	refused_services_reason_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	not_completed_reason_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:27 AM	DefaultView:	2
GUID:	{guid {FA0B87A8-3216-471B-834B-F35ED53AFE38}}	LastUpdated:	6/13/2016 12:25:01 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	5
Updatable:	True		

Columns

Name	Type	Size
not_completed_reason_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {14A30566-B980-41A6-A8CD-0D7C6DA86CE4}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	not_completed_reason_code	
SourceTable:	toutcome_HOME_lkup_not_completed_reason	
not_completed_reason_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3840	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {8DB7DE3D-CE18-4ECF-965D-80A246E69537}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	not_completed_reason_text	
SourceTable:	toutcome_HOME_lkup_not_completed_reason	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
not_completed_reason_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:17 AM	DefaultView:	2
GUID:	{guid {724CC7A9-B323-471D-9908-0A88F0289CEB}}	LastUpdated:	7/8/2016 12:00:59 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	2
Updatable:	True		

Columns

Name	Type	Size
instrument_baseline_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2280
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {A7C94E66-5334-4E58-A047-DE8D7CFF9A57}}
OrdinalPosition:	0
Required:	False
SourceField:	instrument_baseline_code
SourceTable:	toutcome_instrument_lkup_baseline

instrument_baseline_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	5340
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {CAFCF17F-9A01-424E-BBB8-BAF05A8884F3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	instrument_baseline_desc
SourceTable:	toutcome_instrument_lkup_baseline
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
instrument_baseline_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:17 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {0537075E-418D-4579-93F0-80AA99369BC0}}
HideNewField:	False	LastUpdated:	8/28/2018 11:10:28 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	18	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
site_id	Text	5
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
Caption:	Site ID	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	690	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Unique identification code for each Healthy Families site.	
DisplayControl:	Text Box	
GUID:	{guid {BEBB4A0F-0FC6-4F96-8580-E83F5B24E6E7}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	site_id	
SourceTable:	toutcome_instrument_lkup_defs	
TextAlign:	General	
UnicodeCompression:	False	
standard_instrument_id	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	

DataUpdatable: False
DecimalPlaces: Auto
Description: standard identifier for the instrument id
DisplayControl: Text Box
GUID: {guid {397B40E5-EF64-4FB5-B064-E2F4127BA6FA}}
OrdinalPosition: 1
Required: False
ResultType: 0
SourceField: standard_instrument_id
SourceTable: toutcome_instrument_lkup_defs
TextAlign: General

old_instrument_id Long Integer 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: 1230
DataUpdatable: False
DecimalPlaces: Auto
Description: Unique identifier for the instrument id
DisplayControl: Text Box
GUID: {guid {6690AF34-25F1-44DE-BEE7-732C535BEC40}}
OrdinalPosition: 2
Required: False
SourceField: old_instrument_id
SourceTable: toutcome_instrument_lkup_defs

instrument_name_text Text 255
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
Description: instrument name
DisplayControl: Text Box
GUID: {guid {7A6EDDEE-22A8-4461-B00E-78F866ECF874}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 3
Required: False
ResultType: 0
SourceField: instrument_name_text
SourceTable: toutcome_instrument_lkup_defs
TextAlign: General
UnicodeCompression: False

instrument_type_code Byte 1

	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	type of instrument	
	DisplayControl:	Text Box	
	GUID:	{guid {925E1375-AE06-496E-8E9D-E422F7578769}}	
	OrdinalPosition:	4	
	Required:	False	
	ResultType:	0	
	SourceField:	instrument_type_code	
	SourceTable:	toutcome_instrument_lkup_defs	
	TextAlign:	General	
instrument_concepts_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	instrument concepts	
	DisplayControl:	Text Box	
	GUID:	{guid {DB5BC1D8-8DF3-4BA2-9B50-0984DEB49556}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	ResultType:	0	
	SourceField:	instrument_concepts_text	
	SourceTable:	toutcome_instrument_lkup_defs	
	TextAlign:	General	
	UnicodeCompression:	False	
instrument_purpose_code		Byte	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	

DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	instrument purpose		
DisplayControl:	Text Box		
GUID:	{guid {E3DB8BA1-3C14-4D69-B57E-857ACC5C9B2A}}		
OrdinalPosition:	6		
Required:	False		
ResultType:	0		
SourceField:	instrument_purpose_code		
SourceTable:	toutcome_instrument_lkup_defs		
TextAlign:	General		
instrument_purpose_other_text		Text	255
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	instrument purpose - other		
DisplayControl:	Text Box		
GUID:	{guid {9B1EE9D7-D30B-42C6-AD2D-CEE1E2A766E9}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	7		
Required:	False		
ResultType:	0		
SourceField:	instrument_purpose_other_text		
SourceTable:	toutcome_instrument_lkup_defs		
TextAlign:	General		
UnicodeCompression:	False		
instrument_baseline_code		Byte	1
AggregateType:	-1		
AllowValueListEdits:	False		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;2880		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	whether the tool is administered relative to birth or enrollment		
DisplayControl:	Combo Box		

	GUID:	{guid {E3CE04A6-EF31-4F3F-ABD0-AA1D8312E9DD}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	8	
	Required:	False	
	ResultType:	0	
	RowSource:	toutcome_instrument_lkup_baseline	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	instrument_baseline_code	
	SourceTable:	toutcome_instrument_lkup_defs	
	TextAlign:	General	
instrument_target_code		Byte	1
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	who the tool is administered to (participant or child)	
	DisplayControl:	Combo Box	
	GUID:	{guid {FFE7232F-73A8-48E7-B189-ACE31EE165BF}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	9	
	Required:	False	
	ResultType:	0	
	RowSource:	toutcome_instrument_lkup_target	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	instrument_target_code	
	SourceTable:	toutcome_instrument_lkup_defs	
	TextAlign:	General	
instrument_score_type_code		Byte	1
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	

ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	whether the cutoff changes or stays the same over each timepoint
DisplayControl:	Combo Box
GUID:	{guid {F369BCBA-F515-4698-A91A-FE0D23578594}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	10
Required:	False
ResultType:	0
RowSource:	toutcome_instrument_lkup_score_type
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	instrument_score_type_code
SourceTable:	toutcome_instrument_lkup_defs
TextAlign:	General

cutoff_score_total Single 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	PIMS 7.3.9 overall cutoff score
DisplayControl:	Text Box
GUID:	{guid {1FB2C95F-8047-4F49-9BAF-164F8EAE4D8C}}
OrdinalPosition:	11
Required:	False
ResultType:	0
SourceField:	cutoff_score_total
SourceTable:	toutcome_instrument_lkup_defs
TextAlign:	General

normal_score_range_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False

ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;2880		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	defines whether a normal score is above, at, or below cutoff		
DisplayControl:	Combo Box		
GUID:	{guid {FC72E0FB-C4BF-4721-A7F1-81CDF601E15E}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	0twip		
OrdinalPosition:	12		
Required:	False		
RowSource:	toutcome_instrument_lkup_normal_score_range		
RowSourceType:	Table/Query		
SourceField:	normal_score_range_code		
SourceTable:	toutcome_instrument_lkup_defs		
instrument_authors_text		Text	255
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	instrument authors		
DisplayControl:	Text Box		
GUID:	{guid {84386B7A-3C5A-4E3E-9EFF-EAB56581A8D9}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	13		
Required:	False		
ResultType:	0		
SourceField:	instrument_authors_text		
SourceTable:	toutcome_instrument_lkup_defs		
TextAlign:	General		
UnicodeCompression:	False		
instrument_pub_year_text		Text	25
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
Description:	instrument year of publication		

	DisplayControl:	Text Box	
	GUID:	{guid {0654AE9F-5359-413B-947C-B076B0989313}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	14	
	Required:	False	
	ResultType:	0	
	SourceField:	instrument_pub_year_text	
	SourceTable:	toutcome_instrument_lkup_defs	
	TextAlign:	General	
	UnicodeCompression:	False	
instrument_pub_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	instrument publisher	
	DisplayControl:	Text Box	
	GUID:	{guid {0C48A302-6743-4C7C-8541-5F70CC0C0CFD}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	15	
	Required:	False	
	ResultType:	0	
	SourceField:	instrument_pub_text	
	SourceTable:	toutcome_instrument_lkup_defs	
	TextAlign:	General	
	UnicodeCompression:	False	
outcome_form_code		Byte	1
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	name of form used for data collection	
	DisplayControl:	Combo Box	

	GUID:	{guid {E1972660-2B98-44F3-AB00-821E5FD0D708}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	16	
	Required:	False	
	ResultType:	0	
	RowSource:	tappl_outcome_forms_lkup	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	outcome_form_code	
	SourceTable:	toutcome_instrument_lkup_defs	
	TextAlign:	General	
isStandard		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	if yes, then prevent changes to most fields	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {C42D2962-0BC4-4129-90F5-1B75626E25B2}}	
	OrdinalPosition:	17	
	Required:	False	
	ResultType:	0	
	SourceField:	isStandard	
	SourceTable:	toutcome_instrument_lkup_defs	
	TextAlign:	General	
isActive		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	whether the site wants to use this outcome form	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {DA5D4EE1-4DE0-48AD-B6CB-E156DDE4631C}}	
	OrdinalPosition:	18	
	Required:	False	
	ResultType:	0	
	SourceField:	isActive	

	SourceTable:	toutcome_instrument_lkup_defs	
	TextAlign:	General	
created_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {3EE23403-09A0-4A2F-BF90-5A7902B2BDA8}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	19	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	created_timestamp	
	SourceTable:	toutcome_instrument_lkup_defs	
	TextAlign:	General	
created_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {3CFF914C-9A5B-41F8-9B55-0BF2FB287BBA}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	20	
	Required:	False	
	ResultType:	0	
	SourceField:	created_user	
	SourceTable:	toutcome_instrument_lkup_defs	
	TextAlign:	General	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Format:	General Date
GUID:	{guid {9B42466C-012F-484C-8869-19A94B11ABD5}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	21
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	modified_timestamp
SourceTable:	toutcome_instrument_lkup_defs
TextAlign:	General

modified_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {0356BB7B-AA6F-42F8-AFFF-D576E7B068AA}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	22
Required:	False
ResultType:	0
SourceField:	modified_user
SourceTable:	toutcome_instrument_lkup_defs
TextAlign:	General
UnicodeCompression:	True

Relationships

toutcome_instrument_lkup_defstassessment_data_instruments



Attributes:	Not Enforced
RelationshipType:	Indeterminate

toutcome_instrument_lkup_defstInstrumentsToCheckpoints



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

toutcome_instrument_lkup_defstInstrumentsToTimepoints



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tsite_lkuptoutcome_instrument_lkup_defs



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
instrument_purpose_code	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	instrument_purpose_code
Primary:	False
Required:	False
Unique:	False
Fields:	
instrument_purpose_code	Ascending
instrument_purpose_code1	1
Clustered:	False
DistinctCount:	14
Foreign:	False
IgnoreNulls:	False
Name:	instrument_purpose_code1
Primary:	False
Required:	False
Unique:	False

Fields:
outcome_form_code Ascending
instrument_score_type_code 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: instrument_score_type_code
Primary: False
Required: False
Unique: False
Fields:
normal_score_range_code Ascending
instrument_target_code 1
Clustered: False
DistinctCount: 3
Foreign: False
IgnoreNulls: False
Name: instrument_target_code
Primary: False
Required: False
Unique: False
Fields:
instrument_baseline_code Ascending
instrument_target_code1 1
Clustered: False
DistinctCount: 3
Foreign: False
IgnoreNulls: False
Name: instrument_target_code1
Primary: False
Required: False
Unique: False
Fields:
instrument_score_type_code Ascending
instrument_type_code 1
Clustered: False
DistinctCount: 3
Foreign: False
IgnoreNulls: False
Name: instrument_type_code
Primary: False
Required: False
Unique: False
Fields:
instrument_type_code Ascending
instrument_type_code1 1
Clustered: False
DistinctCount: 3
Foreign: False
IgnoreNulls: False
Name: instrument_type_code1
Primary: False

	Required:	False
	Unique:	False
	Fields:	
	instrument_target_code	Ascending
PrimaryKey		2
	Clustered:	False
	DistinctCount:	18
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	site_id	Ascending
	standard_instrument_id	Ascending
standard_instrument_id		1
	Clustered:	False
	DistinctCount:	18
	Foreign:	False
	IgnoreNulls:	False
	Name:	standard_instrument_id
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	standard_instrument_id	Ascending
tsite_lkuptoutcome_instrument_lkup_defs		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	True
	IgnoreNulls:	False
	Name:	tsite_lkuptoutcome_instrument_lkup_defs
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	8/7/2017 2:54:55 PM	DefaultView:	2
GUID:	{guid {2A2267A2-B647-4050-8B7A-AA8047EFA12D}}	LastUpdated:	8/7/2017 4:08:41 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
Updatable:	True		

Columns

Name	Type	Size
instrument_score_type_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	1	
ColumnWidth:	2280	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {FA4C4CA9-7F21-480E-B581-BE57CB9E6014}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	instrument_score_type_code	
SourceTable:	toutcome_instrument_lkup_normal_score_range	
instrument_score_type_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1860	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {5364261F-923B-4AD9-9E30-8E90DE9D10D2}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	instrument_score_type_desc	
SourceTable:	toutcome_instrument_lkup_normal_score_range	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
instrument_score_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
LastUpdated:	7/8/2016 12:01:07 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
instrument_purpose_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2280	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	instrument_purpose_code	
SourceTable:	toutcome_instrument_lkup_purpose	
instrument_purpose_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2265	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	instrument_purpose_desc	
SourceTable:	toutcome_instrument_lkup_purpose	
UnicodeCompression:	False	
assessment_tool_flag	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1920	
DataUpdatable:	False	

DisplayControl:	Text Box
Format:	Yes/No
OrdinalPosition:	2
Required:	False
SourceField:	assessment_tool_flag
SourceTable:	toutcome_instrument_lkup_purpose

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
instrument_purpose_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
GUID:	{guid {F1081796-1B8A-4EA9-9A88-34600094ECD5}}	LastUpdated:	7/8/2016 12:01:12 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	2
Updatable:	True		

Columns

Name	Type	Size
instrument_score_type_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2280
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {9BBC58C6-1327-4827-9256-81979D271134}}
OrdinalPosition:	0
Required:	False
SourceField:	instrument_score_type_code
SourceTable:	toutcome_instrument_lkup_score_type

instrument_score_type_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	5340
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {B851976B-C39B-4BF9-A935-8D488670E21F}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	instrument_score_type_desc
SourceTable:	toutcome_instrument_lkup_score_type
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
instrument_score_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
GUID:	{guid {D782F95E-FE79-464C-AAEB-5496C2F336E9}}	LastUpdated:	7/8/2016 12:01:16 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	2
Updatable:	True		

Columns

Name	Type	Size
instrument_target_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2280
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {FA32782A-18F1-4017-AE88-BB8E4399CC64}}
OrdinalPosition:	0
Required:	False
SourceField:	instrument_target_code
SourceTable:	toutcome_instrument_lkup_target

instrument_target_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	5340
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {E7DF8126-7387-4D91-96AF-79B8C4B415FD}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	instrument_target_desc
SourceTable:	toutcome_instrument_lkup_target
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
instrument_target_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:18 AM	DefaultView:	2
LastUpdated:	7/8/2016 12:01:22 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	2	Updatable:	True

Columns

Name	Type	Size
instrument_type_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1980	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	instrument_type_code	
SourceTable:	toutcome_instrument_lkup_type	
instrument_type_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2805	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	instrument_type_desc	
SourceTable:	toutcome_instrument_lkup_type	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
instrument_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:27 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	0	Updatable:	True

Columns

Name	Type	Size
kid_id	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each participant
DisplayControl:	Text Box
GUID:	{guid {4B23DFEA-CD28-4BD0-8161-56B73DF813D2}}
OrdinalPosition:	0
Required:	False
SourceField:	kid_id
SourceTable:	toutcome_KIPS

admin_time_point_code	Integer	2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	schedule of administration time point
DisplayControl:	Combo Box
GUID:	{guid {C0299469-98AA-4F16-99E6-2C6168F63BF9}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	1
Required:	False
RowSource:	toutcomeinstrumentadmin_lkup_timepoint
RowSourceType:	Table/Query
SourceField:	admin_time_point_code

SourceTable: toutcome_KIPS

isRepeatAdmin Yes/No 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: whether this tool's administration was repeated
DisplayControl: 106
Format: Yes/No
GUID: {guid {7ED65C7E-6B5B-44B4-B9FA-18E4C313B2C2}}
OrdinalPosition: 2
Required: False
SourceField: isRepeatAdmin
SourceTable: toutcome_KIPS

admin_date Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: date administered
GUID: {guid {F54AC200-9B75-4169-A3F2-BF98F92991EE}}
IMEMode: 0
IMESentenceMode: 3
InputMask: 99/99/00;0;_
OrdinalPosition: 3
Required: True
SourceField: admin_date
SourceTable: toutcome_KIPS

admin_staff_id Text 10
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: Staff Worker ID who administered the tool
DisplayControl: Text Box
GUID: {guid {F1B66C68-3FC3-4879-94A4-28916F31AF7E}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 4
Required: False

	SourceField:	admin_staff_id	
	SourceTable:	toutcome_KIPS	
	UnicodeCompression:	False	
score_sensitivity		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {A72FC048-9283-47A7-B2CF-25AC680AC0B5}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	score_sensitivity	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
score_emotions		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {80DEC25F-5C24-457E-BC6E-1585F62B600C}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	score_emotions	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
score_encouragement		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {4A492A7F-8DC0-416E-998F-6620A0A33087}}	
	OrdinalPosition:	7	

	Required:	False	
	SourceField:	score_encouragement	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
score_curiosity		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {27BCE55B-A323-4FAC-B7B5-753F5AA292EF}}	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	score_curiosity	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
score_child_involvt		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {FB0CDA14-81B9-41DF-9F1F-AA72932E6605}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	score_child_involvt	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
score_language		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	

	GUID:	{guid {0E50C9AC-2240-4878-A076-525E09EAD87C}}	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	score_language	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
score_touch		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {F943779C-62A1-424B-803D-5110CD08E377}}	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	score_touch	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
score_limits		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {5022F19C-EB03-4B5C-9B97-21C089D62A02}}	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	score_limits	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
score_agenda		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	

	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {F219EFB9-60E2-4E63-AA62-7A72C0025B0D}}	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	score_agenda	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
score_expectations		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {52D3AE1B-AA96-46F5-8709-D92CA910B18A}}	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	score_expectations	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
score_activities		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {EF66CF2A-0EEB-454F-A843-9B6B02521B69}}	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	score_activities	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
score_directions		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {3C8390C9-6A8C-4610-B48D-C943F2257DE6}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	score_directions	
	SourceTable:	toutcome_KIPS	
	ValidationRule:	Between 0 And 5	
	ValidationText:	Please enter a value between 0 and 5	
notes_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	notes	
	DisplayControl:	Text Box	
	GUID:	{guid {5F907145-A88A-4967-BB25-8F0968B2D5B7}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	notes_text	
	SourceTable:	toutcome_KIPS	
	UnicodeCompression:	False	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {80BEBFC2-3976-4217-A444-51AF15DFE429}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	toutcome_KIPS	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {9A0435E7-7C0E-4E32-8E74-A5A9546105CA}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	19
Required:	False
SourceField:	created_user
SourceTable:	toutcome_KIPS
UnicodeCompression:	True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {8E661859-B568-4288-AC98-7472EDA5234A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	20
Required:	False
SourceField:	modified_timestamp
SourceTable:	toutcome_KIPS

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {B1A1D41B-2343-4F81-A4F9-2C6165E74D3B}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	21
Required:	False
SourceField:	modified_user
SourceTable:	toutcome_KIPS
UnicodeCompression:	True

Relationships

tbirth_datatoutcome_KIPS



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{BBA03C55-4E8C-4F2A-A19B-62912B06CA	1
Clustered:	False
DistinctCount:	0
Foreign:	True
IgnoreNulls:	False
Name:	{BBA03C55-4E8C-4F2A-A19B-62912B06CAEE}
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
admin_staff_id	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	admin_staff_id
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_staff_id	Ascending
admin_time_point_code	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_time_point_code	Ascending
person_id	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	kid_id	Ascending
PrimaryKey		3
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	kid_id	Ascending
	admin_time_point_code	Ascending
	isRepeatAdmin	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:27 AM	DefaultView:	2
Description:	for ND MIECHV eval	GUID:	{guid {56C02644-906A-45B5-BDEC-65DF9C9DA6A0}}
LastUpdated:	3/9/2017 1:12:14 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	31	Updatable:	True

Columns

Name	Type	Size
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {095A9A74-5166-40DF-AC08-2004FF60BF07}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	person_id	
SourceTable:	toutcome_ND_Self_Sufficiency	
admin_time_point_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	schedule of administration time point	
DisplayControl:	Text Box	
GUID:	{guid {DCB8EED6-6E37-41B1-9489-C02E92084D7B}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	admin_time_point_code	
SourceTable:	toutcome_ND_Self_Sufficiency	
isRepeatAdmin	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	whether this tool's administration was repeated	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {E340931A-3D1E-482F-81C6-818391C21301}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	isRepeatAdmin	
	SourceTable:	toutcome_ND_Self_Sufficiency	
admin_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date administered	
	GUID:	{guid {06B078A0-CF6C-4513-B18A-CDF578D1BACC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	admin_date	
	SourceTable:	toutcome_ND_Self_Sufficiency	
admin_staff_id		Text	10
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Staff Worker ID who administered the tool	
	DisplayControl:	Text Box	
	GUID:	{guid {9FDF655C-3520-410F-A6C2-C46EB4A7F643}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	admin_staff_id	
	SourceTable:	toutcome_ND_Self_Sufficiency	
	UnicodeCompression:	False	
score		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	

	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {3E26F105-009D-4EF6-B309-6CFC5F337C51}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	score	
	SourceTable:	toutcome_ND_Self_Sufficiency	
hours_working_per_week		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {FF3283B0-575D-40D1-B666-7B70B1F8F8D9}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	hours_working_per_week	
	SourceTable:	toutcome_ND_Self_Sufficiency	
maternity_leave_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {11F54DF2-884F-4F01-8ECE-A6B015990F5B}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	7	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	maternity_leave_ynu	

SourceTable: toutcome_ND_Self_Sufficiency

plans_maternity_leave_return_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {C03144B0-AEA3-4B87-B4C2-60BD96B4B2DF}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 8
Required: False
SourceField: plans_maternity_leave_return_text
SourceTable: toutcome_ND_Self_Sufficiency
UnicodeCompression: False

plans_work_return_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {713EF80E-0B8F-4FC5-8EF6-FB264783BD08}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 9
Required: False
SourceField: plans_work_return_text
SourceTable: toutcome_ND_Self_Sufficiency
UnicodeCompression: False

employ_status_goal_ynu Byte 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 2
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
ColumnWidths: 0;2880
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Combo Box

	GUID:	{guid {CD0C624A-BDDC-41C7-AF3A-0F1018982181}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	10	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	employ_status_goal_ynu	
	SourceTable:	toutcome_ND_Self_Sufficiency	
employ_status_improved_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {F774C479-98BD-4BD1-B044-7A05B8FCFAF1}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	11	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	employ_status_improved_ynu	
	SourceTable:	toutcome_ND_Self_Sufficiency	
supporter_employ_status_improved_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {FBBC3816-BCDE-49E9-871A-E907B1EDD990}}	
	LimitToList:	True	
	ListRows:	8	

ListWidth: 0twip
OrdinalPosition: 12
Required: False
RowSource: tgeneral_lkup_yes_no_unknown
RowSourceType: Table/Query
SourceField: supporter_employ_status_improved_ynu
SourceTable: toutcome_ND_Self_Sufficiency

school_type_code Byte 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
BoundColumn: 1
CollatingOrder: General
ColumnCount: 2
ColumnHeads: False
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
ColumnWidths: 0;2880
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Combo Box
GUID: {guid {64F3D438-7CF6-4621-BA07-1F5387D577F9}}
LimitToList: True
ListRows: 8
ListWidth: 0twip
OrdinalPosition: 13
Required: False
RowSource: toutcome_ND_Self_Sufficiency_lookup_school
RowSourceType: Table/Query
SourceField: school_type_code
SourceTable: toutcome_ND_Self_Sufficiency

hours_training_per_week Long Integer 4
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
DisplayControl: Text Box
GUID: {guid {6263D68D-0F79-4DF9-945B-A2AD41D98293}}
OrdinalPosition: 14
Required: False
SourceField: hours_training_per_week
SourceTable: toutcome_ND_Self_Sufficiency

plans_furthering_educ_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length

	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {C46C16D1-1DA2-4069-8776-0699EEA33DA8}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	plans_furthering_educ_text	
	SourceTable:	toutcome_ND_Self_Sufficiency	
	UnicodeCompression:	False	
hours_educ_seek_per_week		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {B1EAA204-BA1C-4AC8-80D8-A79646C76B17}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	hours_educ_seek_per_week	
	SourceTable:	toutcome_ND_Self_Sufficiency	
educ_status_goal_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {F00BEC3A-5BA8-4D8B-A773-0C8FB3FD8FD1}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	17	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	

	SourceField:	educ_status_goal_ynu	
	SourceTable:	toutcome_ND_Self_Sufficiency	
educ_status_improved_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {8C2F558A-DF05-4D63-9E46-565656B7FA12}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	18	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	educ_status_improved_ynu	
	SourceTable:	toutcome_ND_Self_Sufficiency	
supporter_educ_status_improved_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {C1531308-0F0E-4F4C-9A03-E35749B349C3}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	19	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	supporter_educ_status_improved_ynu	
	SourceTable:	toutcome_ND_Self_Sufficiency	

notes_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	notes
DisplayControl:	Text Box
GUID:	{guid {0E169B35-4416-404C-B7BD-1C1FCDEF966F}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	20
Required:	False
SourceField:	notes_text
SourceTable:	toutcome_ND_Self_Sufficiency
UnicodeCompression:	False

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {0BC53ABF-C708-445F-BE4B-1008C13A341D}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	21
Required:	False
SourceField:	created_timestamp
SourceTable:	toutcome_ND_Self_Sufficiency

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {D9707A88-89F7-44F6-8A79-B58A8EC9C812}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	22
Required:	False
SourceField:	created_user
SourceTable:	toutcome_ND_Self_Sufficiency

	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {EBCA1A58-1FFB-4A98-9804-9A8C4BC1A285}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	23	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	toutcome_ND_Self_Sufficiency	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {606911D5-F608-4471-87AB-E566940DD7C1}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	24	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	toutcome_ND_Self_Sufficiency	
	UnicodeCompression:	True	

Relationships

toutcome_ND_Self_Sufficiency_lookup_schooltoutcome_ND_Self_Sufficiency



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields

{105B4B3C-91D7-488F-8C4C-A95FD9C7C5 1
Clustered: False
DistinctCount: 4
Foreign: True
IgnoreNulls: False
Name: {105B4B3C-91D7-488F-8C4C-A95FD9C7C557}
Primary: False
Required: False
Unique: False
Fields:
school_type_code Ascending
admin_staff_id 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: admin_staff_id
Primary: False
Required: False
Unique: False
Fields:
admin_staff_id Ascending
admin_time_point_code 1
Clustered: False
DistinctCount: 4
Foreign: False
IgnoreNulls: False
Name: admin_time_point_code
Primary: False
Required: False
Unique: False
Fields:
admin_time_point_code Ascending
kid_id 1
Clustered: False
DistinctCount: 10
Foreign: False
IgnoreNulls: False
Name: kid_id
Primary: False
Required: False
Unique: False
Fields:
person_id Ascending
prams_preg_partner_reason_code 1
Clustered: False
DistinctCount: 4
Foreign: False
IgnoreNulls: False
Name: prams_preg_partner_reason_code
Primary: False
Required: False
Unique: False

	Fields:	
	school_type_code	Ascending
PrimaryKey		3
	Clustered:	False
	DistinctCount:	31
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	person_id	Ascending
	admin_time_point_code	Ascending
	isRepeatAdmin	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:27 AM	DefaultView:	2
Description:	for ND MIECHV eval	GUID:	{guid {753EC54C-3416-4C63-9EE5-76DB7DBE2C09}}
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	6	Updatable:	True

Columns

Name	Type	Size
school_type_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {26B53243-EEFB-4E0B-BC0B-BF5F26ABBBF2}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	school_type_code	
SourceTable:	toutcome_ND_Self_Sufficiency_lookup_school	
school_type_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3840	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {E07A3BA8-8187-43BE-A4FB-A0583A28D59D}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	school_type_text	
SourceTable:	toutcome_ND_Self_Sufficiency_lookup_school	
UnicodeCompression:	False	

Relationships

toutcome_ND_Self_Sufficiency_lookup_schooltoutcome_ND_Self_Sufficiency



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
school_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:27 AM	DefaultView:	2
GUID:	{guid {8781D26F-49F4-4644-A7CE-03C3658C2325}}	LastUpdated:	4/18/2017 4:40:21 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	0
Updatable:	True		

Columns

Name	Type	Size
person_id	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each participant
DisplayControl:	Text Box
GUID:	{guid {56C36D6C-DBA1-47E5-B5CD-FF86F275D24E}}
OrdinalPosition:	0
Required:	True
SourceField:	person_id
SourceTable:	toutcome_PHQ

admin_time_point_code	Integer	2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	schedule of administration time point
DisplayControl:	Combo Box
GUID:	{guid {E82FA577-F01C-4DBD-8527-50E1F09A5EE7}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	1
Required:	False
RowSource:	toutcomeinstrumentadmin_lkup_timepoint

	RowSourceType:	Table/Query	
	SourceField:	admin_time_point_code	
	SourceTable:	toutcome_PHQ	
isRepeatAdmin		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	whether this tool's administration was repeated	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {5712451D-8B96-40EE-A9B7-087AAE7A4A3C}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	isRepeatAdmin	
	SourceTable:	toutcome_PHQ	
pregnancy_id		Text	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	In combination with participant ID provides a unique identifier of the pregnancy, with A the first, B the second...	
	DisplayControl:	Text Box	
	GUID:	{guid {CDA3289B-54C2-4045-B297-8E8C8A5BC7D2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	pregnancy_id	
	SourceTable:	toutcome_PHQ	
	UnicodeCompression:	False	
	ValidationRule:	In ("A","B","C","D","E","F","G","H","I","J","K","L","M","N","P","O","Q","R","S","T","V","W","Y","X","Z")	
	ValidationText:	The Pregnancy ID must be a letter	
admin_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default
DataUpdatable:	False
Description:	date administered
GUID:	{guid {B4B7545D-5FE4-4504-ADBB-A1B68438BD6A}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	4
Required:	True
SourceField:	admin_date
SourceTable:	toutcome_PHQ

admin_staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Staff Worker ID who administered the tool
DisplayControl:	Text Box
GUID:	{guid {6539234B-CF95-442D-BD69-C3D37B5A1258}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
SourceField:	admin_staff_id
SourceTable:	toutcome_PHQ
UnicodeCompression:	False

score Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {AD0CE0D3-780B-457D-AB7D-C2F6748113F4}}
OrdinalPosition:	6
Required:	False
SourceField:	score
SourceTable:	toutcome_PHQ

isItem9Flag Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	if item 9 is answered "sometimes" or "often", a suicide referral should be made
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {837F7FF0-7CCF-4DE1-ACBA-04221C114A65}}
OrdinalPosition:	7
Required:	False
SourceField:	isItem9Flag
SourceTable:	toutcome_PHQ

depression_referral_id — Long Integer — 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	link to a depression referral directed from this assessment
DisplayControl:	Text Box
GUID:	{guid {3AB1EADC-59EA-4C26-A9CF-72E849E14230}}
OrdinalPosition:	8
Required:	False
SourceField:	depression_referral_id
SourceTable:	toutcome_PHQ

depression_followup_date — Date/Time — 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
GUID:	{guid {EFB38E4A-5D2B-4165-8D2F-A13B4953305D}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	9
Required:	False
SourceField:	depression_followup_date
SourceTable:	toutcome_PHQ

reason_no_depression_referral_code — Long Integer — 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General

ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {53704C1C-38CB-4AF9-BA29-80883E4EF415}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	10
Required:	False
RowSource:	toutcome_ASQ_lkup_no_referral_reason
RowSourceType:	Table/Query
SourceField:	reason_no_depression_referral_code
SourceTable:	toutcome_PHQ

reason_no_depression_referral_other_text Text 50

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {D281D39D-D543-4DA4-9EF1-C9B6233B8A48}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
SourceField:	reason_no_depression_referral_other_text
SourceTable:	toutcome_PHQ
UnicodeCompression:	True

suicide_referral_id Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	link to a suicide referral directed from this assessment
DisplayControl:	Text Box
GUID:	{guid {82595692-6A56-4199-85AA-407BB412C0AC}}
OrdinalPosition:	12
Required:	False
SourceField:	suicide_referral_id

SourceTable: toutcome_PHQ

suicide_followup_date Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
GUID: {guid {4592B9A9-5B6A-4A63-94B0-F82FD02B5FDD}}
IMEMode: 0
IMESentenceMode: 3
InputMask: 99/99/00;0;_
OrdinalPosition: 13
Required: False
SourceField: suicide_followup_date
SourceTable: toutcome_PHQ

reason_no_suicide_referral_text Text 255
AllowZeroLength: True
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {17F5E35E-621A-4EFD-B47E-14D55E0D4230}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: reason_no_suicide_referral_text
SourceTable: toutcome_PHQ
UnicodeCompression: True

notes_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: notes
DisplayControl: Text Box
GUID: {guid {75FA01D6-170A-4706-9FE8-AB1905BB662D}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False

	SourceField:	notes_text	
	SourceTable:	toutcome_PHQ	
	UnicodeCompression:	False	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {E9872AF0-A55A-4580-8E09-90BB35D1BD20}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	toutcome_PHQ	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {FD08670E-74F3-49A8-9942-3D787A037C38}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	toutcome_PHQ	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {FB3DCE52-1082-42BA-95DA-9DD2EA43BA2A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	19	

	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	toutcome_PHQ	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {C15D76FA-6BB3-4DFD-B320-7693A3DB232E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	toutcome_PHQ	
	UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
admin_staff_id	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	admin_staff_id
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_staff_id	Ascending
admin_time_point_code	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_time_point_code	Ascending
depression_referral_id	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	depression_referral_id

	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	suicide_referral_id	Ascending
person_id		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	person_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	person_id	Ascending
PrimaryKey		4
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	person_id	Ascending
	admin_time_point_code	Ascending
	isRepeatAdmin	Ascending
	pregnancy_id	Ascending
reason_no_depression_referral_code		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	reason_no_depression_referral_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	reason_no_depression_referr	Ascending
related_referral_id		1
	Clustered:	False
	DistinctCount:	0
	Foreign:	False
	IgnoreNulls:	False
	Name:	related_referral_id
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	depression_referral_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:27 AM	DefaultView:	2
Description:	for ND MIECHV eval	GUID:	{guid {23A2278E-6584-4176-BBCA-C93B0E930031}}
LastUpdated:	3/9/2017 1:12:22 PM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	32	Updatable:	True

Columns

Name	Type	Size
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {9382BB94-1662-4E88-BEC9-CCE4A73C8F33}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	person_id	
SourceTable:	toutcome_RAT	
admin_time_point_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	schedule of administration time point	
DisplayControl:	Text Box	
GUID:	{guid {8E2843B9-9138-4CE4-9848-11BE4457B4F2}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	admin_time_point_code	
SourceTable:	toutcome_RAT	
isRepeatAdmin	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	whether this tool's administration was repeated	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {1C4FFB0D-AB08-47F1-99C7-62A47FBF8749}}	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	isRepeatAdmin	
	SourceTable:	toutcome_RAT	
admin_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date administered	
	GUID:	{guid {B600B70E-6E53-43EE-9534-21E338615943}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	admin_date	
	SourceTable:	toutcome_RAT	
admin_staff_id		Text	10
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Staff Worker ID who administered the tool	
	DisplayControl:	Text Box	
	GUID:	{guid {31150DEA-0F38-4FB6-9FC1-734E69D292DC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	admin_staff_id	
	SourceTable:	toutcome_RAT	
	UnicodeCompression:	False	
score		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {E3D4C4C9-005A-49ED-8E91-61156581E075}}
OrdinalPosition:	5
Required:	False
SourceField:	score
SourceTable:	toutcome_RAT
ValidationRule:	<=60
ValidationText:	The maximum score for this tool is 60

isViolence_partner_physical_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Combo Box
GUID:	{guid {4C5BDFE3-AAAA-4C5D-8E82-E2DA89B172E7}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	6
Required:	False
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
SourceField:	isViolence_partner_physical_ynu
SourceTable:	toutcome_RAT

isViolence_partner_physical_notes_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	notes
DisplayControl:	Text Box
GUID:	{guid {B71B9F80-EAFD-4C32-9FC2-83DD242AFD63}}
IMEMode:	0

	IMESentenceMode:	3	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	isViolence_partner_physical_notes_text	
	SourceTable:	toutcome_RAT	
	UnicodeCompression:	False	
isViolence_partner_sexual_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Combo Box	
	GUID:	{guid {462B9862-CD29-4439-8C00-C8B1895700B1}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	8	
	Required:	False	
	RowSource:	tgeneral_lkup_yes_no_unknown	
	RowSourceType:	Table/Query	
	SourceField:	isViolence_partner_sexual_ynu	
	SourceTable:	toutcome_RAT	
isViolence_partner_sexual_notes_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	notes	
	DisplayControl:	Text Box	
	GUID:	{guid {F8315AD8-D3E3-4D34-A4DB-E863AF7A9860}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	isViolence_partner_sexual_notes_text	
	SourceTable:	toutcome_RAT	
	UnicodeCompression:	False	
related_referral_id		Long Integer	4
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	link to a referral directed from this assessment	
	DisplayControl:	Text Box	
	GUID:	{guid {72EA95EA-2158-4CB7-9F89-C3C5E07068ED}}	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	related_referral_id	
	SourceTable:	toutcome_RAT	
safety_plan_complete_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date administered	
	GUID:	{guid {45E53FD3-D581-43FE-9198-0E55B95FDCDC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	safety_plan_complete_date	
	SourceTable:	toutcome_RAT	
referral_advocate_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {49749998-0E5B-4709-A912-BD98903FD218}}	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	referral_advocate_flag	
	SourceTable:	toutcome_RAT	
referral_safety_card_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	

	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {BF2F5F21-13B0-42F9-B675-6EAD2C198A5B}}	
	OrdinalPosition:	13	
	Required:	False	
	SourceField:	referral_safety_card_flag	
	SourceTable:	toutcome_RAT	
referral_other_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {7E32CC32-8B43-4B94-829C-2C17BB11D1F7}}	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	referral_other_flag	
	SourceTable:	toutcome_RAT	
referral_other_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {91A567FB-A97A-462D-8986-F06EAF159321}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	referral_other_text	
	SourceTable:	toutcome_RAT	
	UnicodeCompression:	False	
notes_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	

	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	notes	
	DisplayControl:	Text Box	
	GUID:	{guid {46173B08-1472-4ACB-98FC-475C85D1C6A2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	notes_text	
	SourceTable:	toutcome_RAT	
	UnicodeCompression:	False	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {EF83C3B2-C77A-44E8-856E-991248355A70}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	toutcome_RAT	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {CD49DEBE-BCBC-4D69-B800-44AC9F3D105E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	toutcome_RAT	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {51FB6887-898E-41E7-BC4E-B112962F9172}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	19
Required:	False
SourceField:	modified_timestamp
SourceTable:	toutcome_RAT

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {201B3F07-6BE3-4B9A-8338-C404336F3267}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	20
Required:	False
SourceField:	modified_user
SourceTable:	toutcome_RAT
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
admin_staff_id	1

Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	admin_staff_id
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_staff_id	Ascending

admin_time_point_code 1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code

	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	admin_time_point_code	Ascending
kid_id		1
	Clustered:	False
	DistinctCount:	11
	Foreign:	False
	IgnoreNulls:	False
	Name:	kid_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	person_id	Ascending
PrimaryKey		3
	Clustered:	False
	DistinctCount:	32
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	person_id	Ascending
	admin_time_point_code	Ascending
	isRepeatAdmin	Ascending
related_referral_id		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	related_referral_id
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	related_referral_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:27 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {36607980-AC3F-47FE-9FBB-B98ECEB51EB8}}
HideNewField:	False	LastUpdated:	6/13/2016 12:26:52 PM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	222	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
measurement_id	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	unique identifier for instrument administration event	
GUID:	{guid {9170A685-54BD-442F-98ED-95A71411D049}}	
OrdinalPosition:	0	
Required:	False	
ResultType:	0	
SourceField:	measurement_id	
SourceTable:	toutcomeinstrumentadmin_data	
TextAlign:	General	
standard_instrument_id	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	outcome instrument used	
DisplayControl:	Text Box	
GUID:	{guid {90861389-0868-4932-8926-6CF5C7B27145}}	

	OrdinalPosition:	1	
	Required:	True	
	ResultType:	0	
	SourceField:	standard_instrument_id	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
admin_time_point_code		Integer	2
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	schedule of administration time point	
	DisplayControl:	Combo Box	
	GUID:	{guid {A08BBC59-974C-4AF5-91C3-A43062FB2F1C}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	2	
	Required:	False	
	ResultType:	0	
	RowSource:	toutcomeinstrumentadmin_lkup_timepoint	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	admin_time_point_code	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
isRepeatAdmin		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	whether this tool's administration was repeated	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {8E2004D4-E587-4BB2-B954-DE5BA432A978}}	

	OrdinalPosition:	3	
	Required:	False	
	ResultType:	0	
	SourceField:	isRepeatAdmin	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
person_id		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Unique identification code for each person	
	DisplayControl:	Text Box	
	GUID:	{guid {45ACFF61-A609-4ED7-9844-6B5663670245}}	
	OrdinalPosition:	4	
	Required:	True	
	ResultType:	0	
	SourceField:	person_id	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
admin_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	date administered	
	GUID:	{guid {944C2977-F18C-49B7-A2D4-446AC65034A1}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	5	
	Required:	True	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	admin_date	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
admin_person_text		Text	50
	AggregateType:	-1	

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	people who administered the measure	
	DisplayControl:	Text Box	
	GUID:	{guid {41DF3C15-F779-4793-90BD-9A819A5A235D}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	ResultType:	0	
	SourceField:	admin_person_text	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
	UnicodeCompression:	False	
score_generic		Single	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	generic score field, which may be applicable to some tools	
	DisplayControl:	Text Box	
	GUID:	{guid {A70174CC-BAC2-4FEA-9B4A-D2C734C1744E}}	
	OrdinalPosition:	7	
	Required:	False	
	ResultType:	0	
	SourceField:	score_generic	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
notes_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	

	Description:	notes	
	DisplayControl:	Text Box	
	GUID:	{guid {64E53D6F-E37C-4986-82DD-332C5A538A9E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	ResultType:	0	
	SourceField:	notes_text	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
	UnicodeCompression:	False	
site_id		Text	5
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	690	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	
	DisplayControl:	Text Box	
	GUID:	{guid {78439437-5A19-4398-BE66-56C3F11A1724}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	ResultType:	0	
	SourceField:	site_id	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
	UnicodeCompression:	False	
participant_id		Text	15
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1260	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	In combination with Site ID provides a unique identifier for the individual participant	
	DisplayControl:	Text Box	
	GUID:	{guid {D9EFC9AA-F675-4EA9-9711-8AD83FA03424}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	

	Required:	False	
	ResultType:	0	
	SourceField:	participant_id	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
	UnicodeCompression:	False	
outcome_referral_id		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	link to a related referral directed from this assessment	
	DisplayControl:	Text Box	
	GUID:	{guid {0AF23E38-A29D-41CE-8682-534B240E94DB}}	
	OrdinalPosition:	11	
	Required:	False	
	ResultType:	0	
	SourceField:	outcome_referral_id	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
created_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {33A1024D-DE52-4897-A2ED-6ABB6A35F061}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	created_timestamp	
	SourceTable:	toutcomeinstrumentadmin_data	
	TextAlign:	General	
created_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	

AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {66DA7ECA-8CA7-4962-9E65-55DD553E6AC0}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	13	
Required:	False	
ResultType:	0	
SourceField:	created_user	
SourceTable:	toutcomeinstrumentadmin_data	
TextAlign:	General	
UnicodeCompression:	True	
modified_timestamp	Date/Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Format:	General Date	
GUID:	{guid {768C9ADE-AD86-4360-994F-317474B21D54}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	14	
Required:	False	
ResultType:	0	
ShowDatePicker:	For dates	
SourceField:	modified_timestamp	
SourceTable:	toutcomeinstrumentadmin_data	
TextAlign:	General	
modified_user	Text	20
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	

GUID:	{guid {24E7D629-4F7B-4C31-97D0-720BE2DEF7A5}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	15	
Required:	False	
ResultType:	0	
SourceField:	modified_user	
SourceTable:	toutcomeinstrumentadmin_data	
TextAlign:	General	
UnicodeCompression:	True	
reviewed_timestamp	Date/Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Format:	General Date	
GUID:	{guid {6C6905EE-5F72-4858-9CF0-794FFEC232A4}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	16	
Required:	False	
ResultType:	0	
ShowDatePicker:	For dates	
SourceField:	reviewed_timestamp	
SourceTable:	toutcomeinstrumentadmin_data	
TextAlign:	General	
reviewed_user	Text	20
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {0B81B285-AB63-4699-9B5E-F1BE83903834}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	17	
Required:	False	
ResultType:	0	
SourceField:	reviewed_user	
SourceTable:	toutcomeinstrumentadmin_data	
TextAlign:	General	

UnicodeCompression: True

Table Indexes

Name	Number of Fields
admin_time_point_code1	1
Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	admin_time_point_code1
Primary:	False
Required:	False
Unique:	False
Fields:	
admin_time_point_code	Ascending
instrument_id	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	instrument_id
Primary:	False
Required:	False
Unique:	False
Fields:	
standard_instrument_id	Ascending
participant_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	participant_id
Primary:	False
Required:	False
Unique:	False
Fields:	
participant_id	Ascending
person_id	1
Clustered:	False
DistinctCount:	60
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
PrimaryKey	1
Clustered:	False
DistinctCount:	222
Foreign:	False

	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	measurement_id	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending
suicide_referral_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	suicide_referral_id
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	outcome_referral_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:28 AM	DefaultView:	2
GUID:	{guid {C1027244-DD38-4E40-A69B-11FF03F08357}}	LastUpdated:	6/22/2015 2:30:45 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	67
Updatable:	True		

Columns

Name	Type	Size
admin_time_point_code	Single	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2100	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {54313449-0637-423C-9BD7-D8149E08AD01}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	admin_time_point_code	
SourceTable:	toutcomeinstrumentadmin_lkup_timepoint	
admin_time_point_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2550	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {681F6BE9-9CB4-4071-80E4-94B559E1E090}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	admin_time_point_desc	
SourceTable:	toutcomeinstrumentadmin_lkup_timepoint	
UnicodeCompression:	False	
isChildOnly	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {7258C25A-1DAE-4122-A69E-53D90B397F86}}
OrdinalPosition:	2
Required:	False
SourceField:	isChildOnly
SourceTable:	toutcomeinstrumentadmin_lkup_timepoint

isParentOnly Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {8958B100-7E97-48CB-9844-256FB55556F7}}
OrdinalPosition:	3
Required:	False
SourceField:	isParentOnly
SourceTable:	toutcomeinstrumentadmin_lkup_timepoint

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	67
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
admin_time_point_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data

Pims Admin

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:28 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {B1C8CB34-E1EB-49B4-9258-4B34BD2128C2}}
HideNewField:	False	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	271	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
person_id	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each person
DisplayControl:	Text Box
GUID:	{guid {33908B80-D69F-4393-8ACF-D53481E6C3E1}}
OrdinalPosition:	0
Required:	False
ResultType:	0
SourceField:	person_id
SourceTable:	tparticipant_history
TextAlign:	General

start_date	Date/Time	8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	date new info takes effect
Format:	Short Date

GUID:	{guid {45FD058A-4D06-47B8-B082-5FF71EFE649E}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
ResultType:	0	
ShowDatePicker:	For dates	
SourceField:	start_date	
SourceTable:	tparticipant_history	
TextAlign:	General	
end_date	Date/Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	date info expires (calculated)	
Format:	Short Date	
GUID:	{guid {A6006C5B-E31A-42FE-A827-BC87632C9F1B}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	2	
Required:	False	
ResultType:	0	
ShowDatePicker:	For dates	
SourceField:	end_date	
SourceTable:	tparticipant_history	
TextAlign:	General	
participant_name_last_text	Text	255
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Participant's last name	
DisplayControl:	Text Box	
GUID:	{guid {64053E41-FD1F-4BDF-AC1A-1AC6C9BC5C32}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	3	
Required:	False	
ResultType:	0	
SourceField:	participant_name_last_text	

	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	False	
participant_name_first_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Participant's first name	
	DisplayControl:	Text Box	
	GUID:	{guid {E1114AE9-08BD-4055-ACF9-CC8EB49DC033}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	ResultType:	0	
	SourceField:	participant_name_first_text	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	False	
participant_address_street_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Participant's address	
	DisplayControl:	Text Box	
	GUID:	{guid {163366E6-DC06-4FD4-866F-B738EAA5FE7A}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	ResultType:	0	
	SourceField:	participant_address_street_text	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	False	
participant_address_city_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	

AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Participant's city
DisplayControl:	Text Box
GUID:	{guid {D4751E3E-399C-4E1B-903C-80A52E0ED39B}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
ResultType:	0
SourceField:	participant_address_city_text
SourceTable:	tparticipant_history
TextAlign:	General
UnicodeCompression:	False

participant_address_state_text Text 2

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Participant's state
DisplayControl:	Text Box
GUID:	{guid {3D944B9B-8FFF-4224-8766-C7662DAF0AF7}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
ResultType:	0
SourceField:	participant_address_state_text
SourceTable:	tparticipant_history
TextAlign:	General
UnicodeCompression:	False

participant_address_zip_text Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0

DataUpdatable:	False	
Description:	Participant's zip code	
DisplayControl:	Text Box	
GUID:	{guid {CE1B5208-C13B-498A-BE8D-27378723C2FE}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	00000\-9999;0;_	
OrdinalPosition:	8	
Required:	False	
ResultType:	0	
SourceField:	participant_address_zip_text	
SourceTable:	tparticipant_history	
TextAlign:	General	
UnicodeCompression:	False	
participant_address_township_text	Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Participant's township	
DisplayControl:	Text Box	
GUID:	{guid {1E0061CA-91C0-4F86-BE2F-99E78D9D4589}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	9	
Required:	False	
ResultType:	0	
SourceField:	participant_address_township_text	
SourceTable:	tparticipant_history	
TextAlign:	General	
UnicodeCompression:	False	
participant_address_county_text	Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Participant's county	
DisplayControl:	Text Box	
GUID:	{guid {8DA0B579-66B7-4E30-88F4-58283CBE6192}}	
IMEMode:	0	
IMESentenceMode:	3	

	OrdinalPosition:	10	
	Required:	False	
	ResultType:	0	
	SourceField:	participant_address_county_text	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	False	
participant_phone_home_text		Text	15
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Participant's home number	
	DisplayControl:	Text Box	
	GUID:	{guid {EC9779EA-AEF0-4AAE-B8B5-B2DDFEFF6245}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	!\(999") "000\-0000;0;_	
	OrdinalPosition:	11	
	Required:	False	
	ResultType:	0	
	SourceField:	participant_phone_home_text	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	False	
participant_phone_work_text		Text	15
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Participant's work number	
	DisplayControl:	Text Box	
	GUID:	{guid {2BA8A3DC-4AF7-42D0-AA90-64143C512ADE}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	!\(999") "000\-0000;0;_	
	OrdinalPosition:	12	
	Required:	False	
	ResultType:	0	
	SourceField:	participant_phone_work_text	
	SourceTable:	tparticipant_history	

TextAlign:	General	
UnicodeCompression:	False	

participant_email_text	Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Participant's email address	
DisplayControl:	Text Box	
GUID:	{guid {1EDB24D6-3D4E-4C25-B572-D5A79A5A4278}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	13	
Required:	False	
ResultType:	0	
SourceField:	participant_email_text	
SourceTable:	tparticipant_history	
TextAlign:	General	
UnicodeCompression:	False	
ValidationRule:	Is Null Or ((Like "*?@?*.?*") And (Not Like "*[,;]*"))	
ValidationText:	this does not appear to be a valid email address	

mother_physician_name_last_text	Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	mother's physician last name	
DisplayControl:	Text Box	
GUID:	{guid {E5293576-65CC-4D8E-AFEC-8659AC8BE437}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	14	
Required:	False	
ResultType:	0	
SourceField:	mother_physician_name_last_text	
SourceTable:	tparticipant_history	
TextAlign:	General	
UnicodeCompression:	False	

mother_physician_name_first_text	Text	255
AggregateType:	-1	

	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	mother's physician first name	
	DisplayControl:	Text Box	
	GUID:	{guid {FB58A613-7118-440B-9599-C45E87778CD3}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	15	
	Required:	False	
	ResultType:	0	
	SourceField:	mother_physician_name_first_text	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	False	
mother_physician_phone_text		Text	15
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	mother's physician phone number	
	DisplayControl:	Text Box	
	GUID:	{guid {B740DBB4-66ED-4828-8FEA-823134A4FBAE}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	!\(999") "000\-0000;0;_	
	OrdinalPosition:	16	
	Required:	False	
	ResultType:	0	
	SourceField:	mother_physician_phone_text	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	False	
mother_clinic_name_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	mother's clinic name	
DisplayControl:	Text Box	
GUID:	{guid {DF72E07C-7DD3-49BF-9F4C-CD5873CC6EFA}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	17	
Required:	False	
ResultType:	0	
SourceField:	mother_clinic_name_text	
SourceTable:	tparticipant_history	
TextAlign:	General	
UnicodeCompression:	False	
emergency_name_last_text	Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Emergency contact's last name	
DisplayControl:	Text Box	
GUID:	{guid {E288EF5A-07E0-401F-A291-0EC54A0D732E}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	18	
Required:	False	
ResultType:	0	
SourceField:	emergency_name_last_text	
SourceTable:	tparticipant_history	
TextAlign:	General	
UnicodeCompression:	False	
emergency_name_first_text	Text	255
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Emergency contact's first name	
DisplayControl:	Text Box	
GUID:	{guid {A1F0A469-2902-47AF-AF49-3174A2857A81}}	
IMEMode:	0	

IMESentenceMode:	3
OrdinalPosition:	19
Required:	False
ResultType:	0
SourceField:	emergency_name_first_text
SourceTable:	tparticipant_history
TextAlign:	General
UnicodeCompression:	False

emergency_address_street_text Text 255

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Emergency contact's address
DisplayControl:	Text Box
GUID:	{guid {A3F60232-894C-486D-9C8D-5AEF483A5DDC}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	20
Required:	False
ResultType:	0
SourceField:	emergency_address_street_text
SourceTable:	tparticipant_history
TextAlign:	General
UnicodeCompression:	False

emergency_address_city_text Text 255

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Emergency contact's city
DisplayControl:	Text Box
GUID:	{guid {F5293657-CC09-4D18-9E75-3D94B160B50C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	21
Required:	False
ResultType:	0
SourceField:	emergency_address_city_text
SourceTable:	tparticipant_history
TextAlign:	General

	UnicodeCompression:	False	
emergency_address_state_text		Text	2
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Emergency contact's state	
	DisplayControl:	Text Box	
	GUID:	{guid {9A99EE43-02F6-4F2E-97A0-ABEE2AA628F7}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	22	
	Required:	False	
	ResultType:	0	
	SourceField:	emergency_address_state_text	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	False	
emergency_address_zip_text		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Emergency contact's zip code	
	DisplayControl:	Text Box	
	GUID:	{guid {82E0B309-80B4-4D71-825C-F6B3B88DC108}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	00000\-9999;0;_	
	OrdinalPosition:	23	
	Required:	False	
	ResultType:	0	
	SourceField:	emergency_address_zip_text	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	False	
emergency_phone_home_text		Text	15
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	

Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Emergency contact's home phone	
DisplayControl:	Text Box	
GUID:	{guid {F5C7E837-902B-4CE1-B472-36CD75AB8BE3}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	!\(999") "000\-0000;0;_	
OrdinalPosition:	24	
Required:	False	
ResultType:	0	
SourceField:	emergency_phone_home_text	
SourceTable:	tparticipant_history	
TextAlign:	General	
UnicodeCompression:	False	
emergency_phone_work_text	Text	15
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	Emergency contact's work phone	
DisplayControl:	Text Box	
GUID:	{guid {8FDF1D53-7D2C-48BA-ADDC-689E6A5F4E96}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	!\(999") "000\-0000;0;_	
OrdinalPosition:	25	
Required:	False	
ResultType:	0	
SourceField:	emergency_phone_work_text	
SourceTable:	tparticipant_history	
TextAlign:	General	
UnicodeCompression:	False	
emergency_email_text	Text	50
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	

CurrencyLCID:	0
DataUpdatable:	False
Description:	Emergency email address
DisplayControl:	Text Box
GUID:	{guid {B3D2C950-5DDB-478A-88C4-9F7E220F82E5}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	26
Required:	False
ResultType:	0
SourceField:	emergency_email_text
SourceTable:	tparticipant_history
TextAlign:	General
UnicodeCompression:	False
ValidationRule:	Is Null Or ((Like "*?@?*.?*") And (Not Like "*[,;]*"))
ValidationText:	this does not appear to be a valid email address

emergency_relationship_to_participant_code Byte 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	relationship of emergency contact to participant
DisplayControl:	Text Box
GUID:	{guid {4C66EC58-C6ED-46BA-BA1B-2E632E96F53B}}
OrdinalPosition:	27
Required:	False
ResultType:	0
SourceField:	emergency_relationship_to_participant_code
SourceTable:	tparticipant_history
TextAlign:	General

isInitial Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	whether this is the initial history record (i.e., from Baseline Form)
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {BF59580B-6EF5-4742-BA6B-0CAF67FD3D25}}
OrdinalPosition:	28

	Required:	False	
	ResultType:	0	
	SourceField:	isInitial	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
site_id		Text	5
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	690	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	
	DisplayControl:	Text Box	
	GUID:	{guid {3DF17418-3F4B-4175-AE43-2C573A0389EA}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	29	
	Required:	False	
	ResultType:	0	
	SourceField:	site_id	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	False	
participant_id		Text	15
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	In combination with Site ID provides a unique identifier for the individual participant	
	DisplayControl:	Text Box	
	GUID:	{guid {C66539D5-6DD9-4ECF-B69E-D2BF3D1223A1}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	30	
	Required:	False	
	ResultType:	0	
	SourceField:	participant_id	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	False	
	ValidationText:	participant id is required	

medicaid_tcm_ynu Byte 1

AggregateType:	-1
AllowValueListEdits:	False
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	ND 8/30/13 are they eligible for targeted case management
DisplayControl:	Combo Box
GUID:	{guid {2F8A76E2-FDD8-4464-B047-54335285170D}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	31
Required:	False
ResultType:	0
RowSource:	tgeneral_lkup_yes_no_unknown
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	medicaid_tcm_ynu
SourceTable:	tparticipant_history
TextAlign:	General

medicaid_billable_yne Byte 1

AggregateType:	-1
AllowValueListEdits:	False
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	ND 8/30/13 are they eligible for targeted case management
DisplayControl:	Combo Box
GUID:	{guid {796A19FE-9495-467A-B2A9-AAEC31A83E6C}}
LimitToList:	True
ListRows:	8

ListWidth:	0twip
OrdinalPosition:	32
Required:	False
ResultType:	0
RowSource:	tgeneral_lkup_yes_no_eligible
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	medicaid_billable_yne
SourceTable:	tparticipant_history
TextAlign:	General

medicaid_number Text 50

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	ND 8/30/13 medicaid number
DisplayControl:	Text Box
GUID:	{guid {1B7EEE8D-BCFA-4B1B-A892-180B5392CE71}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	33
Required:	False
ResultType:	0
SourceField:	medicaid_number
SourceTable:	tparticipant_history
TextAlign:	General
UnicodeCompression:	False

created_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Format:	General Date
GUID:	{guid {D62BA642-E04E-40BA-A19A-6F1938BD17D4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	34
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	created_timestamp

	SourceTable:	tparticipant_history	
	TextAlign:	General	
created_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {1F987AA0-3190-479A-92D2-2C1C8483B31E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	35	
	Required:	False	
	ResultType:	0	
	SourceField:	created_user	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {B89029E4-3745-4B67-A52D-3B7990E777B0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	36	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	modified_timestamp	
	SourceTable:	tparticipant_history	
	TextAlign:	General	
modified_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {2403B92F-5179-4CD7-8AF8-67089BFC22ED}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	37
Required:	False
ResultType:	0
SourceField:	modified_user
SourceTable:	tparticipant_history
TextAlign:	General
UnicodeCompression:	True

reviewed_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Format:	General Date
GUID:	{guid {FE1427BE-EE60-499C-BC89-D53897E9B056}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	38
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	reviewed_timestamp
SourceTable:	tparticipant_history
TextAlign:	General

reviewed_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {7D923486-9B80-495B-A8B2-C34F27574CB5}}
IMEMode:	0
IMESentenceMode:	3

OrdinalPosition:	39
Required:	False
ResultType:	0
SourceField:	reviewed_user
SourceTable:	tparticipant_history
TextAlign:	General
UnicodeCompression:	True

Relationships

tpeople_datatparticipant_history



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tintake_lkup_relationship_to_participanttparticipant_history



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{5026000D-A452-429F-9244-342B3BB00C	1
Clustered:	False
DistinctCount:	72
Foreign:	True
IgnoreNulls:	False
Name:	{5026000D-A452-429F-9244-342B3BB00C0F}
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
{64DE8960-469E-4776-AAA3-93D699F5F0	1
Clustered:	False
DistinctCount:	10
Foreign:	True
IgnoreNulls:	False
Name:	{64DE8960-469E-4776-AAA3-93D699F5F063}
Primary:	False
Required:	False
Unique:	False

Fields:
emergency_relationship_to_p Ascending
emergency_email_text 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: emergency_email_text
Primary: False
Required: False
Unique: False
Fields:
medicaid_number Ascending
emergency_relationship_to_participant_co 1
Clustered: False
DistinctCount: 10
Foreign: False
IgnoreNulls: False
Name: emergency_relationship_to_participant_code
Primary: False
Required: False
Unique: False
Fields:
emergency_relationship_to_p Ascending
participant_email_text 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: participant_email_text
Primary: False
Required: False
Unique: False
Fields:
emergency_email_text Ascending
participant_id 1
Clustered: False
DistinctCount: 68
Foreign: False
IgnoreNulls: False
Name: participant_id
Primary: False
Required: False
Unique: False
Fields:
participant_id Ascending
partner_email_text 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: partner_email_text
Primary: False

	Required:	False
	Unique:	False
	Fields:	
	participant_email_text	Ascending
PrimaryKey		2
	Clustered:	False
	DistinctCount:	271
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	person_id	Ascending
	start_date	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:28 AM	DefaultView:	2
GUID:	{guid {D3750564-95D4-48F6-9D0A-F297402C5581}}	LastUpdated:	3/9/2017 1:12:31 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	72
Updatable:	True		

Columns

Name	Type	Size
partner_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Unique ID for each father	
GUID:	{guid {3BC863ED-20C0-43A1-AAE9-48A6707B6FAF}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	partner_id	
SourceTable:	tpartner_data	
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {8B2D2D5F-602C-47D3-8F73-A9C8EDAA9525}}	
OrdinalPosition:	1	
Required:	True	
SourceField:	person_id	
SourceTable:	tpartner_data	
partner_start_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date relationship first documented (NEW in PIMS 7)	
	Format:	Short Date	
	GUID:	{guid {39F514CB-488D-4CE7-8BF5-02461B0BFB55}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	True	
	SourceField:	partner_start_date	
	SourceTable:	tpartner_data	
partner_birth_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	partner's birthdate	
	Format:	Short Date	
	GUID:	{guid {733F94DC-3ACE-4A11-BBE7-537E53F4E8D3}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	partner_birth_date	
	SourceTable:	tpartner_data	
partner_gender_text		Text	1
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	1	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	2880	
	DataUpdatable:	False	
	DisplayControl:	Combo Box	
	GUID:	{guid {64EA28C3-4628-4543-AE46-D3EE54034D11}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	4	
	Required:	False	
	RowSource:	"F";"M"	

	RowSourceType:	Value List	
	SourceField:	partner_gender_text	
	SourceTable:	tpartner_data	
	UnicodeCompression:	False	
partner_ethnicity_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	partner's ethnicity	
	DisplayControl:	Combo Box	
	GUID:	{guid {4F7724CF-7C23-4F8F-831F-1BAE858E4A93}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	5	
	Required:	False	
	RowSource:	tgeneral_lkup_ethnicity	
	RowSourceType:	Table/Query	
	SourceField:	partner_ethnicity_code	
	SourceTable:	tpartner_data	
partner_race_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	partner's race	
	DisplayControl:	Text Box	
	GUID:	{guid {2CA10BB3-21A3-478F-87C2-78E84DD8DC07}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	partner_race_code	
	SourceTable:	tpartner_data	
partner_race_sub_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	partner's race or ethnic subgroup
DisplayControl:	Text Box
GUID:	{guid {D52145D6-2816-4F97-B92D-1D39C76A43C7}}
OrdinalPosition:	7
Required:	False
SourceField:	partner_race_sub_code
SourceTable:	tpartner_data

partner_language_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	partner's primary language
DisplayControl:	Text Box
GUID:	{guid {5816781D-5AF0-469E-B385-35EF6ABFFF4C}}
OrdinalPosition:	8
Required:	False
SourceField:	partner_language_code
SourceTable:	tpartner_data

partner_language_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	partner's primary language - other
DisplayControl:	Text Box
GUID:	{guid {C15BA050-7CF3-4E8E-8322-3CB63F596867}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	False
SourceField:	partner_language_other_text
SourceTable:	tpartner_data
UnicodeCompression:	False

partner_marital_status_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	partner's marital status
DisplayControl:	Text Box
GUID:	{guid {084BC1FC-B046-47C6-B56C-140D4EFB45E1}}
OrdinalPosition:	10
Required:	False
SourceField:	partner_marital_status_code
SourceTable:	tpartner_data

pims6_source_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	1= tintake_data_father; 2 = partner from tintake_data_partner or tfollowup_data
DisplayControl:	Text Box
GUID:	{guid {16A8E85E-6D8B-4ADF-B64C-27F95F7D9494}}
OrdinalPosition:	11
Required:	False
SourceField:	pims6_source_code
SourceTable:	tpartner_data

pims6_source_followup_period_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Time period of follow-up where record originated
DisplayControl:	Text Box
GUID:	{guid {5BA0ACAC-B4E4-496B-88A1-82BEC16E3651}}
OrdinalPosition:	12
Required:	False
SourceField:	pims6_source_followup_period_code
SourceTable:	tpartner_data

site_id Text 5

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length

Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {EBE7C05B-2D38-40C0-B432-D0955702E8A4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	13
Required:	False
SourceField:	site_id
SourceTable:	tpartner_data
UnicodeCompression:	False

participant_id Text 15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	In combination with Site ID provides a unique identifier for the individual participant
DisplayControl:	Text Box
GUID:	{guid {95EC08F5-1C46-49B8-B128-D596868EBAA0}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	14
Required:	False
SourceField:	participant_id
SourceTable:	tpartner_data
UnicodeCompression:	False

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {C6217890-8CC3-46C3-91A8-729AC453397C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	15
Required:	False
SourceField:	created_timestamp
SourceTable:	tpartner_data

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {C87B5773-7559-49DB-84CA-CB36A7C60B08}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	16
Required:	False
SourceField:	created_user
SourceTable:	tpartner_data
UnicodeCompression:	True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {1A29706F-EFD1-416B-8D27-02F5C6AA48BB}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	17
Required:	False
SourceField:	modified_timestamp
SourceTable:	tpartner_data

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {AFD53C22-692C-4835-93D1-6806DFED5AF5}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	18
Required:	False
SourceField:	modified_user
SourceTable:	tpartner_data
UnicodeCompression:	True

reviewed_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {B3BEAA5F-9DAC-4121-B869-1BD90A34C606}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	19
Required:	False
SourceField:	reviewed_timestamp
SourceTable:	tpartner_data

reviewed_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {DA211585-74E2-4CD8-9C49-DE44AC40F15F}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	20
Required:	False
SourceField:	reviewed_user
SourceTable:	tpartner_data
UnicodeCompression:	True

Relationships

tgeneral_lkup_languagetpartner_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

tgeneral_lkup_marital_statustpartner_data



Attributes: Enforced, Cascade Updates
RelationshipType: One-To-Many

tgeneral_lkup_race_subtpartner_data



Attributes: Enforced, Cascade Updates
RelationshipType: One-To-Many

tgeneral_lkup_racetpartner_data



Attributes: Enforced, Cascade Updates
RelationshipType: One-To-Many

tpartner_datatfollowup_partner_history



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
{0EC6618A-B2E2-4C9A-BC84-F7B342243E	1

Clustered: False
DistinctCount: 4
Foreign: True
IgnoreNulls: False
Name: {0EC6618A-B2E2-4C9A-BC84-F7B342243E84}
Primary: False
Required: False
Unique: False

Fields:
partner_language_code Ascending
{0FF21C20-38DD-47A1-BFE4-A145E8D378 1
Clustered: False
DistinctCount: 7
Foreign: True
IgnoreNulls: False
Name: {0FF21C20-38DD-47A1-BFE4-A145E8D37896}
Primary: False
Required: False
Unique: False
Fields:
partner_marital_status_code Ascending
{DCD596AB-02A1-4FD0-B386-3C3330564 1
Clustered: False
DistinctCount: 6
Foreign: True
IgnoreNulls: False
Name: {DCD596AB-02A1-4FD0-B386-3C3330564E63}
Primary: False
Required: False
Unique: False
Fields:
partner_race_sub_code Ascending
{E0B32CB5-C421-4FED-AA32-6FEBAB5062 1
Clustered: False
DistinctCount: 6
Foreign: True
IgnoreNulls: False
Name: {E0B32CB5-C421-4FED-AA32-6FEBAB50628F}
Primary: False
Required: False
Unique: False
Fields:
partner_race_code Ascending
father_id 1
Clustered: False
DistinctCount: 72
Foreign: False
IgnoreNulls: False
Name: father_id
Primary: False
Required: False
Unique: True
Fields:
partner_id Ascending
participant_id 1
Clustered: False
DistinctCount: 65
Foreign: False
IgnoreNulls: False
Name: participant_id
Primary: False

Required:	False
Unique:	False
Fields:	
participant_id	Ascending

partner_asian_code 1

Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False
Name:	partner_asian_code
Primary:	False
Required:	False
Unique:	False
Fields:	
partner_race_sub_code	Ascending

partner_ethnicity_code 1

Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	partner_ethnicity_code
Primary:	False
Required:	False
Unique:	False
Fields:	
partner_ethnicity_code	Ascending

partner_language_code 1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	partner_language_code
Primary:	False
Required:	False
Unique:	False
Fields:	
partner_language_code	Ascending

partner_marital_status_code 1

Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	partner_marital_status_code
Primary:	False
Required:	False
Unique:	False
Fields:	
partner_marital_status_code	Ascending

partner_race_code 1

Clustered:	False
DistinctCount:	6
Foreign:	False
IgnoreNulls:	False

	Name:	partner_race_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	partner_race_code	Ascending
person_id		1
	Clustered:	False
	DistinctCount:	67
	Foreign:	False
	IgnoreNulls:	False
	Name:	person_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	person_id	Ascending
pims6_source_code		1
	Clustered:	False
	DistinctCount:	4
	Foreign:	False
	IgnoreNulls:	False
	Name:	pims6_source_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	pims6_source_code	Ascending
pims6_source_followup_period_code		1
	Clustered:	False
	DistinctCount:	5
	Foreign:	False
	IgnoreNulls:	False
	Name:	pims6_source_followup_period_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	pims6_source_followup_perio	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	72
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	partner_id	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	2

	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending
start_date		1
	Clustered:	False
	DistinctCount:	57
	Foreign:	False
	IgnoreNulls:	False
	Name:	start_date
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	partner_start_date	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:28 AM	DefaultView:	2
GUID:	{guid {3C77A4DA-98E0-4555-96E8-9FE7AB74A93A}}	LastUpdated:	3/9/2017 1:12:37 PM
NameMap:	Long binary data	OrderByOn:	True
Orientation:	Left-to-Right	RecordCount:	150
Updatable:	True		

Columns

Name	Type	Size
partner_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique ID for each father	
DisplayControl:	Text Box	
GUID:	{guid {418007AD-9E09-4FEF-B366-DDCC106DEAF0}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	partner_id	
SourceTable:	tpartner_history	
start_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1950	
DataUpdatable:	False	
Description:	date new info takes effect	
Format:	Short Date	
GUID:	{guid {0FD89A28-1107-48ED-8D60-1B31F96A8071}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	start_date	
SourceTable:	tpartner_history	
end_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	

	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1860	
	DataUpdatable:	False	
	Description:	date new info expires (calculated)	
	Format:	Short Date	
	GUID:	{guid {E73ECB21-EF5F-4C50-8817-F5AEFA012F2F}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	end_date	
	SourceTable:	tpartner_history	
partner_name_last_text		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	partner's last name	
	DisplayControl:	Text Box	
	GUID:	{guid {1766A1A8-EBBD-470F-9DD2-E3EA0AD7D2CA}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	partner_name_last_text	
	SourceTable:	tpartner_history	
	UnicodeCompression:	False	
partner_name_first_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	partner's first name	
	DisplayControl:	Text Box	
	GUID:	{guid {AFE7B03E-EF7A-4BA7-8AD4-E0F88D3B372B}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	partner_name_first_text	
	SourceTable:	tpartner_history	
	UnicodeCompression:	False	

partner_address_street_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	partner's address	
	DisplayControl:	Text Box	
	GUID:	{guid {F0009F31-9EF0-412C-B0AD-4E9603EC3F5C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	partner_address_street_text	
	SourceTable:	tpartner_history	
	UnicodeCompression:	False	
partner_address_city_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	partner's city	
	DisplayControl:	Text Box	
	GUID:	{guid {CF8DE5FD-45E1-45B1-A62F-69CB64D45516}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	partner_address_city_text	
	SourceTable:	tpartner_history	
	UnicodeCompression:	False	
partner_address_state_text		Text	2
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	partner's state	
	DisplayControl:	Text Box	
	GUID:	{guid {F26E42C2-D1A5-43C5-B30B-9DD90DEACEA8}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	7	

	Required:	False	
	SourceField:	partner_address_state_text	
	SourceTable:	tpartner_history	
	UnicodeCompression:	False	
partner_address_zip_text		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	partner's zip code	
	DisplayControl:	Text Box	
	GUID:	{guid {D2D4B539-B771-4B93-8CB2-109249E96F4D}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	00000\-9999;0;_	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	partner_address_zip_text	
	SourceTable:	tpartner_history	
	UnicodeCompression:	False	
partner_phone_home_text		Text	15
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	partner's home phone	
	DisplayControl:	Text Box	
	GUID:	{guid {3AB354C8-70C1-4593-AF56-BBF0C1B527E2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	!\(999") "000\-0000;0;_	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	partner_phone_home_text	
	SourceTable:	tpartner_history	
	UnicodeCompression:	False	
partner_phone_work_text		Text	15
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	

	DataUpdatable:	False	
	Description:	partner's work phone	
	DisplayControl:	Text Box	
	GUID:	{guid {9A5143B4-6B92-4B6C-901C-79693D56229F}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	!\(999") "000\-0000;0;_	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	partner_phone_work_text	
	SourceTable:	tpartner_history	
	UnicodeCompression:	False	
partner_email_text		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	partner's email address	
	DisplayControl:	Text Box	
	GUID:	{guid {C437D169-F8F5-4268-9204-BB52E48FCF70}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	partner_email_text	
	SourceTable:	tpartner_history	
	UnicodeCompression:	False	
	ValidationRule:	Is Null Or ((Like "*?@?*.?*") And (Not Like "*[,;]*"))	
	ValidationText:	this does not appear to be a valid email address	
partner_physician_name_last_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	partner's physician last name	
	DisplayControl:	Text Box	
	GUID:	{guid {F9EC536F-1DE4-44D0-8CC2-E65115B80A64}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	partner_physician_name_last_text	
	SourceTable:	tpartner_history	
	UnicodeCompression:	False	

partner_physician_name_first_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	partner's physician first name
DisplayControl:	Text Box
GUID:	{guid {231BE8AA-835B-4C0C-94B7-37CB39206DF6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	13
Required:	False
SourceField:	partner_physician_name_first_text
SourceTable:	tpartner_history
UnicodeCompression:	False

partner_physician_phone_text Text 15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	partner's physician phone number
DisplayControl:	Text Box
GUID:	{guid {0FE12918-EE40-4139-8291-06CB63023A9E}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	!\(999") "000\-0000;0;_
OrdinalPosition:	14
Required:	False
SourceField:	partner_physician_phone_text
SourceTable:	tpartner_history
UnicodeCompression:	False

partner_clinic_name_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	partner's clinic name
DisplayControl:	Text Box
GUID:	{guid {6DC5070E-E172-46C0-8C44-9EF97B61E994}}
IMEMode:	0
IMESentenceMode:	3

	OrdinalPosition:	15	
	Required:	False	
	SourceField:	partner_clinic_name_text	
	SourceTable:	tpartner_history	
	UnicodeCompression:	False	
isInitial		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	whether this is the initial history record (i.e., from Partner Initial Demographics Form)	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {DD6D1F2D-5D57-41D6-9381-4F574131B24A}}	
	OrdinalPosition:	16	
	Required:	False	
	SourceField:	isInitial	
	SourceTable:	tpartner_history	
pims6_source_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	1= tintake_data_father; 2 = partner from tintake_data_partner or tfollowup_data	
	DisplayControl:	Text Box	
	GUID:	{guid {4D330C28-78CD-4992-8555-BD62BE5DAB53}}	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	pims6_source_code	
	SourceTable:	tpartner_history	
pims6_source_followup_period_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	

	Description:	Time period of follow-up where record originated	
	DisplayControl:	Text Box	
	GUID:	{guid {F5DF11FA-FE6A-41C9-91D2-680F5BF5691B}}	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	pims6_source_followup_period_code	
	SourceTable:	tpartner_history	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {A84A58F1-4327-4289-A17D-663EE57D2DE6}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	tpartner_history	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {92760B9B-45FB-4673-B0D8-13A4327DCDB0}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	created_user	
	SourceTable:	tpartner_history	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	

GUID: {guid {A2587909-C96F-4CCB-863D-76E7B3EE375F}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 21
Required: False
SourceField: modified_timestamp
SourceTable: tpartner_history

modified_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {C1BA38E0-FCDA-4EDB-9BF9-9633E6A07669}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 22
Required: False
SourceField: modified_user
SourceTable: tpartner_history
UnicodeCompression: True

reviewed_timestamp Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: General Date
GUID: {guid {2EA76243-8AEC-4C3C-9422-7265C8E56EEA}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 23
Required: False
SourceField: reviewed_timestamp
SourceTable: tpartner_history

reviewed_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box

GUID:	{guid {69C97A85-CB85-494C-BD74-D0A4B275D3A6}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	24
Required:	False
SourceField:	reviewed_user
SourceTable:	tpartner_history
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
email_text	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	email_text
Primary:	False
Required:	False
Unique:	False
Fields:	
partner_email_text	Ascending
partner_id	1
Clustered:	False
DistinctCount:	72
Foreign:	False
IgnoreNulls:	False
Name:	partner_id
Primary:	False
Required:	False
Unique:	False
Fields:	
partner_id	Ascending
pims6_source_code	1
Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	pims6_source_code
Primary:	False
Required:	False
Unique:	False
Fields:	
pims6_source_code	Ascending
pims6_source_followup_period_code	1
Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	pims6_source_followup_period_code
Primary:	False
Required:	False

	Unique:	False
	Fields:	
	pims6_source_followup_perio	Ascending
PrimaryKey		2
	Clustered:	False
	DistinctCount:	150
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	partner_id	Ascending
	start_date	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:28 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:28 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	4	Updatable:	True

Columns

Name	Type	Size
pims6_source_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1950	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	pims6_source_code	
SourceTable:	tpartner_lkup_pims6_source	
pims6_source_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2685	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	pims6_source_desc	
SourceTable:	tpartner_lkup_pims6_source	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1
Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False

Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
pims6_source_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:28 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	FrozenColumns:	1
GUID:	{guid {B25B3622-FD5A-4459-9FC2-0DF5FAE9595C}}	HideNewField:	False
LastUpdated:	8/23/2018 5:17:17 PM	NameMap:	Long binary data
OrderByOn:	False	OrderByOnLoad:	True
Orientation:	Left-to-Right	RecordCount:	542
ThemeFontIndex:	-1	TotalsRow:	False
Updatable:	True		

Columns

Name	Type	Size
person_id	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size, Auto-Increment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	Unique identification code for each participant
GUID:	{guid {CF0E6C94-4AC4-4631-B3A4-E3DF3B7C6F78}}
OrdinalPosition:	0
Required:	False
ResultType:	0
SourceField:	person_id
SourceTable:	tpeople_data
TextAlign:	General

person_id_local	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	person_id as used in individual's data table, prior to data aggregation
DisplayControl:	Text Box

	GUID:	{guid {E06036FD-8376-4AF5-BEBF-8BC33378E14B}}	
	OrdinalPosition:	1	
	Required:	False	
	ResultType:	0	
	SourceField:	person_id_local	
	SourceTable:	tpeople_data	
	TextAlign:	General	
isInactive		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	PIMS 7- use this to "delete" people from the database without removing their records NOT CURRENTLY USED	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {EF6D19CE-1D09-4158-8D51-8DAA675AC865}}	
	OrdinalPosition:	2	
	Required:	False	
	ResultType:	0	
	SourceField:	isInactive	
	SourceTable:	tpeople_data	
	TextAlign:	General	
site_id		Text	5
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	
	DisplayControl:	Text Box	
	GUID:	{guid {4BFE2989-666C-4E7B-9AF0-BA61487AF814}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	True	
	ResultType:	0	
	SourceField:	site_id	
	SourceTable:	tpeople_data	
	TextAlign:	General	
	UnicodeCompression:	False	

external_id Text 15

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	ID number for identification in another system
DisplayControl:	Text Box
GUID:	{guid {51FC417F-87FA-43B3-B2AC-7E9CA32C7704}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	4
Required:	False
ResultType:	0
SourceField:	external_id
SourceTable:	tpeople_data
TextAlign:	General
UnicodeCompression:	False

active_screen_id Text 15

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1500
CurrencyLCID:	0
DataUpdatable:	False
Description:	the active screen id for this person (excludes additional screens)
DisplayControl:	Text Box
GUID:	{guid {475ED410-D7DF-47E5-BF51-B69960811735}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
ResultType:	0
SourceField:	active_screen_id
SourceTable:	tpeople_data
TextAlign:	General
UnicodeCompression:	False

active_assessment_id Text 15

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False

ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	the active assessment id for this person (excludes additional assessments)
DisplayControl:	Text Box
GUID:	{guid {BA1A1BBB-6D76-4660-A566-57037C843F98}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
ResultType:	0
SourceField:	active_assessment_id
SourceTable:	tpeople_data
TextAlign:	General
UnicodeCompression:	False

active_participant_id Text 15

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	the active participant id for this person (excludes additional intakes)
DisplayControl:	Text Box
GUID:	{guid {0C2E9F66-DAE1-45C1-B1E2-C7E129C3C2FA}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
ResultType:	0
SourceField:	active_participant_id
SourceTable:	tpeople_data
TextAlign:	General
UnicodeCompression:	False

active_kid_id Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	unique identifier of target pregnancy

DisplayControl: Text Box
GUID: {guid {2A72016F-09FD-46F4-ACDB-AF7A07020A4F}}
OrdinalPosition: 8
Required: False
ResultType: 0
SourceField: active_kid_id
SourceTable: tpeople_data
TextAlign: General

active_partner_id Long Integer 4
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: current partner
DisplayControl: Text Box
GUID: {guid {5F2C714B-890A-415C-9445-2FA4FE5A27BF}}
OrdinalPosition: 9
Required: False
ResultType: 0
SourceField: active_partner_id
SourceTable: tpeople_data
TextAlign: General

target_father_id Long Integer 4
AggregateType: -1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
CurrencyLCID: 0
DataUpdatable: False
DecimalPlaces: Auto
Description: target father id
DisplayControl: Text Box
GUID: {guid {36403915-0805-4546-9B15-A8089C3D7A31}}
OrdinalPosition: 10
Required: False
ResultType: 0
SourceField: target_father_id
SourceTable: tpeople_data
TextAlign: General

is_re_enrollment Integer 2
AggregateType: -1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {890308E1-53A5-478B-B64C-7B8E1F831E9E}}
OrdinalPosition:	11
Required:	False
ResultType:	0
SourceField:	is_re_enrollment
SourceTable:	tpeople_data
TextAlign:	General

is_transfer Integer 2

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {3F53B55B-2FFA-4199-AAE7-B24F009C10AB}}
OrdinalPosition:	12
Required:	False
ResultType:	0
SourceField:	is_transfer
SourceTable:	tpeople_data
TextAlign:	General

is_exempt_from_eval Integer 2

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	per VA request 2010; not yet in active use as of 3/10
DisplayControl:	Text Box
GUID:	{guid {1394D226-A602-463B-B505-71C82210C9C0}}

	OrdinalPosition:	13	
	Required:	False	
	ResultType:	0	
	SourceField:	is_exempt_from_eval	
	SourceTable:	tpeople_data	
	TextAlign:	General	
is_partner_info_declined		Integer	2
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	declined to provide partner info (VA request for 7.3)	
	DisplayControl:	Text Box	
	GUID:	{guid {EE6AC6BD-BAE6-4AC1-B625-DEBC3327AFB4}}	
	OrdinalPosition:	14	
	Required:	False	
	ResultType:	0	
	SourceField:	is_partner_info_declined	
	SourceTable:	tpeople_data	
	TextAlign:	General	
gender_text		Text	1
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	1	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	2880	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Combo Box	
	GUID:	{guid {D7EB2C8E-D959-4A19-82FD-FC8289C073E5}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	15	
	Required:	False	
	ResultType:	0	

	RowSource:	"F";"M"	
	RowSourceType:	Value List	
	ShowOnlyRowSourceValues:	False	
	SourceField:	gender_text	
	SourceTable:	tpeople_data	
	TextAlign:	General	
	UnicodeCompression:	False	
ethnicity_code		Byte	1
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	person's ethnicity	
	DisplayControl:	Combo Box	
	GUID:	{guid {8C636930-D7DD-4179-84CC-B0387A3C369C}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	16	
	Required:	False	
	ResultType:	0	
	RowSource:	tgeneral_lkup_ethnicity	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	ethnicity_code	
	SourceTable:	tpeople_data	
	TextAlign:	General	
race_code		Byte	1
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	

CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	person's race
DisplayControl:	Combo Box
GUID:	{guid {CB2CDA18-C790-4342-84EC-5C0747FEBB9D}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	17
Required:	False
ResultType:	0
RowSource:	tgeneral_lkup_race
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	race_code
SourceTable:	tpeople_data
TextAlign:	General

race_sub_code Byte 1

AggregateType:	-1
AllowValueListEdits:	False
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	person's racial or ethnic subgroup
DisplayControl:	Combo Box
GUID:	{guid {8E688517-DB62-4852-BD1E-0CC4D83335EF}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	18
Required:	False
ResultType:	0
RowSource:	tgeneral_lkup_race_sub
RowSourceType:	Table/Query
ShowOnlyRowSourceValues:	False
SourceField:	race_sub_code
SourceTable:	tpeople_data
TextAlign:	General

mother_birth_date Date/Time 8

AggregateType:	-1
AllowZeroLength:	False

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	person's date of birth	
	Format:	Short Date	
	GUID:	{guid {CEE6C8C4-50DA-4775-8D70-F1BDEA45FA95}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	19	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	mother_birth_date	
	SourceTable:	tpeople_data	
	TextAlign:	General	
	ValidationRule:	<Date() Or Is Null	
	ValidationText:	date must be before today's date	
case_notes_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	free form case notes	
	DisplayControl:	Text Box	
	GUID:	{guid {6C7F652B-9B47-4B8D-8D08-3931AC301F69}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	20	
	Required:	False	
	ResultType:	0	
	SourceField:	case_notes_text	
	SourceTable:	tpeople_data	
	TextAlign:	General	
	UnicodeCompression:	True	
mother_language_code		Byte	1
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	

	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	assessed person's primary language	
	DisplayControl:	Combo Box	
	GUID:	{guid {D5E09F95-6EAE-400E-9471-FFBDE09D36DD}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	21	
	Required:	False	
	ResultType:	0	
	RowSource:	tgeneral_lkup_language	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	mother_language_code	
	SourceTable:	tpeople_data	
	TextAlign:	General	
mother_language_other_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	assessed person's primary language - other	
	DisplayControl:	Text Box	
	GUID:	{guid {DBE92019-D098-4BA0-B1A0-393DC063B02F}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	22	
	Required:	False	
	ResultType:	0	
	SourceField:	mother_language_other_text	
	SourceTable:	tpeople_data	
	TextAlign:	General	
	UnicodeCompression:	False	
religion_code		Byte	1
	AggregateType:	-1	
	AllowValueListEdits:	False	
	AllowZeroLength:	False	
	AppendOnly:	False	

	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	ColumnWidths:	0;2880	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	assessed person's religion	
	DisplayControl:	Combo Box	
	GUID:	{guid {1A5364EA-F979-4459-B342-353096DD91E5}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	23	
	Required:	False	
	ResultType:	0	
	RowSource:	tassessment_lkup_religion	
	RowSourceType:	Table/Query	
	ShowOnlyRowSourceValues:	False	
	SourceField:	religion_code	
	SourceTable:	tpeople_data	
	TextAlign:	General	
religion_other_text		Text	255
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	assessed person's religion - other	
	DisplayControl:	Text Box	
	GUID:	{guid {AB3B3EA1-F134-40F3-A1D5-09653E417638}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	24	
	Required:	False	
	ResultType:	0	
	SourceField:	religion_other_text	
	SourceTable:	tpeople_data	
	TextAlign:	General	
	UnicodeCompression:	False	
service_start_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	

	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	calculated field, depends on enrollment definition	
	GUID:	{guid {9EE79E4A-A82E-4807-9349-07D445A75E5C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	25	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	service_start_date	
	SourceTable:	tpeople_data	
	TextAlign:	General	
service_end_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	calculated field, depends on enrollment definition	
	GUID:	{guid {25B74330-38CD-467B-BF29-8462FEB5BC63}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	26	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	service_end_date	
	SourceTable:	tpeople_data	
	TextAlign:	General	
first_home_visit_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	added in PIMS 7.1.6	

	GUID:	{guid {08701631-7EAC-4D48-96D3-46A1F7578C58}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	27	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	first_home_visit_date	
	SourceTable:	tpeople_data	
	TextAlign:	General	
calc_first_hv_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	added in PIMS 7.1.7	
	GUID:	{guid {912F3673-FB64-4D0D-9EE1-E94B7987199C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	28	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	calc_first_hv_date	
	SourceTable:	tpeople_data	
	TextAlign:	General	
calc_latest_hv_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	added in PIMS 7.1.7	
	GUID:	{guid {7AC5BCE8-52F3-4939-8A87-EC8A59742D4E}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	29	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	calc_latest_hv_date	
	SourceTable:	tpeople_data	

	TextAlign:	General	
calc_final_hv_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	added in PIMS 7.1.7, pulled from termination form	
	GUID:	{guid {F4703ED8-835A-45E9-B58D-0B3A150BF564}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	30	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	calc_final_hv_date	
	SourceTable:	tpeople_data	
	TextAlign:	General	
isFirstHVEstimated		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	PIMS 7.1.7	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {CD840783-CF82-4943-825A-5F4522CCFF0B}}	
	OrdinalPosition:	31	
	Required:	False	
	ResultType:	0	
	SourceField:	isFirstHVEstimated	
	SourceTable:	tpeople_data	
	TextAlign:	General	
isLastHVEstimated		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	

ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	PIMS 7.1.7
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {F0F52496-F93E-44B6-BC93-839F1ED52C39}}
OrdinalPosition:	32
Required:	False
ResultType:	0
SourceField:	isLastHVEstimated
SourceTable:	tpeople_data
TextAlign:	General

hv_completed Integer 2

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	calculated field
DisplayControl:	Text Box
GUID:	{guid {7C972FFC-7F50-42A6-91A6-707991E86E87}}
OrdinalPosition:	33
Required:	False
ResultType:	0
SourceField:	hv_completed
SourceTable:	tpeople_data
TextAlign:	General

hv_completed_before_birth Integer 2

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	calculated field
DisplayControl:	Text Box
GUID:	{guid {B0024CCF-F1BA-4055-A7D8-841044FDC60A}}
OrdinalPosition:	34
Required:	False
ResultType:	0
SourceField:	hv_completed_before_birth

	SourceTable:	tpeople_data	
	TextAlign:	General	
calc_assessment_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	copied field for query purposes	
	GUID:	{guid {7F61737E-ECA1-40B7-B081-60ECA350DB81}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	35	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	calc_assessment_date	
	SourceTable:	tpeople_data	
	TextAlign:	General	
calc_termination_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	copied field for query purposes	
	GUID:	{guid {520980C6-D6DE-4CEF-A860-A5D4608B8249}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	36	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	calc_termination_date	
	SourceTable:	tpeople_data	
	TextAlign:	General	
current_fsw_id		Text	10
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	latest Family Support Worker ID- added 2013_06
DisplayControl:	Text Box
GUID:	{guid {FD0F086D-ED2A-43CB-987F-126CDF1C1B10}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	37
Required:	False
ResultType:	0
SourceField:	current_fsw_id
SourceTable:	tpeople_data
TextAlign:	General
UnicodeCompression:	False

target_birth_date Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	user-entered field, but calculated from birth record if possible
GUID:	{guid {E2F5D909-0ADE-4318-97F1-CD995C4835C3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	38
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	target_birth_date
SourceTable:	tpeople_data
TextAlign:	General

target_due_date Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	user-entered field, but calculated from birth record if possible
GUID:	{guid {A5031A20-DE62-437A-B458-2F27E08FB85B}}
IMEMode:	0

	IMESentenceMode:	3	
	OrdinalPosition:	39	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	target_due_date	
	SourceTable:	tpeople_data	
	TextAlign:	General	
isMoved		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	calculated field	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {86781CC3-348A-4ABD-A759-EE815AB0CEBC}}	
	OrdinalPosition:	40	
	Required:	False	
	ResultType:	0	
	SourceField:	isMoved	
	SourceTable:	tpeople_data	
	TextAlign:	General	
time_enrolled_verified		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	calculated field- VERIFIED enrollment (i.e. between completed home visits) = old time_enrolled	
	DisplayControl:	Text Box	
	GUID:	{guid {307B5324-F130-4C67-9C61-3AC43E414047}}	
	OrdinalPosition:	41	
	Required:	False	
	ResultType:	0	
	SourceField:	time_enrolled_verified	
	SourceTable:	tpeople_data	
	TextAlign:	General	
time_enrolled_presumed		Long Integer	4

	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	calculated field- PRESUMED enrollment (i.e. up to cutoff)	
	DisplayControl:	Text Box	
	GUID:	{guid {538E25C4-4F40-41D2-81CF-CBA25B38663F}}	
	OrdinalPosition:	42	
	Required:	False	
	ResultType:	0	
	SourceField:	time_enrolled_presumed	
	SourceTable:	tpeople_data	
	TextAlign:	General	
time_enrolled_limit		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	calculated field	
	DisplayControl:	Text Box	
	GUID:	{guid {F0A23FA0-CC83-4D9D-9516-823FC5CE0628}}	
	OrdinalPosition:	43	
	Required:	False	
	ResultType:	0	
	SourceField:	time_enrolled_limit	
	SourceTable:	tpeople_data	
	TextAlign:	General	
time_enrolled_at_birth		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	

Description:	calculated field
DisplayControl:	Text Box
GUID:	{guid {1463DC6E-35F2-4D02-92F0-C3063182F920}}
OrdinalPosition:	44
Required:	False
ResultType:	0
SourceField:	time_enrolled_at_birth
SourceTable:	tpeople_data
TextAlign:	General

child_age Long Integer 4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	calculated field added in PIMS 7.2.2. target child age at latest home visit or cutoff, whichever occurs last?
DisplayControl:	Text Box
GUID:	{guid {6E9D6290-B14A-4006-8FD0-2A0C6DB2BC1A}}
OrdinalPosition:	45
Required:	False
ResultType:	0
SourceField:	child_age
SourceTable:	tpeople_data
TextAlign:	General

prenatal_care_visits_expected Integer 2

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	MANUAL OVERRIDE originally used by ND (8/13), should be renamed
DisplayControl:	Text Box
GUID:	{guid {0C7E290B-BFC2-44B0-AECB-248F36C04517}}
OrdinalPosition:	46
Required:	False
ResultType:	0
SourceField:	prenatal_care_visits_expected
SourceTable:	tpeople_data
TextAlign:	General

prenatal_care_visits_completed Integer 2

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	MANUAL OVERRIDE originally used by ND (8/13), should be renamed
DisplayControl:	Text Box
GUID:	{guid {6A2228FD-BDD2-4962-AB07-70D98C2BFF98}}
OrdinalPosition:	47
Required:	False
ResultType:	0
SourceField:	prenatal_care_visits_completed
SourceTable:	tpeople_data
TextAlign:	General

referral_to_hfa_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date of referral to HFA
GUID:	{guid {31E8938A-BD9E-4377-A203-8D428FDBD10D}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	48
Required:	False
SourceField:	referral_to_hfa_date
SourceTable:	tpeople_data

referral_type_code Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	referral type code (e.g. agency, friend) added in PIMS 8.0.15
DisplayControl:	Text Box
OrdinalPosition:	49
Required:	False
SourceField:	referral_type_code

	SourceTable:	tpeople_data	
referral_source_agency_id		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	AgencySubID for the referral agency	
	DisplayControl:	Text Box	
	GUID:	{guid {D1FBCA60-D140-4A9E-97BB-B7B6B5A52CC8}}	
	OrdinalPosition:	50	
	Required:	False	
	SourceField:	referral_source_agency_id	
	SourceTable:	tpeople_data	
ue_target_birth_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	user-entered field to be added to a newer version of pims	
	GUID:	{guid {650CB7EE-019D-4F65-BBAE-F35330A1AD6C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	51	
	Required:	False	
	SourceField:	ue_target_birth_date	
	SourceTable:	tpeople_data	
ue_target_due_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	user-entered field to be added to a newer version of pims	
	GUID:	{guid {3968601E-5B3B-402C-B42C-59956AA1BBAF}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	52	
	Required:	False	
	SourceField:	ue_target_due_date	
	SourceTable:	tpeople_data	

created_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Format:	General Date
GUID:	{guid {0B3D5DE4-57AA-4D25-90F7-0D9E20DA6A30}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	53
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	created_timestamp
SourceTable:	tpeople_data
TextAlign:	General

created_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {A6369EFE-F41B-47DE-A1CF-8CC86A1E93B7}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	54
Required:	False
ResultType:	0
SourceField:	created_user
SourceTable:	tpeople_data
TextAlign:	General
UnicodeCompression:	True

modified_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {D1B8887F-49C9-46DB-B713-25B1AB1CACF4}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	55	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	modified_timestamp	
	SourceTable:	tpeople_data	
	TextAlign:	General	
modified_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {FD138B24-2C4F-474E-B6F4-3C0F3611BF85}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	56	
	Required:	False	
	ResultType:	0	
	SourceField:	modified_user	
	SourceTable:	tpeople_data	
	TextAlign:	General	
	UnicodeCompression:	True	
reviewed_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {9D742797-7D1B-409E-A084-B5953A9BE797}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	57	
	Required:	False	
	ResultType:	0	

ShowDatePicker:	For dates
SourceField:	reviewed_timestamp
SourceTable:	tpeople_data
TextAlign:	General

reviewed_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {C3B04BA0-4ECA-486B-A240-36E3BAD2191E}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	58
Required:	False
ResultType:	0
SourceField:	reviewed_user
SourceTable:	tpeople_data
TextAlign:	General
UnicodeCompression:	True

Relationships

tpeople_datatbirth_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tpeople_datataces_data



Attributes:	Unique, Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-One

tpeople_datatfollowup_participant_history



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tpeople_datatparticipant_history



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tpeople_datatoutcome_Edinburgh



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tpeople_datatND_assessment_data



Attributes: Unique, Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-One

tpeople_datathome_visit_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tpeople_datatmedical_visit_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tpeople_datatoutcome_HFPI



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tpeople_datatoutcome_CESD



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tpeople_datatintake_data



Attributes: Unique, Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-One

tpeople_datatmonthly_contact_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tpeople_datatassessment_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tpeople_datatPeopleToGroups



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tpeople_datatscreen_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tsite_lkuptpeople_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
active_partner_id	1

Clustered: False
DistinctCount: 5
Foreign: False
IgnoreNulls: False
Name: active_partner_id
Primary: False
Required: False
Unique: False

Fields:
active_partner_id Ascending
current_fsw_id 1
Clustered: False
DistinctCount: 6
Foreign: False
IgnoreNulls: False
Name: current_fsw_id
Primary: False
Required: False
Unique: False
Fields:
current_fsw_id Ascending
person_id 1
Clustered: False
DistinctCount: 542
Foreign: False
IgnoreNulls: False
Name: person_id
Primary: False
Required: False
Unique: True
Fields:
person_id Ascending
person_id_local 1
Clustered: False
DistinctCount: 542
Foreign: False
IgnoreNulls: False
Name: person_id_local
Primary: False
Required: False
Unique: False
Fields:
person_id_local Ascending
PrimaryKey 1
Clustered: False
DistinctCount: 542
Foreign: False
IgnoreNulls: False
Name: PrimaryKey
Primary: True
Required: True
Unique: True
Fields:
person_id Ascending
referral_agency_SubID 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: referral_agency_SubID
Primary: False

	Required:	False
	Unique:	False
	Fields:	
	referral_source_agency_id	Ascending
referral_source_agency_id		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	referral_source_agency_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	referral_type_code	Ascending
tsite_lkuptpeople_data		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	True
	IgnoreNulls:	False
	Name:	tsite_lkuptpeople_data
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:29 AM	DefaultView:	2
GUID:	{guid {2FE629A5-FB89-40DD-8A55-55756C6FAB96}}	LastUpdated:	7/26/2017 2:40:52 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	12
Updatable:	True		

Columns

Name	Type	Size
person_id	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each participant
DisplayControl:	Text Box
GUID:	{guid {CE558129-81D4-414F-832E-A9BE5D5C6E79}}
OrdinalPosition:	0
Required:	True
SourceField:	person_id
SourceTable:	tPeopleToGroups

group_code	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	internal code assigned to each group, referenced in PeopleToGroups
DisplayControl:	Text Box
GUID:	{guid {5DD3829C-2E0D-426F-8C53-2020C1C52C5A}}
OrdinalPosition:	1
Required:	True
SourceField:	group_code
SourceTable:	tPeopleToGroups

Relationships

tgeneral_lkup_groupstPeopleToGroups



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tpeople_datatPeopleToGroups



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{4F396DE4-A1C7-4B2E-9BFB-0897E75AF3	1
Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	{4F396DE4-A1C7-4B2E-9BFB-0897E75AF323}
Primary:	False
Required:	False
Unique:	False
Fields:	
group_code	Ascending
person_id	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True

	Unique:	True
	Fields:	
	person_id	Ascending
	group_code	Ascending
tpeople_datatPeopleToGroups	1	
	Clustered:	False
	DistinctCount:	12
	Foreign:	True
	IgnoreNulls:	False
	Name:	tpeople_datatPeopleToGroups
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	person_id	Ascending
tPeopleToGroupsgroup_code	1	
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	tPeopleToGroupsgroup_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	group_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:29 AM	DefaultView:	2
GUID:	{guid {D2923DD8-4605-418C-A5A5-9235B15B6F98}}	LastUpdated:	1/20/2017 10:59:26 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	154
Updatable:	True		

Columns

Name	Type	Size
referral_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size, Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	Internal referral ID number unique to each record	
GUID:	{guid {71FC3B10-DA0E-45A6-8CF9-E5B8C9738311}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	referral_id	
SourceTable:	treferral_data	
referral_id_local	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	referral_id as used in individual's data table, prior to data aggregation	
DisplayControl:	Text Box	
GUID:	{guid {0C3AD518-AAD0-406E-B5F3-9A858132DF79}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	referral_id_local	
SourceTable:	treferral_data	
person_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Unique identification code for each person	
	DisplayControl:	Text Box	
	GUID:	{guid {C7724F4F-4A98-4FB5-9C07-0FE93E861052}}	
	OrdinalPosition:	2	
	Required:	True	
	SourceField:	person_id	
	SourceTable:	treferral_data	
referral_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	date of referral	
	Format:	Short Date	
	GUID:	{guid {C44AE1EF-885F-477B-B4C9-09E3C12E7280}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	3	
	Required:	True	
	SourceField:	referral_date	
	SourceTable:	treferral_data	
referral_service_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1950	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	referral service code	
	DisplayControl:	Text Box	
	GUID:	{guid {32FD6B4F-F5CE-4238-88CC-03634C7F86B5}}	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	referral_service_code	
	SourceTable:	treferral_data	
referral_service_other_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	

ColumnOrder:	Default		
ColumnWidth:	2385		
DataUpdatable:	False		
Description:	specify detailed information about the service		
DisplayControl:	Text Box		
GUID:	{guid {DC6FD20F-5C06-486D-BD3C-749F1057B2C6}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	5		
Required:	False		
SourceField:	referral_service_other_text		
SourceTable:	treferral_data		
UnicodeCompression:	False		
referral_service_note_text		Memo	-
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	2325		
DataUpdatable:	False		
Description:	referral service - memo		
GUID:	{guid {EA5A51AB-103D-4C35-AEF8-88DB63CC3BA2}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	False		
SourceField:	referral_service_note_text		
SourceTable:	treferral_data		
UnicodeCompression:	False		
referral_agency_type_code		Long Integer	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
BoundColumn:	1		
CollatingOrder:	General		
ColumnCount:	2		
ColumnHeads:	False		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
ColumnWidths:	0;2880		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	type of referral agency		
DisplayControl:	Combo Box		
GUID:	{guid {C3A2EE09-7E82-4F1C-9846-98C5BE4FA490}}		
LimitToList:	True		
ListRows:	8		
ListWidth:	0twip		
OrdinalPosition:	7		
Required:	False		

	RowSource:	tgeneral_lkup_agency_type	
	RowSourceType:	Table/Query	
	SourceField:	referral_agency_type_code	
	SourceTable:	treferral_data	
referral_agency_SubID		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	AgencySubID for the referral agency	
	DisplayControl:	Text Box	
	GUID:	{guid {9AA19BB4-5143-48B0-B777-12D4B88A5591}}	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	referral_agency_SubID	
	SourceTable:	treferral_data	
information_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1455	
	DataUpdatable:	False	
	Description:	information given	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {C55A05E3-AA52-49A5-B628-DD258BEFF21B}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	information_flag	
	SourceTable:	treferral_data	
arrangement_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1575	
	DataUpdatable:	False	
	Description:	arrangements made	
	DisplayControl:	Text Box	
	Format:	Yes/No	
	GUID:	{guid {7E0DEB63-95B5-4548-B4CE-587CE2E2ABB6}}	
	OrdinalPosition:	10	

	Required:	False	
	SourceField:	arrangement_flag	
	SourceTable:	treferral_data	
who_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	975	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	who was referred	
	DisplayControl:	Text Box	
	GUID:	{guid {7337B0EB-9D1D-4DC2-B35E-64C004C9AD72}}	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	who_code	
	SourceTable:	treferral_data	
received_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1260	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	were services received	
	DisplayControl:	Text Box	
	GUID:	{guid {69752186-B447-43E3-A0A1-CBA85C32AF6E}}	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	received_ynu	
	SourceTable:	treferral_data	
reason_not_received_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	BoundColumn:	1	
	CollatingOrder:	General	
	ColumnCount:	2	
	ColumnHeads:	False	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2415	
	ColumnWidths:	0;2880	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	if services were not received, reason	

	DisplayControl:	Combo Box	
	GUID:	{guid {F77D1F70-7301-4D5F-B3F1-23977E9AFFA9}}	
	LimitToList:	True	
	ListRows:	8	
	ListWidth:	0twip	
	OrdinalPosition:	13	
	Required:	False	
	RowSource:	treferral_lkup_reason_not_received	
	RowSourceType:	Table/Query	
	SourceField:	reason_not_received_code	
	SourceTable:	treferral_data	
reason_not_received_other_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	2850	
	DataUpdatable:	False	
	Description:	if services were not received ,reason - other	
	DisplayControl:	Text Box	
	GUID:	{guid {F1067E2D-5666-4009-9698-F788DF3CAB04}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	14	
	Required:	False	
	SourceField:	reason_not_received_other_text	
	SourceTable:	treferral_data	
	UnicodeCompression:	False	
received_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1320	
	DataUpdatable:	False	
	Description:	if yes, start of services date	
	Format:	Short Date	
	GUID:	{guid {9C67820C-74A8-470F-ADB2-1C1C57AFA833}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	15	
	Required:	False	
	SourceField:	received_date	
	SourceTable:	treferral_data	
received_action_taken		Text	50
	AllowZeroLength:	True	
	AppendOnly:	False	

Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	if yes, action taken
DisplayControl:	Text Box
GUID:	{guid {DCBA845D-C389-43B9-901A-8937BBFD117C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	16
Required:	False
SourceField:	received_action_taken
SourceTable:	treferral_data
UnicodeCompression:	True

not_received_action_taken Text 50

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	if no, action taken to follow up
DisplayControl:	Text Box
GUID:	{guid {512B5B3C-B2F4-4E03-9516-F337A45DA7A1}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	17
Required:	False
SourceField:	not_received_action_taken
SourceTable:	treferral_data
UnicodeCompression:	True

site_id Text 5

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	DEFUNCT- Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {4BAF5EE8-9014-4238-A202-48FC0958FF11}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	18
Required:	False
SourceField:	site_id

	SourceTable:	treferral_data	
	UnicodeCompression:	False	
participant_id		Text	15
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	DEFUNCT- now referred via person_id at any stage	
	DisplayControl:	Text Box	
	GUID:	{guid {97B66DBF-5949-4A23-93E0-06D6988C583F}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	participant_id	
	SourceTable:	treferral_data	
	UnicodeCompression:	False	
kid_id		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Unique identification code for child if that is the referral target	
	DisplayControl:	Text Box	
	GUID:	{guid {CCF7B3A0-C6C5-41A1-8239-5D791BD1CE0C}}	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	kid_id	
	SourceTable:	treferral_data	
child_id		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	DEFUNCT- Child ID	
	DisplayControl:	Text Box	
	GUID:	{guid {0FB6AF39-881A-4C00-9133-267E8640C9C7}}	
	OrdinalPosition:	21	

Required:	False	
SourceField:	child_id	
SourceTable:	treferral_data	

pregnancy_id	Text	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	DEFUNCT- Pregnancy ID	
DisplayControl:	Text Box	
GUID:	{guid {A626D2F0-DAB4-4E81-A965-A2BC382F5060}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	22	
Required:	False	
SourceField:	pregnancy_id	
SourceTable:	treferral_data	
UnicodeCompression:	False	
ValidationRule:	In ("A","B","C","D","E","F","G","H","I","J","K","L","M","N","P","O","Q","R","S","T","V","W","Y","X","Z") Or Is Null	
ValidationText:	The Pregnancy ID must be a letter	

created_timestamp	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Format:	General Date	
GUID:	{guid {E93EF984-44D7-4AA0-9DC1-526841251B99}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	23	
Required:	False	
SourceField:	created_timestamp	
SourceTable:	treferral_data	

created_user	Text	20
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	

DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {63179E77-198B-4839-ACE3-7BD8852DDC1D}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	24
Required:	False
SourceField:	created_user
SourceTable:	treferral_data
UnicodeCompression:	True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {5EFAAEBA-7501-440E-816E-77E507D77515}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	25
Required:	False
SourceField:	modified_timestamp
SourceTable:	treferral_data

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {27912898-4750-4068-8A50-B833E74F6900}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	26
Required:	False
SourceField:	modified_user
SourceTable:	treferral_data
UnicodeCompression:	True

reviewed_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default

ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {5D7D2564-774E-4633-9EDF-608D42899043}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	27
Required:	False
SourceField:	reviewed_timestamp
SourceTable:	treferral_data

reviewed_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {B39DFAC9-56AA-4555-A318-7634FFB4395C}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	28
Required:	False
SourceField:	reviewed_user
SourceTable:	treferral_data
UnicodeCompression:	True

Relationships

treferral_lkup_servicestreferral_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

treferral_lkup_whotreferral_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

treferral_lkup_reason_not_receivedtreferral_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{AA37C368-8F86-4E5F-992F-A849EC002A	1
Clustered:	False
DistinctCount:	9
Foreign:	True
IgnoreNulls:	False
Name:	{AA37C368-8F86-4E5F-992F-A849EC002A99}
Primary:	False
Required:	False
Unique:	False
Fields:	
referral_service_code	Ascending
{BB4391B5-3C4F-49E0-A6A0-B6E51CC422	1
Clustered:	False
DistinctCount:	4
Foreign:	True
IgnoreNulls:	False
Name:	{BB4391B5-3C4F-49E0-A6A0-B6E51CC42206}
Primary:	False
Required:	False
Unique:	False
Fields:	
who_code	Ascending
{DDF6EE13-4B8A-45AE-9B69-78442D3A0F	1
Clustered:	False
DistinctCount:	7
Foreign:	True
IgnoreNulls:	False
Name:	{DDF6EE13-4B8A-45AE-9B69-78442D3A0F37}
Primary:	False
Required:	False
Unique:	False
Fields:	
reason_not_received_code	Ascending
child_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	child_id
Primary:	False

Required: False
Unique: False
Fields:
child_id Ascending
kid_id 1
Clustered: False
DistinctCount: 27
Foreign: False
IgnoreNulls: False
Name: kid_id
Primary: False
Required: False
Unique: False
Fields:
kid_id Ascending
participant_id 1
Clustered: False
DistinctCount: 32
Foreign: False
IgnoreNulls: False
Name: participant_id
Primary: False
Required: False
Unique: False
Fields:
participant_id Ascending
person_id 1
Clustered: False
DistinctCount: 36
Foreign: False
IgnoreNulls: False
Name: person_id
Primary: False
Required: False
Unique: False
Fields:
person_id Ascending
person_id_local 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: person_id_local
Primary: False
Required: False
Unique: False
Fields:
referral_id_local Ascending
pregnancy_id 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False

Name:	pregnancy_id
Primary:	False
Required:	False
Unique:	False
Fields:	
pregnancy_id	Ascending

PrimaryKey 1

Clustered:	False
DistinctCount:	154
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
referral_id	Ascending

reason_not_received_code 1

Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	reason_not_received_code
Primary:	False
Required:	False
Unique:	False
Fields:	
reason_not_received_code	Ascending

referral_agencyID 1

Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	referral_agencyID
Primary:	False
Required:	False
Unique:	False
Fields:	
referral_agency_type_code	Ascending

referral_service_code 1

Clustered:	False
DistinctCount:	9
Foreign:	False
IgnoreNulls:	False
Name:	referral_service_code
Primary:	False
Required:	False
Unique:	False
Fields:	
referral_service_code	Ascending

referral_service_code1 1

Clustered:	False
DistinctCount:	1

	Foreign:	False
	IgnoreNulls:	False
	Name:	referral_service_code1
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	referral_agency_SubID	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending
who_code		1
	Clustered:	False
	DistinctCount:	4
	Foreign:	False
	IgnoreNulls:	False
	Name:	who_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	who_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:29 AM	DefaultView:	2
GUID:	{guid {E0421435-FF84-4E4C-8D16-5E0BAC3FED1A}}	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	15
Updatable:	True		

Columns

Name	Type	Size
reason_not_received_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2415	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {1CE09DD0-BCBD-4121-91CD-F342D7F7E16C}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	reason_not_received_code	
SourceTable:	treferral_lkup_reason_not_received	
reason_not_received_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2895	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {23551FB1-372F-42C6-BB94-3E5712F8643F}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	reason_not_received_desc	
SourceTable:	treferral_lkup_reason_not_received	
UnicodeCompression:	False	

Relationships

treferral_lkup_reason_not_receivedtreferral_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	15
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
reason_not_received_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:29 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	10	Updatable:	True

Columns

Name	Type	Size
referral_service_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1950	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	referral_service_code	
SourceTable:	treferral_lkup_services	
referral_service_type	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2685	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	referral_service_type	
SourceTable:	treferral_lkup_services	
UnicodeCompression:	False	

Relationships

treferral_lkup_servicestreferral_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	10
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
referral_service_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:29 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
referral_who_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1680	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	referral_who_code	
SourceTable:	treferral_lkup_who	
referral_who_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2175	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	referral_who_desc	
SourceTable:	treferral_lkup_who	
UnicodeCompression:	False	

Relationships

treferral_lkup_whotreferral_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
referral_who_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:29 AM	DefaultView:	2
GUID:	{guid {8164F7A3-1099-49EB-B633-A1E07BC94359}}	LastUpdated:	4/13/2018 12:31:45 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	540
Updatable:	True		

Columns

Name	Type	Size
site_id	Text	5

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {FE870512-5BC1-4B3A-9847-111F80C1EC49}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	0
Required:	False
SourceField:	site_id
SourceTable:	tscreen_data
UnicodeCompression:	False

screen_id	Text	15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	In combination with Site ID provides a unique identifier for the individual screening
DisplayControl:	Text Box
GUID:	{guid {99115078-2959-4FFF-B3F8-24A987B889BB}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	screen_id
SourceTable:	tscreen_data
UnicodeCompression:	False

screen_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	True	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date of screening	
	GUID:	{guid {1B952D23-FB00-4EE9-B247-7DA199865453}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	True	
	SourceField:	screen_date	
	SourceTable:	tscreen_data	
person_id		Long Integer	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	True	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	DisplayControl:	Text Box	
	GUID:	{guid {8E1816FA-0DEF-45FD-AB50-C3D824E847DA}}	
	OrdinalPosition:	4	
	Required:	True	
	SourceField:	person_id	
	SourceTable:	tscreen_data	
data_entry_staff_id		Text	10
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	data entry Worker ID	
	DisplayControl:	Text Box	
	GUID:	{guid {60C4EC9E-64A3-4EE1-9BA6-A0FA3B19B19B}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	data_entry_staff_id	
	SourceTable:	tscreen_data	
	UnicodeCompression:	False	

transfer_faw_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Family Assessment Worker ID
DisplayControl:	Text Box
GUID:	{guid {8D5E7F60-ACF5-4584-BF27-49F2F7E575E3}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
SourceField:	transfer_faw_id
SourceTable:	tscreen_data
UnicodeCompression:	False

screen_time_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	True
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Identifies whether the screen was administered prenatally or postnatally
DisplayControl:	Text Box
GUID:	{guid {CEDA8810-208A-4C53-9D26-50388A7F5655}}
OrdinalPosition:	7
Required:	False
SourceField:	screen_time_code
SourceTable:	tscreen_data

parent_name_last_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	parent's last name
DisplayControl:	Text Box
GUID:	{guid {E6AE17E3-A904-4663-85D4-0759E2F0B1D4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	8
Required:	False

	SourceField:	parent_name_last_text	
	SourceTable:	tscreen_data	
	UnicodeCompression:	False	
parent_name_first_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	parent's first name	
	DisplayControl:	Text Box	
	GUID:	{guid {5E522E32-D68F-419B-8798-4FC0A47E23F2}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	parent_name_first_text	
	SourceTable:	tscreen_data	
	UnicodeCompression:	False	
parent_address_street_text		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	parent's address	
	DisplayControl:	Text Box	
	GUID:	{guid {70B714C4-9646-4F90-BA4D-F6B52874AF46}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	
	Required:	False	
	SourceField:	parent_address_street_text	
	SourceTable:	tscreen_data	
	UnicodeCompression:	False	
parent_address_city_text		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	parent's city	
	DisplayControl:	Text Box	

GUID:	{guid {CFBC1029-A119-47B0-9CC4-4A7B47B10432}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	11	
Required:	False	
SourceField:	parent_address_city_text	
SourceTable:	tscreen_data	
UnicodeCompression:	False	
parent_address_state_text	Text	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	parent's state	
DisplayControl:	Text Box	
GUID:	{guid {DD3DE77E-7270-4ED1-957C-DD9FEE8D97C5}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	12	
Required:	False	
SourceField:	parent_address_state_text	
SourceTable:	tscreen_data	
UnicodeCompression:	False	
parent_address_zip_text	Text	12
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
Description:	parent's zip code	
DisplayControl:	Text Box	
GUID:	{guid {D644CF0F-1F13-4908-A09D-90B0E73D0A39}}	
IMEMode:	0	
IMESentenceMode:	3	
InputMask:	00000\-9999;0;_	
OrdinalPosition:	13	
Required:	False	
SourceField:	parent_address_zip_text	
SourceTable:	tscreen_data	
UnicodeCompression:	False	
parent_address_township_text	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	parent's township
DisplayControl:	Text Box
GUID:	{guid {1B9DE7AA-F74C-4A58-B35F-268E00BF9DB5}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	14
Required:	False
SourceField:	parent_address_township_text
SourceTable:	tscreen_data
UnicodeCompression:	False

parent_address_county_text Text 50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	parent's county
DisplayControl:	Text Box
GUID:	{guid {A172CD92-56DE-46C3-908B-048D74F98522}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	15
Required:	False
SourceField:	parent_address_county_text
SourceTable:	tscreen_data
UnicodeCompression:	False

parent_phone_home_text Text 15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	parent's home number
DisplayControl:	Text Box
GUID:	{guid {49BC18E0-9D83-46CE-8A69-B1BD311C4CB3}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	!\(999") "000\-0000;0;_
OrdinalPosition:	16
Required:	False
SourceField:	parent_phone_home_text
SourceTable:	tscreen_data
UnicodeCompression:	False

parent_phone_work_text Text 15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	parent's work number
DisplayControl:	Text Box
GUID:	{guid {EE4CE3B9-2B8C-4F5C-B7AF-3FBC349E5216}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	!\(999") "000\-0000;0;_
OrdinalPosition:	17
Required:	False
SourceField:	parent_phone_work_text
SourceTable:	tscreen_data
UnicodeCompression:	False

parent_email_text Text 50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	parent's email
DisplayControl:	Text Box
GUID:	{guid {06656114-86CF-40C2-AFF2-B6917C960E10}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	18
Required:	False
SourceField:	parent_email_text
SourceTable:	tscreen_data
UnicodeCompression:	False
ValidationRule:	Is Null Or ((Like "*?@?*.?*") And (Not Like "*[,;]*"))
ValidationText:	this does not appear to be a valid email address

screener_name_last_text Text 50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	screener's last name
DisplayControl:	Text Box
GUID:	{guid {79ACA6CE-D74F-403C-B33F-6ACF494F4BA8}}

	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	19	
	Required:	False	
	SourceField:	screener_name_last_text	
	SourceTable:	tscreen_data	
	UnicodeCompression:	False	
screener_name_first_text		Text	50
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	screener's first name	
	DisplayControl:	Text Box	
	GUID:	{guid {20D36A28-D4C8-43F1-B6B8-3F1B6E03E464}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	screener_name_first_text	
	SourceTable:	tscreen_data	
	UnicodeCompression:	False	
screener_phone_text		Text	15
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	screener's phone number	
	DisplayControl:	Text Box	
	GUID:	{guid {6C01445F-7FA4-46C1-9E3C-F9CF8E371214}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	!\(999") "000\-0000;0;_	
	OrdinalPosition:	21	
	Required:	False	
	SourceField:	screener_phone_text	
	SourceTable:	tscreen_data	
	UnicodeCompression:	False	
screener_type_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	

ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: type of screener
DisplayControl: Text Box
GUID: {guid {C8C67978-F6B4-43AB-9756-0AB75D17D79E}}
OrdinalPosition: 22
Required: False
SourceField: screener_type_code
SourceTable: tscreen_data

screener_type_other_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Description: type of screener - other
DisplayControl: Text Box
GUID: {guid {5474CB42-0D11-41E7-9360-F0EE06629F68}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 23
Required: False
SourceField: screener_type_other_text
SourceTable: tscreen_data
UnicodeCompression: False

referral_type_code Byte 1
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DecimalPlaces: Auto
Description: type of referral
DisplayControl: Text Box
GUID: {guid {C649AD91-5496-49E3-9F4A-86D4C67F4728}}
OrdinalPosition: 24
Required: False
SourceField: referral_type_code
SourceTable: tscreen_data

referral_type_other_text Text 255
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	type of referral - other
DisplayControl:	Text Box
GUID:	{guid {01FD04D5-3C67-42FC-92F5-2E7689092708}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	25
Required:	False
SourceField:	referral_type_other_text
SourceTable:	tscreen_data
UnicodeCompression:	False

screen_method_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	method of screening
DisplayControl:	Text Box
GUID:	{guid {D81CD116-3509-4E8B-BE69-5F408A5D3E4A}}
OrdinalPosition:	26
Required:	False
SourceField:	screen_method_code
SourceTable:	tscreen_data

screen_method_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	method of screening - other
DisplayControl:	Text Box
GUID:	{guid {F32B22DE-8A00-41EA-89B2-A2FC42AA65AD}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	27
Required:	False
SourceField:	screen_method_other_text
SourceTable:	tscreen_data
UnicodeCompression:	False

screener_organization_text Text 50

AllowZeroLength:	False

AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	screener's organization
DisplayControl:	Text Box
GUID:	{guid {AF24E4FC-447D-4061-AAAB-DD50241EA438}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	28
Required:	False
SourceField:	screener_organization_text
SourceTable:	tscreen_data
UnicodeCompression:	False

risk_factor_1_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	marital status is single, separated, divorced, or widowed
DisplayControl:	Text Box
GUID:	{guid {57C0C765-F51A-4706-89F2-728C50424BAB}}
OrdinalPosition:	29
Required:	False
SourceField:	risk_factor_1_ynu
SourceTable:	tscreen_data
ValidationRule:	In (0,1,255) Or Is Null

risk_factor_2_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	husband/partner unemployed
DisplayControl:	Text Box
GUID:	{guid {288E216A-7698-4875-B578-BA547F38C8A5}}
OrdinalPosition:	30
Required:	False
SourceField:	risk_factor_2_ynu
SourceTable:	tscreen_data
ValidationRule:	In (0,1,255) Or Is Null

risk_factor_3_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	inadequate income per participant or no information regarding source of income
DisplayControl:	Text Box
GUID:	{guid {375EE97D-196C-41FE-A0DE-D54C872BB5BB}}
OrdinalPosition:	31
Required:	False
SourceField:	risk_factor_3_ynu
SourceTable:	tscreen_data
ValidationRule:	In (0,1,255) Or Is Null

risk_factor_4_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	unstable housing
DisplayControl:	Text Box
GUID:	{guid {EB67DB9E-2909-4BC6-A0A4-2AFC02C3E252}}
OrdinalPosition:	32
Required:	False
SourceField:	risk_factor_4_ynu
SourceTable:	tscreen_data
ValidationRule:	In (0,1,255) Or Is Null

risk_factor_5_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	no phone
DisplayControl:	Text Box
GUID:	{guid {AEB46820-DC97-4B86-8A71-DE445FEBF0E7}}
OrdinalPosition:	33
Required:	False
SourceField:	risk_factor_5_ynu

	SourceTable:	tscreen_data	
	ValidationRule:	In (0,1,255) Or Is Null	
risk_factor_6_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	education under 12 years	
	DisplayControl:	Text Box	
	GUID:	{guid {13F42686-44F3-45E9-87E2-9D0FA141864E}}	
	OrdinalPosition:	34	
	Required:	False	
	SourceField:	risk_factor_6_ynu	
	SourceTable:	tscreen_data	
	ValidationRule:	In (0,1,255) Or Is Null	
risk_factor_7_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	inadequate emergency contacts (i.e., no immediate family contacts)	
	DisplayControl:	Text Box	
	GUID:	{guid {6F3A93A6-430D-473E-B6F0-2C196FA320F7}}	
	OrdinalPosition:	35	
	Required:	False	
	SourceField:	risk_factor_7_ynu	
	SourceTable:	tscreen_data	
	ValidationRule:	In (0,1,255) Or Is Null	
risk_factor_8_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	history of substance abuse	
	DisplayControl:	Text Box	
	GUID:	{guid {6D77DC4B-0DA6-46ED-95F8-D6A8FA6369FA}}	
	OrdinalPosition:	36	

	Required:	False	
	SourceField:	risk_factor_8_ynu	
	SourceTable:	tscreen_data	
	ValidationRule:	In (0,1,255) Or Is Null	
risk_factor_9_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	late or no pre-natal care, poor compliance	
	DisplayControl:	Text Box	
	GUID:	{guid {9094253B-1302-4DF9-AA87-16BF08E9A34E}}	
	OrdinalPosition:	37	
	Required:	False	
	SourceField:	risk_factor_9_ynu	
	SourceTable:	tscreen_data	
	ValidationRule:	In (0,1,255) Or Is Null	
risk_factor_10_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	history of abortions	
	DisplayControl:	Text Box	
	GUID:	{guid {F403B522-3EC8-425E-940E-2923CB7A0339}}	
	OrdinalPosition:	38	
	Required:	False	
	SourceField:	risk_factor_10_ynu	
	SourceTable:	tscreen_data	
	ValidationRule:	In (0,1,255) Or Is Null	
risk_factor_11_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	history of psychiatric care	
	DisplayControl:	Text Box	

	GUID:	{guid {40FD486D-108B-408A-A88E-866614B0F572}}	
	OrdinalPosition:	39	
	Required:	False	
	SourceField:	risk_factor_11_ynu	
	SourceTable:	tscreen_data	
	ValidationRule:	In (0,1,255) Or Is Null	
risk_factor_12_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	abortion unsuccessfully sought or attempted	
	DisplayControl:	Text Box	
	GUID:	{guid {19BAAB39-6322-4323-9F0B-F4DB30FBDD83}}	
	OrdinalPosition:	40	
	Required:	False	
	SourceField:	risk_factor_12_ynu	
	SourceTable:	tscreen_data	
	ValidationRule:	In (0,1,255) Or Is Null	
risk_factor_13_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	relinquishment for adoption sought or attempted	
	DisplayControl:	Text Box	
	GUID:	{guid {35A69EC4-55BA-41E4-AE36-D69C957E495C}}	
	OrdinalPosition:	41	
	Required:	False	
	SourceField:	risk_factor_13_ynu	
	SourceTable:	tscreen_data	
	ValidationRule:	In (0,1,255) Or Is Null	
risk_factor_14_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	

	Description:	marital or family problems	
	DisplayControl:	Text Box	
	GUID:	{guid {98030A53-1766-4B59-939B-D66177BA9BAF}}	
	OrdinalPosition:	42	
	Required:	False	
	SourceField:	risk_factor_14_ynu	
	SourceTable:	tscreen_data	
	ValidationRule:	In (0,1,255) Or Is Null	
risk_factor_15_ynu		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	history of or current depression	
	DisplayControl:	Text Box	
	GUID:	{guid {8384F30C-E61C-4220-8787-174BC78A4AA7}}	
	OrdinalPosition:	43	
	Required:	False	
	SourceField:	risk_factor_15_ynu	
	SourceTable:	tscreen_data	
	ValidationRule:	In (0,1,255) Or Is Null	
screen_result_text		Text	10
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	screening result: positive or negative	
	DisplayControl:	Text Box	
	GUID:	{guid {4A428055-EE2B-48AB-94FA-8C5B08F25EA4}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	44	
	Required:	False	
	SourceField:	screen_result_text	
	SourceTable:	tscreen_data	
	UnicodeCompression:	False	
	ValidationRule:	In ("Positive","Negative") Or Is Null	
assessment_referral_flag		Yes/No	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	

ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	was referral made for assessment
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {2410620D-980A-44A8-8DFC-1D37A4458412}}
OrdinalPosition:	45
Required:	False
SourceField:	assessment_referral_flag
SourceTable:	tscreen_data

not_assessed_reason_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	reason that positive screen was not assessed
DisplayControl:	Text Box
GUID:	{guid {5789632C-56F8-47E3-9B22-42D3E83CA91E}}
OrdinalPosition:	46
Required:	False
SourceField:	not_assessed_reason_code
SourceTable:	tscreen_data

not_assessed_reason_other_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	reason that positive screen was not assessed - other
DisplayControl:	Text Box
GUID:	{guid {D4465279-F1D9-4B0E-8DF1-2CFBFB1627FD}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	47
Required:	False
SourceField:	not_assessed_reason_other_text
SourceTable:	tscreen_data
UnicodeCompression:	False

assessment_declined_date Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	date assessment declined
Format:	Short Date
GUID:	{guid {70B828C3-3CF3-41EE-84BA-C0E86A6E8B0A}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	48
Required:	False
SourceField:	assessment_declined_date
SourceTable:	tscreen_data

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {BA4C3F85-EE44-46EA-A020-5C68DF304F25}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	49
Required:	False
SourceField:	created_timestamp
SourceTable:	tscreen_data

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {4730E9BE-B38D-4A19-9991-103FA35E0981}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	50
Required:	False
SourceField:	created_user
SourceTable:	tscreen_data
UnicodeCompression:	True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size

	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {FBDB7425-45FA-4F71-B6D2-83A747CBBBBD}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	51	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	tscreen_data	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {2419CCD6-D611-4F51-A5C8-27EF130E51AF}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	52	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	tscreen_data	
	UnicodeCompression:	True	
reviewed_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {8186D4C8-6487-4552-B7E2-1F7C0E4D2EFA}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	53	
	Required:	False	
	SourceField:	reviewed_timestamp	
	SourceTable:	tscreen_data	
reviewed_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {9D376A4C-1DE1-4E5D-929B-76BA622DFF67}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	54
Required:	False
SourceField:	reviewed_user
SourceTable:	tscreen_data
UnicodeCompression:	True

Relationships

tscreen_lkup_referral_typetscreen_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

tscreen_lkup_screen_timetscreen_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

tscreen_lkup_screen_methodtscreen_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

tscreen_lkup_screener_typetscreen_data



Attributes: Enforced, Cascade Updates
RelationshipType: One-To-Many

tscreen_lkup_not_assessed_reasontscreen_data



Attributes: Enforced, Cascade Updates
RelationshipType: One-To-Many

tpeople_datatscreen_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tsite_lkuptscreen_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
{166DEED4-A939-46C1-A4B1-773F789442	1

Clustered: False
DistinctCount: 13
Foreign: True
IgnoreNulls: False
Name: {166DEED4-A939-46C1-A4B1-773F78944236}
Primary: False
Required: False
Unique: False

Fields:
referral_type_code Ascending
{262A2365-7C71-40D0-9541-0D161359F5 1
Clustered: False
DistinctCount: 3
Foreign: True
IgnoreNulls: False
Name: {262A2365-7C71-40D0-9541-0D161359F512}
Primary: False
Required: False
Unique: False
Fields:
screen_time_code Ascending
{93643276-BEEE-4CE0-9496-28BEE67D8B 1
Clustered: False
DistinctCount: 6
Foreign: True
IgnoreNulls: False
Name: {93643276-BEEE-4CE0-9496-28BEE67D8BFE}
Primary: False
Required: False
Unique: False
Fields:
screen_method_code Ascending
{9F3AF82F-7C06-43EE-AEA6-75D1D1E4E9 1
Clustered: False
DistinctCount: 7
Foreign: True
IgnoreNulls: False
Name: {9F3AF82F-7C06-43EE-AEA6-75D1D1E4E90F}
Primary: False
Required: False
Unique: False
Fields:
screener_type_code Ascending
{F0D5A5F0-02D8-4458-89E2-610EDD5209 1
Clustered: False
DistinctCount: 12
Foreign: True
IgnoreNulls: False
Name: {F0D5A5F0-02D8-4458-89E2-610EDD520928}
Primary: False
Required: False
Unique: False
Fields:
not_assessed_reason_code Ascending
assessed_email_text 1
Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: assessed_email_text
Primary: False

Required:	False
Unique:	True
Fields:	
parent_email_text	Ascending
not_assessed_reason_code	1
Clustered:	False
DistinctCount:	12
Foreign:	False
IgnoreNulls:	False
Name:	not_assessed_reason_code
Primary:	False
Required:	False
Unique:	False
Fields:	
not_assessed_reason_code	Ascending
person_id	1
Clustered:	False
DistinctCount:	540
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	540
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
site_id	Ascending
screen_id	Ascending
referral_type_code	1
Clustered:	False
DistinctCount:	13
Foreign:	False
IgnoreNulls:	False
Name:	referral_type_code
Primary:	False
Required:	False
Unique:	False
Fields:	
referral_type_code	Ascending
screen_method_code	1
Clustered:	False
DistinctCount:	6
Foreign:	False

IgnoreNulls: False
Name: screen_method_code
Primary: False
Required: False
Unique: False
Fields:
screen_method_code Ascending

screen_time_code 1
Clustered: False
DistinctCount: 3
Foreign: False
IgnoreNulls: False
Name: screen_time_code
Primary: False
Required: False
Unique: False
Fields:
screen_time_code Ascending

screener_type_code 1
Clustered: False
DistinctCount: 7
Foreign: False
IgnoreNulls: False
Name: screener_type_code
Primary: False
Required: False
Unique: False
Fields:
screener_type_code Ascending

tpeople_datatscreen_data 1
Clustered: False
DistinctCount: 540
Foreign: True
IgnoreNulls: False
Name: tpeople_datatscreen_data
Primary: False
Required: False
Unique: False
Fields:
person_id Ascending

transfer_faw_id 1
Clustered: False
DistinctCount: 2
Foreign: False
IgnoreNulls: False
Name: transfer_faw_id
Primary: False
Required: False
Unique: False
Fields:
transfer_faw_id Ascending

transfer_faw_id1 1
Clustered: False

DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	transfer_faw_id1
Primary:	False
Required:	False
Unique:	False
Fields:	
data_entry_staff_id	Ascending
tsite_lkuptscreen_data	1
Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	tsite_lkuptscreen_data
Primary:	False
Required:	False
Unique:	False
Fields:	
site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:29 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	18	Updatable:	True

Columns

Name	Type	Size
not_assessed_reason_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2745	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	not_assessed_reason_code	
SourceTable:	tscreen_lkup_not_assessed_reason	
not_assessed_reason_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3690	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	not_assessed_reason_desc	
SourceTable:	tscreen_lkup_not_assessed_reason	
UnicodeCompression:	False	

Relationships

tscreen_lkup_not_assessed_reasontscreen_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	18
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
not_assessed_reason_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:30 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	27	Updatable:	True

Columns

Name	Type	Size
referral_type_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1695	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	referral_type_code	
SourceTable:	tscreen_lkup_referral_type	
referral_type_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3075	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	referral_type_desc	
SourceTable:	tscreen_lkup_referral_type	
UnicodeCompression:	False	

Relationships

tscreen_lkup_referral_typetscreen_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	27
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
referral_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:30 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	5	Updatable:	True

Columns

Name	Type	Size
screen_method_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	screen_method_code	
SourceTable:	tscreen_lkup_screen_method	
screen_method_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1905	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	screen_method_desc	
SourceTable:	tscreen_lkup_screen_method	
UnicodeCompression:	False	

Relationships

tscreen_lkup_screen_methodtscreen_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	5
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
screen_method_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:30 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	2	Updatable:	True

Columns

Name	Type	Size
screen_time_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1650	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	screen_time_code	
SourceTable:	tscreen_lkup_screen_time	
screen_time_desc	Text	50
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1635	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	screen_time_desc	
SourceTable:	tscreen_lkup_screen_time	
UnicodeCompression:	False	

Relationships

tscreen_lkup_screen_timetscreen_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
screen_time_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:30 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	14	Updatable:	True

Columns

Name	Type	Size
screener_type_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1830	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	screener_type_code	
SourceTable:	tscreen_lkup_screener_type	
screener_type_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	3135	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	screener_type_desc	
SourceTable:	tscreen_lkup_screener_type	
UnicodeCompression:	False	

Relationships

tscreen_lkup_screener_typetscreen_data



Attributes:	Enforced, Cascade Updates
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	14
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
screener_type_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:30 AM	DefaultView:	2
GUID:	{guid {2A23EB47-FA1F-4572-9F99-66FC6018772C}}	LastUpdated:	3/9/2017 1:12:58 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1
Updatable:	True		

Columns

Name	Type	Size
person_id	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each person
DisplayControl:	Text Box
GUID:	{guid {6D7D60B7-3697-4690-9782-15310C9A5D58}}
OrdinalPosition:	0
Required:	False
SourceField:	person_id
SourceTable:	tservice_hours_data

year_qty	Integer	2

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Year
DisplayControl:	Text Box
Format:	0000
GUID:	{guid {10EB9A28-1265-47B1-ADF2-1CF54A3D23E6}}
InputMask:	0000
OrdinalPosition:	1
Required:	False
SourceField:	year_qty
SourceTable:	tservice_hours_data

month_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False

Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Month
DisplayControl:	Text Box
GUID:	{guid {433D2783-11DC-4A96-B1A3-71A044031955}}
OrdinalPosition:	2
Required:	False
SourceField:	month_code
SourceTable:	tservice_hours_data
ValidationRule:	Between 1 And 12 Or Is Null
ValidationText:	Month must be between 1 and 12

staff_id Text 10

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	1
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	FAW/FSW ID
DisplayControl:	Combo Box
GUID:	{guid {FBED1B30-6486-4B15-90E3-317657B1721C}}
IMEMode:	0
IMESentenceMode:	3
LimitToList:	False
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	3
Required:	False
RowSource:	StaffInfo
RowSourceType:	Table/Query
SourceField:	staff_id
SourceTable:	tservice_hours_data
UnicodeCompression:	False

scheduled_home_visits_hours Single 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto

	Description:	time of scheduled home visits	
	DisplayControl:	Text Box	
	GUID:	{guid {8EFFE585-BFBA-4992-8E1B-CA97715EBEF0}}	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	scheduled_home_visits_hours	
	SourceTable:	tservice_hours_data	
unscheduled_home_visits_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of unscheduled home visits	
	DisplayControl:	Text Box	
	GUID:	{guid {DB2F5AC4-21B7-4760-A389-B2E148649A44}}	
	OrdinalPosition:	5	
	Required:	False	
	SourceField:	unscheduled_home_visits_hours	
	SourceTable:	tservice_hours_data	
attempted_sheduled_home_visits_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of attempted scheduled home visits	
	DisplayControl:	Text Box	
	GUID:	{guid {932265BC-ECFE-4781-8BA6-74186CFC08C7}}	
	OrdinalPosition:	6	
	Required:	False	
	SourceField:	attempted_sheduled_home_visits_hours	
	SourceTable:	tservice_hours_data	
attempted_unscheduled_home_visits_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of attempted unscheduled home visits	

	DisplayControl:	Text Box	
	GUID:	{guid {16F48E1C-21C1-4260-911A-0F777868812D}}	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	attempted_unscheduled_home_visits_hours	
	SourceTable:	tservice_hours_data	
canceled_by_fsw_home_visits_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of home visits cancelled by fsw	
	DisplayControl:	Text Box	
	GUID:	{guid {60A02ECD-8819-4FD2-9682-2ABB2D546DD3}}	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	canceled_by_fsw_home_visits_hours	
	SourceTable:	tservice_hours_data	
canceled_by_participant_home_visits_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of home visits cancelled by participant	
	DisplayControl:	Text Box	
	GUID:	{guid {ECBAAFF4-F960-4A6A-A13B-0E51E02CF871}}	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	canceled_by_participant_home_visits_hours	
	SourceTable:	tservice_hours_data	
phone_calls_parent_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of phone calls with parent	
	DisplayControl:	Text Box	

GUID:	{guid {20774DCD-40FB-4478-B5BC-71F205733D53}}		
OrdinalPosition:	10		
Required:	False		
SourceField:	phone_calls_parent_hours		
SourceTable:	tservice_hours_data		
attempted_phone_calls_parent_hours		Single	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	time of attempted phone calls with parent		
DisplayControl:	Text Box		
GUID:	{guid {471E1114-7D18-4EA6-A88A-532871CF30BD}}		
OrdinalPosition:	11		
Required:	False		
SourceField:	attempted_phone_calls_parent_hours		
SourceTable:	tservice_hours_data		
episodes_of_tranport_hours		Single	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	time of episodes of transportation		
DisplayControl:	Text Box		
GUID:	{guid {448FB1EF-449A-4806-8F6A-6F1899E8C910}}		
OrdinalPosition:	12		
Required:	False		
SourceField:	episodes_of_tranport_hours		
SourceTable:	tservice_hours_data		
attempted_episodes_of_tranport_hours		Single	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	time of attempted episodes of transportation		
DisplayControl:	Text Box		
GUID:	{guid {3DBB2EC5-3FBE-4F90-AEF3-3CC9AE582135}}		

OrdinalPosition:	13		
Required:	False		
SourceField:	attempted_episodes_of_tranport_hours		
SourceTable:	tservice_hours_data		
parent_education_group_meetings_hours		Single	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	time of parent education group meetings		
DisplayControl:	Text Box		
GUID:	{guid {C2E4BC6F-65B2-42F8-BF71-A509729B6888}}		
OrdinalPosition:	14		
Required:	False		
SourceField:	parent_education_group_meetings_hours		
SourceTable:	tservice_hours_data		
parent_support_group_meetings_hours		Single	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	time of parent support group meetings		
DisplayControl:	Text Box		
GUID:	{guid {3F818036-0E35-423A-ABD5-6CFE1C4D356A}}		
OrdinalPosition:	15		
Required:	False		
SourceField:	parent_support_group_meetings_hours		
SourceTable:	tservice_hours_data		
collateral_contracts_hours		Single	4
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
DataUpdatable:	False		
DecimalPlaces:	Auto		
Description:	time of collateral contacts		
DisplayControl:	Text Box		
GUID:	{guid {19309A71-79A8-4522-BE82-FE0903E911E6}}		
OrdinalPosition:	16		

	Required:	False	
	SourceField:	collateral_contracts_hours	
	SourceTable:	tservice_hours_data	
crisis_visits_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of crisis visits	
	DisplayControl:	Text Box	
	GUID:	{guid {A5CDAF2F-14DC-499B-838D-C727BDDA13FA}}	
	OrdinalPosition:	17	
	Required:	False	
	SourceField:	crisis_visits_hours	
	SourceTable:	tservice_hours_data	
medical_visits_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of medical visits	
	DisplayControl:	Text Box	
	GUID:	{guid {CEAB5957-596A-4FE7-B01F-9A59A570AD6C}}	
	OrdinalPosition:	18	
	Required:	False	
	SourceField:	medical_visits_hours	
	SourceTable:	tservice_hours_data	
socializations_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of socializations outside the home	
	DisplayControl:	Text Box	
	GUID:	{guid {5B997FE8-F807-4880-9D23-9D20439D7FF1}}	
	OrdinalPosition:	19	
	Required:	False	

	SourceField:	socializations_hours	
	SourceTable:	tservice_hours_data	
letters_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of letters	
	DisplayControl:	Text Box	
	GUID:	{guid {7F9AD434-F24F-4746-A984-E278C69218AD}}	
	OrdinalPosition:	20	
	Required:	False	
	SourceField:	letters_hours	
	SourceTable:	tservice_hours_data	
electronic_comm_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of electronic communication-days- count 1 each for email, text, or social networking each day	
	DisplayControl:	Text Box	
	GUID:	{guid {EF805E5B-E316-40D7-8D39-E0062E5B5B13}}	
	OrdinalPosition:	21	
	Required:	False	
	SourceField:	electronic_comm_hours	
	SourceTable:	tservice_hours_data	
planning_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of planning	
	DisplayControl:	Text Box	
	GUID:	{guid {3FCFE282-E031-4A75-9BEE-A82899D1EE8A}}	
	OrdinalPosition:	22	
	Required:	False	

	SourceField:	planning_hours	
	SourceTable:	tservice_hours_data	
supervision_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of supervision	
	DisplayControl:	Text Box	
	GUID:	{guid {086C9446-95FB-4CDD-B85E-927D8DE8D8DD}}	
	OrdinalPosition:	23	
	Required:	False	
	SourceField:	supervision_hours	
	SourceTable:	tservice_hours_data	
clinical_supervision_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	time of clinical supervision	
	DisplayControl:	Text Box	
	GUID:	{guid {34AED8F5-0036-45A9-AF9F-46D261C573F1}}	
	OrdinalPosition:	24	
	Required:	False	
	SourceField:	clinical_supervision_hours	
	SourceTable:	tservice_hours_data	
calc_total_svc_hours		Single	4
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	total time	
	DisplayControl:	Text Box	
	GUID:	{guid {4EE9A6A3-6E5D-435F-91F6-4A9828953982}}	
	OrdinalPosition:	25	
	Required:	False	
	SourceField:	calc_total_svc_hours	

	SourceTable:	tservice_hours_data	
notes		Text	255
	AllowZeroLength:	True	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	freeform notes field	
	DisplayControl:	Text Box	
	GUID:	{guid {9C83B568-59A8-4601-9E02-77207D1D08C2}}	
	IMEMode:	0	
	IMESentenceMode:	0	
	OrdinalPosition:	26	
	Required:	False	
	SourceField:	notes	
	SourceTable:	tservice_hours_data	
	UnicodeCompression:	True	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {4CC13BD7-A891-4FEA-A6BB-E9C0AF462EFC}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	27	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	tservice_hours_data	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {CC92A03D-393D-4AF0-967E-AD463F41199C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	28	
	Required:	False	

	SourceField:	created_user	
	SourceTable:	tservice_hours_data	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {5CCFB675-EED1-4DCA-8005-A68B3E07221C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	29	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	tservice_hours_data	
modified_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {F6D22381-9A20-4ED6-A562-E11FA8ED5D34}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	30	
	Required:	False	
	SourceField:	modified_user	
	SourceTable:	tservice_hours_data	
	UnicodeCompression:	True	

Table Indexes

Name	Number of Fields
fsw_id	1
Clustered:	False
DistinctCount:	1
Foreign:	False
IgnoreNulls:	False
Name:	fsw_id
Primary:	False
Required:	False
Unique:	False

	Fields:	
	staff_id	Ascending
person_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	person_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	person_id	Ascending
PrimaryKey		4
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	person_id	Ascending
	year_qty	Ascending
	month_code	Ascending
	staff_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:30 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {525D14EC-903D-4109-8003-05F3857D7336}}
HideNewField:	False	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	8	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
site_id	Text	5

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	690
CurrencyLCID:	0
DataUpdatable:	False
Description:	Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {A48E8AF3-C277-4132-B845-2070A234DF69}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	0
Required:	True
ResultType:	0
SourceField:	site_id
SourceTable:	tservice_level_data
TextAlign:	General
UnicodeCompression:	False

service_level_code	Long Integer	4

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size, Auto-Increment
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1755
CurrencyLCID:	0

DataUpdatable:	False
GUID:	{guid {6D069C26-0451-4B39-AB28-A94731F2D278}}
OrdinalPosition:	1
Required:	False
ResultType:	0
SourceField:	service_level_code
SourceTable:	tservice_level_data
TextAlign:	General

service_level_name Text 255

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1785
CurrencyLCID:	0
DataUpdatable:	False
Description:	name of service level
DisplayControl:	Text Box
GUID:	{guid {A9BE81F0-B110-46F5-B3F0-CD9E7B21C991}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	2
Required:	False
ResultType:	0
SourceField:	service_level_name
SourceTable:	tservice_level_data
TextAlign:	General
UnicodeCompression:	False

visits_per_month_count Double 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	2
Description:	number of visits scheduled per month
DisplayControl:	Text Box
GUID:	{guid {53CD1C8B-A6C8-4484-B4D8-008C30ED1975}}
OrdinalPosition:	3
Required:	False
ResultType:	0
SourceField:	visits_per_month_count
SourceTable:	tservice_level_data
TextAlign:	General

caseload_weight_qty Double 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DecimalPlaces:	2
Description:	caseload weight assigned to level
DisplayControl:	Text Box
GUID:	{guid {D4EFD894-B188-4DA7-833C-142401F14C68}}
OrdinalPosition:	4
Required:	False
ResultType:	0
SourceField:	caseload_weight_qty
SourceTable:	tservice_level_data
TextAlign:	General

creative_outreach Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	whether or not this level is considered creative outreach
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {D3EE19FB-5750-48E5-8FDD-207C7B997024}}
OrdinalPosition:	5
Required:	False
ResultType:	0
SourceField:	creative_outreach
SourceTable:	tservice_level_data
TextAlign:	General

prenatal Yes/No 1

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False

	Description:	whether or not this level is considered prenatal	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {F177A8BB-6A26-46CB-9ADC-430CAE56C90C}}	
	OrdinalPosition:	6	
	Required:	False	
	ResultType:	0	
	SourceField:	prenatal	
	SourceTable:	tservice_level_data	
	TextAlign:	General	
other_program		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	served by another program	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {22166B65-C3A0-41EF-8FB2-A2F1DAC51E80}}	
	OrdinalPosition:	7	
	Required:	False	
	ResultType:	0	
	SourceField:	other_program	
	SourceTable:	tservice_level_data	
	TextAlign:	General	
temporary_termination		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	not enrolled (but will be re-enrolled)	
	DisplayControl:	106	
	Format:	Yes/No	
	GUID:	{guid {D4DBDD09-D2D7-4D21-8824-DA577EC77964}}	
	OrdinalPosition:	8	
	Required:	False	
	ResultType:	0	
	SourceField:	temporary_termination	
	SourceTable:	tservice_level_data	
	TextAlign:	General	

created_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Format:	General Date
GUID:	{guid {CFCC8494-4613-4EB3-8FF2-1D72C6D0DE3E}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	created_timestamp
SourceTable:	tservice_level_data
TextAlign:	General

created_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {969A2F24-AA4F-408D-8C25-FE50477A8685}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	10
Required:	False
ResultType:	0
SourceField:	created_user
SourceTable:	tservice_level_data
TextAlign:	General
UnicodeCompression:	True

modified_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {B464D370-A2B6-4FEB-94D8-279DC1C8739B}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	11	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	modified_timestamp	
	SourceTable:	tservice_level_data	
	TextAlign:	General	
modified_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {CD1BD5C5-5C40-422D-A9C3-BB770F829761}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	ResultType:	0	
	SourceField:	modified_user	
	SourceTable:	tservice_level_data	
	TextAlign:	General	
	UnicodeCompression:	True	
reviewed_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {6D72A4D6-60B4-4C79-9F54-90E126ADAE5C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	13	
	Required:	False	
	ResultType:	0	

ShowDatePicker:	For dates
SourceField:	reviewed_timestamp
SourceTable:	tservice_level_data
TextAlign:	General

reviewed_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {49C39783-B7E0-42AC-ADFE-E04B6BD2EF58}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	14
Required:	False
ResultType:	0
SourceField:	reviewed_user
SourceTable:	tservice_level_data
TextAlign:	General
UnicodeCompression:	True

Relationships

tsite_lkuptservice_level_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{D46D88A7-E69C-4C34-ADC6-778425A43	1

Clustered:	False
DistinctCount:	1
Foreign:	True
IgnoreNulls:	False
Name:	{D46D88A7-E69C-4C34-ADC6-778425A43481}
Primary:	False
Required:	False
Unique:	False
Fields:	
site_id	Ascending

PrimaryKey		2
	Clustered:	False
	DistinctCount:	8
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	site_id	Ascending
	service_level_code	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	BackShade:	100
BackTint:	100	DatasheetForeThemeColorIn	-1
DatasheetGridlinesThemeCol	-1	DateCreated:	6/5/2015 11:49:31 AM
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {5CDA754B-59FE-4FEE-85F7-6CD27714FA9D}}
HideNewField:	False	LastUpdated:	10/28/2016 11:53:58 AM
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
RecordCount:	220	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	True

Columns

Name	Type	Size
person_id	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {DF515095-CE03-4050-939A-EEE4DF0DDD67}}	
OrdinalPosition:	0	
Required:	True	
ResultType:	0	
SourceField:	person_id	
SourceTable:	tservice_level_history	
TextAlign:	General	
start_date	Date/Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1950	
CurrencyLCID:	0	
DataUpdatable:	False	
Description:	date level of service assigned	
Format:	Short Date	

	GUID:	{guid {7FB7458C-38DC-44D3-9383-F2D6B0AAF298}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	1	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	start_date	
	SourceTable:	tservice_level_history	
	TextAlign:	General	
end_date		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1860	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	date level of service level changed	
	Format:	Short Date	
	GUID:	{guid {D295603B-A272-4875-A8DB-9054AA19D3A5}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	2	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	end_date	
	SourceTable:	tservice_level_history	
	TextAlign:	General	
service_level_code		Long Integer	4
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1800	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	level of service to which participant was assigned	
	DisplayControl:	Text Box	
	GUID:	{guid {E6A8E83D-8973-4F60-B7CA-FD00E3100B44}}	
	OrdinalPosition:	3	
	Required:	False	
	ResultType:	0	
	SourceField:	service_level_code	
	SourceTable:	tservice_level_history	

	TextAlign:	General	
site_id		Text	5
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	need this for North Dakota, which has mixed site IDs used in merged multi-site data set	
	DisplayControl:	Text Box	
	GUID:	{guid {059E4494-7D15-42F0-8EED-10A9CE462117}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	True	
	ResultType:	0	
	SourceField:	site_id	
	SourceTable:	tservice_level_history	
	TextAlign:	General	
	UnicodeCompression:	False	
fsw_id		Text	10
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Description:	Family Support Worker ID	
	DisplayControl:	Text Box	
	GUID:	{guid {CA215D5B-96E6-4992-B9DC-C3FB259D2C8C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	
	Required:	False	
	ResultType:	0	
	SourceField:	fsw_id	
	SourceTable:	tservice_level_history	
	TextAlign:	General	
	UnicodeCompression:	False	
isInitial		Yes/No	1
	AggregateType:	-1	
	AllowZeroLength:	False	

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Description:	whether this is the initial history record (i.e., from Baseline Form)
DisplayControl:	106
Format:	Yes/No
GUID:	{guid {E0E90596-AFFF-4627-8A3E-EFA9EBCAD3CF}}
OrdinalPosition:	6
Required:	False
ResultType:	0
SourceField:	isInitial
SourceTable:	tservice_level_history
TextAlign:	General

created_timestamp Date/Time 8

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
Format:	General Date
GUID:	{guid {D675D3E3-A64D-4637-ADB9-0CF4BFFE89B4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
ResultType:	0
ShowDatePicker:	For dates
SourceField:	created_timestamp
SourceTable:	tservice_level_history
TextAlign:	General

created_user Text 20

AggregateType:	-1
AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {38526E57-F1A6-4777-A5C8-D3A970F1B9DB}}

	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	ResultType:	0	
	SourceField:	created_user	
	SourceTable:	tservice_level_history	
	TextAlign:	General	
	UnicodeCompression:	True	
modified_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {022446CE-C568-4BAE-A2EC-6038DC094A32}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	modified_timestamp	
	SourceTable:	tservice_level_history	
	TextAlign:	General	
modified_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {5058BA2F-2789-4952-8E24-9B03B8E5E7C6}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	10	
	Required:	False	
	ResultType:	0	
	SourceField:	modified_user	
	SourceTable:	tservice_level_history	
	TextAlign:	General	
	UnicodeCompression:	True	

reviewed_timestamp		Date/Time	8
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {6A6BA567-CC1A-4456-A823-5D9D7F806A62}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	11	
	Required:	False	
	ResultType:	0	
	ShowDatePicker:	For dates	
	SourceField:	reviewed_timestamp	
	SourceTable:	tservice_level_history	
	TextAlign:	General	
reviewed_user		Text	20
	AggregateType:	-1	
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	CurrencyLCID:	0	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	GUID:	{guid {F573BC1B-C43B-4242-9265-8F87BAC2AEF5}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	ResultType:	0	
	SourceField:	reviewed_user	
	SourceTable:	tservice_level_history	
	TextAlign:	General	
	UnicodeCompression:	True	

Relationships

tsite_lkuptservice_level_history



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
fsw_id	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	fsw_id
Primary:	False
Required:	False
Unique:	False
Fields:	
fsw_id	Ascending
person_id	1
Clustered:	False
DistinctCount:	72
Foreign:	False
IgnoreNulls:	False
Name:	person_id
Primary:	False
Required:	False
Unique:	False
Fields:	
person_id	Ascending
PrimaryKey	2
Clustered:	False
DistinctCount:	220
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
person_id	Ascending
start_date	Ascending
service_level_code	1
Clustered:	False
DistinctCount:	8
Foreign:	False
IgnoreNulls:	False
Name:	service_level_code

	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	service_level_code	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending
start_date		1
	Clustered:	False
	DistinctCount:	138
	Foreign:	False
	IgnoreNulls:	False
	Name:	start_date
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	start_date	Ascending
tsite_lkuptservice_level_history		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	True
	IgnoreNulls:	False
	Name:	tsite_lkuptservice_level_history
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:31 AM	DefaultView:	2
GUID:	{guid {54697CD2-7E8A-436F-BBE6-67E9D6C8C53B}}	LastUpdated:	9/19/2018 5:28:19 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	1
Updatable:	True		

Columns

Name	Type	Size
site_id	Text	5
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
Caption:	Site ID	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	690	
DataUpdatable:	False	
Description:	Unique identification code for each Healthy Families site.	
DisplayControl:	Text Box	
GUID:	{guid {E96DBE58-DF84-4278-9AB0-350818283792}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	0	
Required:	False	
SourceField:	site_id	
SourceTable:	tsite_lkup	
UnicodeCompression:	False	
enrollment_definition_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2385	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	enrollment definition	
DisplayControl:	Text Box	
GUID:	{guid {94805410-5B39-4B81-9876-B403CD07409D}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	enrollment_definition_code	
SourceTable:	tsite_lkup	
siteNum	Byte	1
AllowZeroLength:	False	

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {53024BA6-1D26-41D4-88AF-47CF0FE830C3}}
OrdinalPosition:	2
Required:	False
SourceField:	siteNum
SourceTable:	tsite_lkup

site_group_id Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {DC846A72-604B-489A-BA9A-6B4CE3465C8F}}
OrdinalPosition:	3
Required:	False
SourceField:	site_group_id
SourceTable:	tsite_lkup

latest_version_id Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	used from PIMS 7.0.0 on to track the version of the data table
DisplayControl:	Text Box
GUID:	{guid {F8755A3D-5285-4D0C-94EE-A5848C079905}}
OrdinalPosition:	4
Required:	False
SourceField:	latest_version_id
SourceTable:	tsite_lkup

pims_version Text 15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General

ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	removed in 700 alpha but retained for historical info like determining versions of very old tables
DisplayControl:	Text Box
GUID:	{guid {B38C69A0-AD05-4400-9B92-8E241E0FF273}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
SourceField:	pims_version
SourceTable:	tsite_lkup
UnicodeCompression:	True

svc_end_code Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
BoundColumn:	1
CollatingOrder:	General
ColumnCount:	2
ColumnHeads:	False
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
ColumnWidths:	0;2880
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Service Definition: definition of service end
DisplayControl:	Combo Box
GUID:	{guid {CED87F73-20D5-410F-A763-793FAA62488F}}
LimitToList:	True
ListRows:	8
ListWidth:	0twip
OrdinalPosition:	6
Required:	False
RowSource:	tsite_lkup_service_end
RowSourceType:	Table/Query
SourceField:	svc_end_code
SourceTable:	tsite_lkup

isFromMCL Yes/No 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Service Definition: whether reports should be calculated using the Monthly Contact Log in place of home visit logs
DisplayControl:	106

	Format:	Yes/No	
	GUID:	{guid {2BCDCE0B-9DF9-41E1-8ABC-6F5FA905A067}}	
	OrdinalPosition:	7	
	Required:	False	
	SourceField:	isFromMCL	
	SourceTable:	tsite_lkup	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1695	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {065826CC-2514-487B-A6F0-52B97E492046}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	8	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	tsite_lkup	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1755	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {8549AAF6-A2FF-4DAD-8651-E9529104CF34}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	9	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	tsite_lkup	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	=CurrentUser()	
	DisplayControl:	Text Box	
	GUID:	{guid {12FD6B5C-4E72-4DA1-B84B-CA59EEBE04E0}}	

IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	10
Required:	False
SourceField:	created_user
SourceTable:	tsite_lkup
UnicodeCompression:	True

modified_user — Text — 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	=CurrentUser()
DisplayControl:	Text Box
GUID:	{guid {3A629E48-3845-46AA-AA97-969A6D3F8F79}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
SourceField:	modified_user
SourceTable:	tsite_lkup
UnicodeCompression:	True

enrollment_eligibility_code — Byte — 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {47479355-E1CF-441E-B1C5-7BEB182207CF}}
OrdinalPosition:	12
Required:	True
SourceField:	enrollment_eligibility_code
SourceTable:	tsite_lkup

previous_upgrade_version_id — Long Integer — 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto

Description:	used in 2nd release of PIMS 7.3.8. Upgrade from 158 or 160 could be problematic- could have HV location problem
DisplayControl:	Text Box
GUID:	{guid {07D7A44E-EB05-42A6-899C-B148C4D3836B}}
OrdinalPosition:	13
Required:	False
SourceField:	previous_upgrade_version_id
SourceTable:	tsite_lkup

maxCaseIntensive Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	according to standard 8-1.A policy, for 2 rating max = 15
DisplayControl:	Text Box
GUID:	{guid {EB7A7754-A9C5-46DC-98E2-AA3B29018471}}
OrdinalPosition:	14
Required:	False
SourceField:	maxCaseIntensive
SourceTable:	tsite_lkup

maxCaseSize Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	according to standard 8-1.B policy, for 3 rating max = 20, for 2 rating max = 25
DisplayControl:	Text Box
GUID:	{guid {25326821-F378-4C36-A4FF-07DF3F491C8B}}
OrdinalPosition:	15
Required:	False
SourceField:	maxCaseSize
SourceTable:	tsite_lkup

maxCaseWeight Long Integer 4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default

DataUpdatable:	False
DecimalPlaces:	Auto
Description:	according to standard 8-1.B policy, for 3 rating max = 24, for 2 rating max = 30
DisplayControl:	Text Box
GUID:	{guid {2175BCF6-B9C3-490B-9169-7913611C561D}}
OrdinalPosition:	16
Required:	False
SourceField:	maxCaseWeight
SourceTable:	tsite_lkup

Relationships

tsite_lkuptservice_level_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tsite_lkupSite/ProgramInfo



Attributes:	Unique, Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-One

tsite_lkuptassessment_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tsite_lkuptgeneral_lkup_groups



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

tsite_lkuptoutcome_instrument_lkup_defs



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tsite_lkuptpeople_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tsite_lkuptscreen_data



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

tsite_lkuptservice_level_history



Attributes: Enforced, Cascade Updates, Cascade Deletes
RelationshipType: One-To-Many

Table Indexes

Name	Number of Fields
enrollment_definition_code	1

Clustered: False
DistinctCount: 1
Foreign: False
IgnoreNulls: False
Name: enrollment_definition_code
Primary: False
Required: False
Unique: False

	Fields:	
	enrollment_definition_code	Ascending
enrollment_eligibility_code		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	enrollment_eligibility_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	enrollment_eligibility_code	Ascending
latest_version_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	latest_version_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	latest_version_id	Ascending
previous_upgrade_version_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	previous_upgrade_version_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	previous_upgrade_version_id	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	site_id	Ascending
site_group_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_group_id
	Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	site_group_id	Ascending
siteNum		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	siteNum
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	siteNum	Ascending
svc_end_code		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	svc_end_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	svc_end_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:31 AM	DefaultView:	2
GUID:	{guid {D37EB65C-76AE-4C11-9CA0-3E21332A7EAC}}	LastUpdated:	11/25/2016 8:59:05 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	7
Updatable:	True		

Columns

Name	Type	Size
enrollment_definition_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2385
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {974E8C5B-0445-44FE-822D-729990CD2485}}
OrdinalPosition:	0
Required:	False
SourceField:	enrollment_definition_code
SourceTable:	tsite_lkup_enrollment

enrollment_definition_desc	Text	50

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	2865
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {40E3EABB-537A-45A1-9159-9DC447B5C2EF}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	enrollment_definition_desc
SourceTable:	tsite_lkup_enrollment
UnicodeCompression:	False

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	7
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
enrollment_definition_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:31 AM	DefaultView:	2
GUID:	{guid {B632B357-4C9C-4C56-A2ED-1890C7BFEA9F}}	LastUpdated:	8/24/2017 11:30:37 AM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	4
Updatable:	True		

Columns

Name	Type	Size
enrollment_eligibility_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2385	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {1A573D73-78ED-4FC2-A69E-5E0532200BCB}}	
OrdinalPosition:	0	
Required:	False	
SourceField:	enrollment_eligibility_code	
SourceTable:	tsite_lkup_enrollment_eligibility	
enrollment_eligibility_desc	Text	100
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	5175	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {95CD0E4B-8FB4-4D7F-9D29-72ECC039ECF4}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	enrollment_eligibility_desc	
SourceTable:	tsite_lkup_enrollment_eligibility	
UnicodeCompression:	False	

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	4
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
enrollment_eligibility_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:31 AM	DefaultView:	2
GUID:	{guid {E1F4FB0A-D53B-4C51-8951-C120B85974D4}}	LastUpdated:	6/15/2015 4:51:30 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	3
Updatable:	True		

Columns

Name	Type	Size
svc_end_code	Byte	1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
DisplayControl:	Text Box
GUID:	{guid {E383AD62-FCDE-41AA-8A86-05767A93731C}}
OrdinalPosition:	0
Required:	False
SourceField:	svc_end_code
SourceTable:	tsite_lkup_service_end

svc_end_desc	Text	50

AllowZeroLength:	True
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	3360
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {669BD6C8-0AD1-4773-AEC9-7827C9EF7969}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	1
Required:	False
SourceField:	svc_end_desc
SourceTable:	tsite_lkup_service_end
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
svc_end_code	Ascending

svc_end_code 1

Clustered:	False
DistinctCount:	3
Foreign:	False
IgnoreNulls:	False
Name:	svc_end_code
Primary:	False
Required:	False
Unique:	False
Fields:	
svc_end_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:31 AM	DefaultView:	2
GUID:	{guid {ABD4505B-FDD4-4CC5-BD3B-7B9A2DA65AED}}	LastUpdated:	3/9/2017 1:12:04 PM
NameMap:	Long binary data	OrderByOn:	False
Orientation:	Left-to-Right	RecordCount:	43
Updatable:	True		

Columns

Name	Type	Size
person_id	Long Integer	4

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Unique identification code for each person
DisplayControl:	Text Box
GUID:	{guid {53AC606B-7E84-49B4-8361-C35361CAC3F6}}
OrdinalPosition:	0
Required:	True
SourceField:	person_id
SourceTable:	ttermination_data

last_contact_date	Date/Time	8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Date of last contact
GUID:	{guid {F0F3C5F0-D28A-496A-BA98-6FCE4E374EA1}}
IMEMode:	0
IMESentenceMode:	3
InputMask:	99/99/00;0;_
OrdinalPosition:	1
Required:	False
SourceField:	last_contact_date
SourceTable:	ttermination_data

termination_date	Date/Time	8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size

	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Date of termination	
	GUID:	{guid {0816A7D4-7F4C-467D-BE99-18DFFF446B78}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	2	
	Required:	True	
	SourceField:	termination_date	
	SourceTable:	ttermination_data	
final_home_visit_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	added in PIMS 7.1.7	
	GUID:	{guid {4DA23794-AF9A-4D88-ACDC-9E46B6AA5539}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	final_home_visit_date	
	SourceTable:	ttermination_data	
termination_reason_code		Byte	1
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DecimalPlaces:	Auto	
	Description:	Reason for terminating services	
	DisplayControl:	Text Box	
	GUID:	{guid {DD8443C2-CDB6-4E36-AEAE-0889770102D3}}	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	termination_reason_code	
	SourceTable:	ttermination_data	
termination_reason_other_text		Text	255
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	

CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Reason for terminating services - other
DisplayControl:	Text Box
GUID:	{guid {513068AF-1F4C-4238-9C7E-775C8CFE84C0}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	False
SourceField:	termination_reason_other_text
SourceTable:	ttermination_data
UnicodeCompression:	False

still_receiving_services_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Is participant still receiving services at this agency
DisplayControl:	Text Box
GUID:	{guid {1250CE57-8E2A-4254-99EE-1A15FBA1F81F}}
OrdinalPosition:	6
Required:	False
SourceField:	still_receiving_services_ynu
SourceTable:	ttermination_data

services_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	If yes, what services
DisplayControl:	Text Box
GUID:	{guid {5088A747-B6B2-4E2A-A1ED-C41F6AB43E5B}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
SourceField:	services_text
SourceTable:	ttermination_data
UnicodeCompression:	False

receiving_services_other_agency_ynu Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	Is participant receiving services at another agency
DisplayControl:	Text Box
GUID:	{guid {B26A4862-E1D6-4166-B1B7-69D3EDF5E386}}
OrdinalPosition:	8
Required:	False
SourceField:	receiving_services_other_agency_ynu
SourceTable:	ttermination_data

other_agency_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	If yes, what agency
DisplayControl:	Text Box
GUID:	{guid {672CF7EF-27A6-439C-8A84-272974893DD5}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	False
SourceField:	other_agency_text
SourceTable:	ttermination_data
UnicodeCompression:	False

other_services_text Text 255

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	If yes, what services
DisplayControl:	Text Box
GUID:	{guid {E845DD12-2B77-4979-B39B-376EF3F8C5E2}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	10
Required:	False
SourceField:	other_services_text
SourceTable:	ttermination_data

	UnicodeCompression:	False	
site_id		Text	5
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	Caption:	Site ID	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	Unique identification code for each Healthy Families site.	
	DisplayControl:	Text Box	
	GUID:	{guid {16FCB838-0206-4FA7-ADE3-5D5B4FA5C96B}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	11	
	Required:	False	
	SourceField:	site_id	
	SourceTable:	ttermination_data	
	UnicodeCompression:	False	
participant_id		Text	15
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	In combination with Site ID provides a unique identifier for the individual participant	
	DisplayControl:	Text Box	
	GUID:	{guid {84F92354-295A-4C7E-B359-D11262A07E83}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	12	
	Required:	False	
	SourceField:	participant_id	
	SourceTable:	ttermination_data	
	UnicodeCompression:	False	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	GUID:	{guid {F0DA5332-740F-4810-B318-B6F30348321C}}	

IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: created_timestamp
SourceTable: ttermination_data

created_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {520CFBAC-0743-4B2D-B6DD-B3E6141B214C}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: created_user
SourceTable: ttermination_data
UnicodeCompression: True

modified_timestamp Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: General Date
GUID: {guid {444D5CA4-9CBA-4491-AACB-6915B0832876}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
SourceField: modified_timestamp
SourceTable: ttermination_data

modified_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {D7092F6B-66C0-4D68-A017-BB4D488A94A2}}

IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	16
Required:	False
SourceField:	modified_user
SourceTable:	ttermination_data
UnicodeCompression:	True

reviewed_timestamp — Date/Time — 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {B27BC21B-028B-4035-AD90-C88CB83199D7}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	17
Required:	False
SourceField:	reviewed_timestamp
SourceTable:	ttermination_data

reviewed_user — Text — 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {0C08340D-B01A-4C1F-9C7B-1A1B6A1ACEE0}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	18
Required:	False
SourceField:	reviewed_user
SourceTable:	ttermination_data
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
participant_id	1

Clustered:	False
DistinctCount:	43
Foreign:	False
IgnoreNulls:	False
Name:	participant_id
Primary:	False

	Required:	False
	Unique:	False
	Fields:	
	participant_id	Ascending
person_id		1
	Clustered:	False
	DistinctCount:	43
	Foreign:	False
	IgnoreNulls:	False
	Name:	person_id
	Primary:	False
	Required:	False
	Unique:	True
	Fields:	
	person_id	Ascending
PrimaryKey		1
	Clustered:	False
	DistinctCount:	43
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	person_id	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending
termination_reason_code		1
	Clustered:	False
	DistinctCount:	12
	Foreign:	False
	IgnoreNulls:	False
	Name:	termination_reason_code
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	termination_reason_code	Ascending

User Permissions

066

105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:32 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:32 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	26	Updatable:	True

Columns

Name	Type	Size
termination_reason_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	2235	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	termination_reason_code	
SourceTable:	ttermination_lkup_reason	
termination_reason_desc	Text	255
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	4320	
DataUpdatable:	False	
DisplayControl:	Text Box	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	False	
SourceField:	termination_reason_desc	
SourceTable:	ttermination_lkup_reason	
UnicodeCompression:	False	
drop_out_flag	Yes/No	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

DisplayControl:	Text Box
Format:	Yes/No
OrdinalPosition:	2
Required:	False
SourceField:	drop_out_flag
SourceTable:	ttermination_lkup_reason

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	26
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
termination_reason_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:32 AM	DefaultView:	2
LastUpdated:	10/28/2016 11:53:58 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	900	Updatable:	True

Columns

Name	Type	Size
kid_id	Long Integer	4
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	Unique identification code for each person	
DisplayControl:	Text Box	
GUID:	{guid {7A4B19CB-10C3-4A04-BE53-D49F1F2F0C91}}	
OrdinalPosition:	0	
Required:	True	
SourceField:	kid_id	
SourceTable:	twellbaby_visit_data	
well_baby_visit_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1920	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	visit number	
DisplayControl:	Text Box	
GUID:	{guid {4658601C-9577-4465-A203-1BC18D8E792D}}	
OrdinalPosition:	1	
Required:	False	
SourceField:	well_baby_visit_code	
SourceTable:	twellbaby_visit_data	
well_baby_min_due_date	Date/Time	8
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	

	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	beginning date of visit due date	
	Format:	Short Date	
	GUID:	{guid {1B34A9FF-155F-4449-8691-C387A9E0522F}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	well_baby_min_due_date	
	SourceTable:	twellbaby_visit_data	
well_baby_max_due_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Description:	end date of visit due date	
	Format:	Short Date	
	GUID:	{guid {65F145B4-4000-45CA-A93C-BE9C5294842B}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	well_baby_max_due_date	
	SourceTable:	twellbaby_visit_data	
well_baby_visit_date		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	1560	
	DataUpdatable:	False	
	Description:	actual date of visit	
	Format:	Short Date	
	GUID:	{guid {6DEDF12F-0FE1-45F4-82B5-664AB781BD9C}}	
	IMEMode:	0	
	IMESentenceMode:	3	
	InputMask:	99/99/00;0;_	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	well_baby_visit_date	
	SourceTable:	twellbaby_visit_data	
skipped_flag		Yes/No	1
	AllowZeroLength:	False	

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1185
DataUpdatable:	False
Description:	was this scheduled visit missed/skipped
DisplayControl:	Text Box
Format:	Yes/No
GUID:	{guid {CCE9D103-D81B-410D-8CE2-0C41C290582F}}
OrdinalPosition:	5
Required:	False
SourceField:	skipped_flag
SourceTable:	twellbaby_visit_data

issues_text Memo -

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	1050
DataUpdatable:	False
Description:	issues from the visit
GUID:	{guid {D85D4F2C-79C2-40F5-9412-7D7C8AF0B80B}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
SourceField:	issues_text
SourceTable:	twellbaby_visit_data
UnicodeCompression:	False

site_id Text 5

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
Caption:	Site ID
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	Unique identification code for each Healthy Families site.
DisplayControl:	Text Box
GUID:	{guid {59830D06-4ADB-4F6E-B8D8-FE244EE22346}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	7
Required:	False
SourceField:	site_id
SourceTable:	twellbaby_visit_data
UnicodeCompression:	False

participant_id Text 15

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	In combination with Site ID provides a unique identifier for the individual participant
DisplayControl:	Text Box
GUID:	{guid {E1C00B7A-ACF8-4199-B1BC-B38400440697}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	8
Required:	False
SourceField:	participant_id
SourceTable:	twellbaby_visit_data
UnicodeCompression:	False

pregnancy_id Text 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Description:	In combination with participant ID provides a unique identifier of the pregnancy, with A the first, B the second...
DisplayControl:	Text Box
GUID:	{guid {9607D90F-7541-4706-85F6-AF7942556E7B}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	9
Required:	False
SourceField:	pregnancy_id
SourceTable:	twellbaby_visit_data
UnicodeCompression:	False

child_id Byte 1

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DecimalPlaces:	Auto
Description:	In combination with participant and pregnancy IDs provides a unique identifier of the child, with 0 for single birth, 1 for first, 2 for second

DisplayControl:	Text Box
GUID:	{guid {4426D507-3C35-410A-9139-C9F99AD99EFB}}
OrdinalPosition:	10
Required:	False
SourceField:	child_id
SourceTable:	twellbaby_visit_data

created_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {B2EA7C8D-9728-436B-A4F8-D943A4F05E39}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	11
Required:	False
SourceField:	created_timestamp
SourceTable:	twellbaby_visit_data

created_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
GUID:	{guid {E2EF7B92-2012-43E6-B9C4-721BF778E218}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	12
Required:	False
SourceField:	created_user
SourceTable:	twellbaby_visit_data
UnicodeCompression:	True

modified_timestamp Date/Time 8

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
Format:	General Date
GUID:	{guid {E7C4B0EC-DC9B-40D7-AD36-9942E638698D}}

IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 13
Required: False
SourceField: modified_timestamp
SourceTable: twellbaby_visit_data

modified_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {7774CA44-4E65-4E02-9370-F6C3FC92D09C}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 14
Required: False
SourceField: modified_user
SourceTable: twellbaby_visit_data
UnicodeCompression: True

reviewed_timestamp Date/Time 8
AllowZeroLength: False
AppendOnly: False
Attributes: Fixed Size
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
Format: General Date
GUID: {guid {CCC1CA98-1198-4348-A71B-ADDC27203D79}}
IMEMode: 0
IMESentenceMode: 3
OrdinalPosition: 15
Required: False
SourceField: reviewed_timestamp
SourceTable: twellbaby_visit_data

reviewed_user Text 20
AllowZeroLength: False
AppendOnly: False
Attributes: Variable Length
CollatingOrder: General
ColumnHidden: False
ColumnOrder: Default
ColumnWidth: Default
DataUpdatable: False
DisplayControl: Text Box
GUID: {guid {3EED94AA-99AF-4B78-A815-48A475C0206A}}

IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	16
Required:	False
SourceField:	reviewed_user
SourceTable:	twellbaby_visit_data
UnicodeCompression:	True

Relationships

tbirth_datatwellbaby_visit_data



Attributes:	Enforced, Cascade Updates, Cascade Deletes
RelationshipType:	One-To-Many

Table Indexes

Name	Number of Fields
{80B4D716-9237-4A04-BA84-CA9259FAB0	1
Clustered:	False
DistinctCount:	60
Foreign:	True
IgnoreNulls:	False
Name:	{80B4D716-9237-4A04-BA84-CA9259FAB026}
Primary:	False
Required:	False
Unique:	False
Fields:	
kid_id	Ascending
child_id	1
Clustered:	False
DistinctCount:	2
Foreign:	False
IgnoreNulls:	False
Name:	child_id
Primary:	False
Required:	False
Unique:	False
Fields:	
child_id	Ascending
kid_id	1
Clustered:	False
DistinctCount:	60
Foreign:	False
IgnoreNulls:	False
Name:	kid_id
Primary:	False
Required:	False

	Unique:	False
	Fields:	
	kid_id	Ascending
participant_id		1
	Clustered:	False
	DistinctCount:	56
	Foreign:	False
	IgnoreNulls:	False
	Name:	participant_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	participant_id	Ascending
pregnancy_id		1
	Clustered:	False
	DistinctCount:	1
	Foreign:	False
	IgnoreNulls:	False
	Name:	pregnancy_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	pregnancy_id	Ascending
PrimaryKey		2
	Clustered:	False
	DistinctCount:	900
	Foreign:	False
	IgnoreNulls:	False
	Name:	PrimaryKey
	Primary:	True
	Required:	True
	Unique:	True
	Fields:	
	kid_id	Ascending
	well_baby_visit_code	Ascending
site_id		1
	Clustered:	False
	DistinctCount:	2
	Foreign:	False
	IgnoreNulls:	False
	Name:	site_id
	Primary:	False
	Required:	False
	Unique:	False
	Fields:	
	site_id	Ascending

User Permissions

066

105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	
Users	Read Permissions

Properties

DateCreated:	6/5/2015 11:49:32 AM	DefaultView:	2
LastUpdated:	6/5/2015 11:49:32 AM	NameMap:	Long binary data
OrderByOn:	False	Orientation:	Left-to-Right
RecordCount:	15	Updatable:	True

Columns

Name	Type	Size
well_baby_visit_code	Byte	1
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1920	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	well baby visit	
DisplayControl:	Text Box	
OrdinalPosition:	0	
Required:	False	
SourceField:	well_baby_visit_code	
SourceTable:	twellbaby_visit_lkup_schedule	
min_weeks_qty	Integer	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	1395	
DataUpdatable:	False	
DecimalPlaces:	Auto	
Description:	earliest age the visit can occur and still be considered on time in	
DisplayControl:	Text Box	
OrdinalPosition:	1	
Required:	False	
SourceField:	min_weeks_qty	
SourceTable:	twellbaby_visit_lkup_schedule	
max_weeks_qty	Integer	2
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
DataUpdatable:	False	

	DecimalPlaces:	Auto	
	Description:	latest age the visit can occur and still be considered on time in weeks	
	DisplayControl:	Text Box	
	OrdinalPosition:	2	
	Required:	False	
	SourceField:	max_weeks_qty	
	SourceTable:	twellbaby_visit_lkup_schedule	
created_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	3210	
	DataUpdatable:	False	
	Format:	General Date	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	3	
	Required:	False	
	SourceField:	created_timestamp	
	SourceTable:	twellbaby_visit_lkup_schedule	
modified_timestamp		Date/Time	8
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Fixed Size	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	Format:	General Date	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	4	
	Required:	False	
	SourceField:	modified_timestamp	
	SourceTable:	twellbaby_visit_lkup_schedule	
created_user		Text	20
	AllowZeroLength:	False	
	AppendOnly:	False	
	Attributes:	Variable Length	
	CollatingOrder:	General	
	ColumnHidden:	False	
	ColumnOrder:	Default	
	ColumnWidth:	Default	
	DataUpdatable:	False	
	DisplayControl:	Text Box	
	IMEMode:	0	
	IMESentenceMode:	3	
	OrdinalPosition:	5	

Required:	False
SourceField:	created_user
SourceTable:	twellbaby_visit_lkup_schedule
UnicodeCompression:	True

modified_user Text 20

AllowZeroLength:	False
AppendOnly:	False
Attributes:	Variable Length
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
DataUpdatable:	False
DisplayControl:	Text Box
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	6
Required:	False
SourceField:	modified_user
SourceTable:	twellbaby_visit_lkup_schedule
UnicodeCompression:	True

Table Indexes

Name	Number of Fields
PrimaryKey	1

Clustered:	False
DistinctCount:	15
Foreign:	False
IgnoreNulls:	False
Name:	PrimaryKey
Primary:	True
Required:	True
Unique:	True
Fields:	
well_baby_visit_code	Ascending

User Permissions

066	
105	
admin	
guest	
Key	Read Definition, Read Data, Insert Data, Update Data, Delete Data
NCPCA	Delete, Read Permissions, Set Permissions, Change Owner, Read Definition, Write Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Admin	

Group Permissions

Admins	Read Permissions, Set Permissions
Guests	
Pims Admins	Read Definition, Read Data, Insert Data, Update Data, Delete Data
Pims Staff	Read Definition, Read Data
Users	Read Permissions